





The Commonwealth of Massachusetts**OFFICE OF THE SECRETARY**

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1961

PREPARED AND DISTRIBUTED BY**KEVIN H. WHITE****Secretary of the Commonwealth**

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1961

PREPARED AND DISTRIBUTED BY

KEVIN H. WHITE

SECRETARY OF THE COMMONWEALTH

EDITED BY

RAYMOND D. LAVALLEE

STATE REGISTRAR OF VITAL STATISTICS



CONTENTS

EDITORIAL REVIEW OF VITAL STATISTICS OF MASSACHUSETTS: 1961.

MORTALITY STATISTICS.

	PAGE
INTRODUCTION	3-12
General Mortality	3-6
Death registration	3
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Death rates and their comparability	4
Allocation	4, 5
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5
Marital condition	5, 6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Causes of death	7-11
Sources of error in mortality statistics	7
Principal causes of death	7-11
Deaths investigated by medical examiners	11, 12
Source of data	11
Number of deaths investigated	11
Autopsies	11, 12
Cause of death	12
STATISTICAL TABLES	13-131
General mortality	13-129
TABLE 1.—Registered and allocated deaths in cities and towns, by sex, population, and death rates in each county, city and town	13-17
TABLE 2.—Deaths allocated by sex and age, in each county; and in municipalities having over 10,000 inhabitants	18-23
TABLE 3.—Mortality of males and females	24
TABLE 4.—Deaths at specified ages: census years	24
TABLE 5.—Male deaths per 1,000 female deaths at specified ages	25
TABLE 6.—Allocated deaths by sex, age, and marital condition	25
TABLE 7.—Deaths of males and females at specified ages	26
TABLE 8.—Allocated deaths, in counties and municipalities having over 50,000 inhabitants, by months	27
TABLE 9.—Deaths, live births, deaths under 1 year, deaths under 1 month and rates per 1,000 population and per 1,000 live births	27
TABLE 10.—Allocated deaths (exclusive of stillbirths) from each cause and class of causes, according to the Detailed International List, by sex	28-41
TABLE 11.—Allocated deaths (exclusive of stillbirths) from 256 selected causes, by months	42-49
TABLE 12.—Allocated deaths (exclusive of stillbirths) from 256 selected causes, by age and sex	50-75
TABLE 13.—Deaths from important causes by place of occurrence and by place of residence	76
TABLE 14.—Deaths from important causes allocated to each county	78-103
TABLE 15.—Registered deaths from important violent causes by place of occurrence	104-109
TABLE 16.—Accidental deaths, according to type of accident, by months and sex	110, 111
TABLE 17.—Accidental deaths, according to type of accident, by age and sex	112, 113
TABLE 18.—Deaths produced by external causes	114
TABLE 19.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year	114
TABLE 20.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abbreviated List	116, 117
TABLE 21.—Deaths and death rates per 100,000 population from important causes	118, 119
Infant mortality	120-127
TABLE 22.—Deaths allocated under 4 weeks of age; also under 1 year of age, by sex, in the State and each municipality	120-122
TABLE 23.—Infant and maternal deaths and death rates, for the State and counties	122
TABLE 24.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1960	123
TABLE 25.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship, in municipalities having over 15,000 inhabitants in 1960	124
TABLE 26.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston	125
TABLE 27.—Survivors at end of first year of life per 1,000 population and per 1,000 live births	125

STATISTICAL TABLES—*Concluded.*

Infant mortality— <i>concluded</i>	PAGE
TABLE 28.—Infant deaths per 1,000 live births, by causes	125
TABLE 29.—Deaths from important causes for certain subdivisions of the first year of life, for the State	126
TABLE 30.—Deaths from important causes for certain subdivisions of the first year of life, for Boston	127
Maternal mortality	128, 129
TABLE 31.—Deaths and death rates per 100,000 population from diseases caused by pregnancy and confinement	128
TABLE 32.—Death rates per 10,000 confinements and per 10,000 births from diseases caused by pregnancy and confinements	129
Deaths investigated by medical examiners	130, 131
TABLE 33.—Deaths (inclusive of stillbirths) investigated by medical examiners, by cause of death, in each county	130, 131
TABLE 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county	130, 131

BIRTH STATISTICS.

INTRODUCTION	132-135
Birth registration	132
Importance of birth records	132, 133
Adoptions	133
Records impounded	134
Treatment of infants' eyes after birth	134
Allocation	134
Live births	134
Birth rate	134
Changes in birth rate	134
Stillbirths	134
Birth rates, highest	134, 135
Sex proportion at birth	135
Plural births	135
Natural increase	135
STATISTICAL TABLES	136-145
TABLE 35.—Registered live births; allocated live births and stillbirths, in cities and towns, by sex, and birth rates per 1,000 population, in each county, city, and town	136-140
TABLE 36.—Allocated live births, by month of birth, in counties and in municipalities having over 50,000 inhabitants	141
TABLE 37.—Cases of allocated plural births in counties and municipalities having over 15,000 inhabitants	142
TABLE 38.—Allocated live births and allocated stillbirths by age of mother, birth weight, color, plurality and place of delivery	143
TABLE 39.—Live births and birth rates for the state and cities having over 100,000 inhabitants in 1960	144
TABLE 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population; and by sex and sex proportions	144
TABLE 41.—Plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births	145

MARRIAGE STATISTICS.

INTRODUCTION	146, 147
Marriage registration	146
Source of data	146
Number of marriages	146
Solemnization	146, 147
Accuracy	147
Purpose	147
STATISTICAL TABLES	148-158
TABLE 42.—Marriages classified by residence of bride and groom, in each county and municipality	148-152
TABLE 43.—Marriages, by sex, age, and marital condition	153
TABLE 44.—Marriages, by month in counties and in municipalities having over 50,000 inhabitants	153
TABLE 45.—Marriages in each county by sex and age	154, 155
TABLE 46.—Marriages, by sex and age	156
TABLE 47.—First marriages, by sex and age	156
TABLE 48.—First marriages of grooms and remarriages of brides, by age	156
TABLE 49.—Remarriages of grooms and first marriages of brides, by age	157
TABLE 50.—Remarriages of both parties, by age	157
TABLE 51.—First marriages and remarriages	157
TABLE 52.—Marriages and marriage rates in the state and in cities having over 100,000 inhabitants in 1960	158

DIVORCE STATISTICS.

	PAGE
INTRODUCTION	159, 160
Causes for divorcee	159
Source of data	159
Applications for divorce	159
Contested cases	159
Number of divorces	159, 160
Divorce rates	160
Party to which granted	160
Divorces classified by causes	160
Annulled cases	160
Duration of marriages	160
STATISTICAL TABLES	161-165
TABLE 53.—Libels for divorces granted, refused, dismissed, contested, and not contested, by statutory causes and sex of libellant; also annulments	161
TABLE 54.—Divorces granted	161
TABLE 55.—Divorces granted, increase over preceding period	162
TABLE 56.—Comparison of increase in divorce with increase in population	162
TABLE 57.—Divorce rates based on total population and on married population: census years, 1930 to 1955	162
TABLE 58.—Divorces granted for specified causes for 25 years	162
TABLE 59.—Statutory causes of divorce	163
TABLE 60.—Applications for divorce	163
TABLE 61.—Divorces granted classified by statutory cause and party to which granted	164
TABLE 62.—Libels for divorces granted and not granted, contested and not contested, classified by party to which granted	164
TABLE 63.—Divorces and annulments granted, by party to which granted and by duration of marriage	164
TABLE 64.—Divorces and annulments granted by county in which granted	165

POPULATION STATISTICS.

Introduction	166
Estimated population	166
STATISTICAL TABLES	167, 168
TABLE 65.—Census population of municipalities having over 15,000 inhabitants in 1960	167
TABLE 66.—Estimated population by age and sex: July 1, 1960	168

LETTER OF SUBMITTAL

THE COMMONWEALTH OF MASSACHUSETTS

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

Boston, December 4, 1961

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, Section 21, and Chapter 208, Section 47, of the General Laws, the one hundred and twentieth annual report on statistics of births, marriages, deaths and divorces in Massachusetts for the calendar year 1961. Births, marriages and deaths are reported monthly; births, for each town and city containing not more than ninety thousand inhabitants, not later than sixty days, and each city containing more than ninety thousand inhabitants, not later than ninety days, following every month in which births occur; marriages, on or before the tenth day of the second month following the month in which marriages are solemnized; deaths, on or before the tenth day of every month; and divorces, annually, in February, for the last preceding calendar year.

The editorial review and the method of presentation of the statistical data were prepared by Raymond D. Lavalley, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Anne C. Butler, Statistician, and Ruth H. Tenanty, Principal Statistical Clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

KEVIN H. WHITE,

Secretary of the Commonwealth.



Editorial Review of the Vital Statistics of Massachusetts, 1961

BY RAYMOND D. LAVALLEE, STATE REGISTRAR OF VITAL STATISTICS.

MORTALITY STATISTICS

	PAGE
Introduction	3-12
General mortality	3-6
Death registration	3
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Death rates and their comparability	4
Allocation	4, 5
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5
Marital condition	5, 6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Causes of death	7-11
Sources of error in mortality statistics	7
Principal causes of death	7-11
Deaths investigated by medical examiners	11, 12
Source of data	11
Number of deaths investigated	11
Autopsies	11, 12
Cause of death	12
Statistical tables	13-131

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required registration of births, marriages and deaths; in 1842 statutes required copies to be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration States.

During the period 1841 to 1961 inclusive, 4,986,482 copies of deaths have been received, filed, and tabulated in the Division of Vital Statistics. The original records are on file in the cities, towns and States in which the events occurred and copies in the city and town given as the residence of the deceased at the time of death. Chapter 439, Acts of 1945, provides that in cases of burial of war veterans in a city or town other than the place of death or residence, a copy of the death certificate shall also be filed with the Clerk of the place of burial.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate with the local Board of Health.

The responsibility for seeing that a certificate is properly made out and filed rests with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons. Chapter 604, Acts of 1949, relates to the burial or other disposition of the bodies of veterans.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults.

Factors which seriously affect the comparability of the death rates of different communities are: (1) employment; (2) migration; and (3) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. For purposes of allocation former residents of Massachusetts who have died in other States, after an absence from Massachusetts of more than one year, are considered nonresidents. Residents of other States who have resided in Massachusetts for more than one year are

considered as residents except in the case of institutions and jails. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. Also, those deaths due to violence have been allocated to the place of occurrence (see Table 15). The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was a decrease of 1,258 in the number of deaths occurring in the State during the calendar year 1961, the total number being 55,939 as compared with 57,197 deaths in 1960. Based on the estimated population of July 1, 1961, of 5,205,836 these deaths correspond to a rate of 10.7 per 1,000 population. The rate for 1960 was 11.8. Deaths of residents of Massachusetts numbered 55,704, resulting in a death rate of 10.7 per 1,000 inhabitants.

During the ten-year periods, from 1941 to 1950, inclusive, the average death rate of the Commonwealth was 11.4 and from 1951 to 1960, inclusive, 11.0.

Sex. — Of the 55,704 resident deaths in 1961, 29,566, or 54.5 per cent, were males, the percentage in 1960 being 53.7. The proportion of males in the living population, as shown by the United States Census of 1960, was 48.9 per cent. Expressed as a ratio, there were 1,131 deaths of males per 1,000 deaths of females in 1961, as compared with 1,158 in 1960, 1,129 in 1959, 1,118 in 1958, and 1,144 in 1957.

Table 3 shows that the death rate of males has been consistently greater than the death rate of females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 55,704 deaths in 1961 of residents of the State, 2,517 or 4.5 per cent were of infants under 1 year of age. The rates for infant deaths in previous years were 4.4 per cent in 1960, 4.8 per cent in 1959 and an average of 4.7 per cent for the five years from 1954 to 1958, 4.5 per cent for the five years from 1949 to 1953 and 5.3 per cent for the five years from 1944 to 1948. A more detailed discussion of infant mortality may be found under *Infant Mortality*.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, because of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Although of the 2,517 decedents under 1 year of age in 1961, 1,414, or 56 per cent, were females. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 75 to 79 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males including the reputed centenarians, numbering 30 of whom 6 were males and 24 were females. The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1957–1960 are shown in Table 5.

Among the 29,566 male decedents in 1961, 1,103, or 3.7 per cent, were under 1 year of age; among the 26,138 female decedents, 1,414, or 5.4 per cent, were under 1 year of age; and among the decedents of both sexes, 4.5 per cent were under 1 year of age (see Table 7).

Marital Condition. — Not quite one-half (45.9 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1961 were married, 15.1 per cent were single, 36 per cent were widowed, 2.7 per cent were divorced and .2 per cent were unknown. Among the male decedents 59.6 per cent were married, 13.9 per cent were single, 23 per cent were widowed, 3.2 per cent were di-

vorced and .1 per cent were unknown. Among the female decedents 30.4 per cent were married, 16.6 per cent were single, 50.7 per cent were widowed, 2.1 per cent were divorced, and .1 per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 6 shows the number of deaths of males and females 15 years of age and over by marital condition.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in January (5,103) and the next largest number in December (4,933) and October (4,719). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1961 was 152. The months showing the highest average for the year were January 164, February 161, and December 159. Table 8 shows the number of deaths in each month of 1961, in counties, and in municipalities having over 50,000 inhabitants in 1960.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1961 was 21.9 per 1,000 live births. With a few exceptions, this rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 26, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1952 to 1961, there has been an increase of 11,637 or 10.6 per cent in the number of live births registered in the State. During the same period there has been an increase of 3,428 or 21.9 per cent in the number of live births registered in Boston, while for the remainder of the State, the number of births registered increased 19.2 per cent. In 1961, deaths of Boston residents under 1 year of age numbered 374 or 23.9 per 1,000 live births. For rates of previous years (see Table 26).

Deaths under four weeks and also under one year of age in each municipality are shown in Table 22.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1961 are shown for the years 1954 to 1961 in Table 24.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1961, 1,764 deaths occurred in the first week, constituting 71.2 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (42.8 per cent) was higher than on any other day. In the first four weeks of life there were 1,940 deaths, or 78.3 per cent of all infant deaths.

In the first three months there were 2,181 deaths, or 88 per cent of all infant deaths. Ninety-four and two-tenths per cent of the infant deaths occurred in the first half year of life.

Over three-fourths, 78.6 per cent of the 1,764 babies who died less than one week after birth, died of immaturity, postnatal asphyxia and atelectasis, malformations, or injuries received at birth. Of the 1,545 babies who died from these causes before reaching the age of 1 year, 59.6 per cent died in less than one day, 89.7 per cent died in less than one week, and 95.5 per cent died in less than four weeks.

Diseases of the digestive system, formerly important factors in causing infant deaths, claimed 39 or 1.6 per cent of the babies who died before reaching 1 year of age. Twenty and four-tenths per cent of these deaths were from diarrhea and enteritis which has shown a remarkable decrease since 1960.

The largest number of deaths of infants is due to developmental and wasting diseases, and the figures indicate a reduction in infant mortality due to these causes, — from 24.1 deaths per 1,000 live births in 1933 to 3.4 in 1961. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has fluctuated since 1956 when there were 79 infant deaths from this cause, 99 in 1958, 91 in 1959, 87 in 1960, and 82 in 1961. The principal causes of infant deaths for the years 1956 to 1961 are shown in Table 28.

Causes of Death.

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death. Beginning with 1958, the 1957 or seventh revision of the Manual of International List of Causes of Death was used in the assignment of causes of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 600 or more titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1961 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the Expert Committee of the World Health Organization, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of the underlying cause of death as stated by the certifying physician, except in instances where the order of entries on the medical certificate is obviously erroneous. The medical certificate, recently adopted, permits the certifying physician or surgeon to signify more clearly the order of events leading up to death. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases, when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — Slightly less than three-fourths of the 55,704 resident deaths reported in 1961 were caused by diseases of the heart, cancer, vascular lesions affecting the central nervous system, pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 76.2 per cent of the deaths for the year. Table 21 shows the number of residents of the State who died from these causes.

Heart Disease, as usual, was the leading cause of resident deaths in 1961, the total number being 23,271 corresponding to a rate of 447.0 per 100,000 population as compared with 23,673 deaths, or 458.8 per 100,000 in 1960.

Cancer and other Malignant Neoplasms. — Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 9,715 the rate being 186.6 per 100,000 population, with cancers of the digestive organs and peritoneum claiming 36.4 per cent of these deaths, cancer of the genito-urinary organs 27.2 per cent; respiratory system 15 per cent; breast 9.5 per cent; hematopoietic and lymphatic tissues 8.5 per cent; buccal cavity and pharynx 2.9 per cent; and .6 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.6 in 1910 to 196.0 in 1957, an all-time high, with the first decreases during the last twenty-five years occurring in 1945, 1946, 1949, 1952, 1956, 1958 and 1959 respectively. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 29.1; genito-urinary organs 15.8; respiratory system 24.3; breast less than .1; hematopoietic and lymphatic tissues 9.3; buccal cavity and pharynx 4.6 and other unspecified organs 9.2. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 36.6; genito-urinary organs 19.5; respiratory system 4.3; breast 19.2; hematopoietic and lymphatic tissues 7.6; buccal cavity and pharynx 1.1 and other or unspecified organs 8.1.

Of cancer of the digestive organs and peritoneum, cancer of the intestines claimed the largest number of males, 16 per cent, and also claimed the largest number of females, 20.1 per cent. Among the deaths from cancer of the genito-urinary organs, 17.5 per cent were of the prostate gland and 16.7 per cent were of the uterus. More than four-fifths of the deaths from cancer of the lungs and bronchus were of males, 90.5 per cent, while 14.1 per cent were of females. In the buccal cavity group, cancer of the pharynx was responsible for 19.3 per cent of the male deaths and for 2.5 per cent of the female deaths. More than one-half, 57.5 per cent of the deaths from cancer of the skin were of males; while 42.5 per cent were females. Of the resident deaths from cancer, more than one-half, 52.4 per cent were of males.

Vascular Lesions, Affecting Central Nervous System were the causes of 6,026 deaths of residents, or 115.7 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 116.1 in 1956, 120.3 in 1957, 122.6 in 1958, and 117.3 in 1959.

Pneumonia (including bronchopneumonia) caused 2,260 resident deaths in 1961, or 43.4 per 100,000 population, as compared with 2,647 deaths, or 51.3 per 100,000 population in 1960.

Nephritis, all forms, was the cause of 417 deaths of Massachusetts residents in 1961 corresponding to a rate of 7.1 per 100,000 population, as compared with 6.6 in 1960, 7.0 in 1959, 7.3 in 1958, 8.7 in 1957 and 9.5 in 1956, and an average rate of 8.5 for the five years from 1955 to 1959. The great decrease in these deaths is accounted for by the fact that, under the new classification of causes of death, some forms of nephritis are now included with diseases of the circulatory system.

Tuberculosis in its various forms claimed 281 victims in 1961 of whom 268 died from tuberculosis of the respiratory system. Deaths due to the latter cause constituted .5 per cent of all resident deaths during the year, the rate being 5.1 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, this disease has fluctuated during recent years, there being an increase of .6 in 1940, .8 in 1941, .5 in 1946 and .2 in 1959 over the preceding years respectively.

Diabetes was the cause of 960 deaths of Massachusetts residents in 1961, a decrease of 11 from those reported in 1960 and was responsible for a rate of 18.4 per 100,000 population. The rate from this disease has shown a steady increase from 20.0 in 1926, to 37.9 in 1943, but since the latter year, has fluctuated, as may be seen from the following rates: 1959, 18.8; 1958, 18.5; 1957, 16.6; 1956, 18.2; 1955, 21.6; and an average rate of 21.9 for the five years from 1950 to 1954. Three-fifths, 61.6 per cent, of the resident deaths from diabetes were of females, with the age period 70 to 79 years having the greatest number, 24.7 per cent; of the males 12 per cent were in the same age period. This disease attacked persons 50 years of age and over most severely and these age groups claimed 93.9 per cent of diabetic deaths, 59.3 per cent being females and 34.6 per cent males.

Congenital Debility and Malformations, including immaturity, caused 2,188 resident deaths in 1961 corresponding to a rate of 42.3 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2) to 24.4 in 1951.

Alcoholism and Cirrhosis of the Liver (specified as alcoholic, etc.) were responsible for 892 resident deaths in 1961 corresponding to a rate of 17.1 per 100,000 population. Of these 231 were due to alcoholism which is an increase of 166 over those reported in 1960, corresponding to a rate of 4.4 per 100,000 population.

Maternal Mortality. — Deaths from puerperal causes of residents of the State in 1961 totalled 19 corresponding to a rate of 1.6 per 10,000 confinements. This rate was a decrease from 1960, the rate being 2.3.

Puerperal Septicemia. — There were 3 resident deaths from this cause in 1961, 2 in 1960, none in 1959, but was responsible for 3 resident deaths not including any due to abortion with septic conditions in 1958, the rate for this cause being .2 per 10,000 confinements. In 1957 and in 1956 the rate was .4. Of the deaths from these causes in 1958, 1 was from 15 to 19 years of age, 1 from 30 to 34 years of age and 1 from 35 to 39 years of age.

Diarrhea and Enteritis caused 59 deaths of residents in 1961, or 1.1 per 100,000 population. Twenty-eight and eight tenths per cent of the total number of deaths charged to these causes in 1961 were of infants under 2 years of age. The rates from this cause for all ages were 1.5 in 1955, 1.4 in 1956, 1.1 in 1957, and 1.1 in 1958.

Principal Communicable Causes. — The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 12 deaths of Massachusetts residents, or .2 per 100,000 inhabitants, as compared with .3 in 1954, .6 in 1955, .3 in 1956, 1.7 in 1957, and .5 in 1958. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated between .3 in 1954 and 27.9 in 1929.

Whooping Cough, one of the principal epidemic maladies of childhood, had 2 deaths in 1961, 1 death in 1960 and was responsible for 2 deaths in 1958, or less than one-tenth of one per 100,000 population. This was an increase of 1 death over those reported in 1957.

Measles, another childhood disease, caused no deaths in 1961, 3 resident deaths in 1960, or one-tenth of one per 100,000 population. There were none in 1959. This rate was .1 in 1957, less than one-tenth of one in 1956, .4 in 1955 and .1 in 1954.

Scarlet Fever. — There were no deaths in 1961 from scarlet fever but there was 1 in 1958. The rates have changed from year to year during the period 1933 to 1958, the highest being 2.5 in 1933 and less than one-tenth of one in 1946, 1948, 1949, 1952 and 1956 and no deaths in 1957.

Diphtheria and Croup — which are classed together in the statistics, but practically all of which are diphtheria had 1 death in 1961, no deaths in 1960. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants.

Epidemic Cerebrospinal Meningitis claimed 21 victims in 1961, as compared with 20 in 1960, 14 for 1959, 15 for 1958 and 1957, 6 in 1956 and 8 in 1955. The rate for this cause was .4 per 100,000 population.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years. There being 5 deaths in 1961, 8 deaths in 1960, no deaths in 1959 and the number of deaths in 1958 being 6.

Dysentery. — There was 1 death in 1961 and 1960, no deaths in 1959 and 1958, 1 in 1957, 1 in 1956, 6 in 1955 and 13 in 1954.

Typhoid Fever has shown a steady decline since 1910, having dropped from 12.2 in that year to less than one-tenth of one per 100,000 in 1946. This decline is greater, relatively, than that shown for any other important cause of death. There were no deaths in 1961, 1 death due to typhoid fever in 1960, none in 1959, 1958 and 1957.

Acute Poliomyelitis has shown a decrease for 1961, the number of deaths being 1 or less than .1 per 100,000 population, as compared with 6 or .1 in 1959, less than .1 in 1958, .1 in 1957 and 1956 and 3.6 in 1955.

There were no deaths from Smallpox in 1961.

Violent and Accidental Deaths. — Death rates from violence for residents of the State during the past five years per 100,000 population were 61.0 in 1956, 58.3 in 1957, 57.9 in 1958, 57.0 in 1959, 54.2 in 1960, and 55.2 in 1961.

Resident deaths due to Railroad Accidents and Injuries totalled 6 and corresponded to a rate of less than .1 per 100,000 population. The rates for the previous years were, .6 in 1956, .4 in 1957, .6 in 1958, .3 in 1959, and .4 in 1960.

There were no deaths resulting from Streetcar Accidents and Injuries.

Motor-Vehicle Traffic Accidents caused 592 deaths of residents in 1961, with 6 deaths from motor vehicle and railroad collisions. There were no deaths from motor vehicle and streetcar collisions. There were 16 nontraffic motor vehicle deaths. The rate was 11.3 per 100,000 population, as compared with 11.3 in 1960, 11.7 in 1959, 12.8 in 1958, 11.0 in 1957, 12.2 in 1956 and 12.7 in 1955. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — There were 4 deaths from this cause in 1961. In 1959 there were 5, 1958 and 1957 there were 3 deaths and in 1956, 4. The highest temperature recorded in 1959 was 96 degrees on August 16. The highest temperature recorded at the Weather Bureau of the United States Department of Commerce since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents in 1961 numbered 16 or .3 per 100,000 population. The corresponding figures for previous years were .4 in 1955 and 1956 and .2 in 1957, 1958 and 1959, and .3 in 1960.

The number of Suicides of Massachusetts residents in 1961 was 442 or 8.5 per 100,000 population. The rates since 1955 have been: 1956, 8.5; 1957, 8.1; 1958, 8.5; and in 1959 and 1960, 8.2.

Resident deaths caused by firearms numbered 148 in 1961 corresponding to a rate of 2.8 per 100,000 population. Of these deaths 105 were suicides, 26 were homicides, and 17 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt.)

Resident deaths from Homicide numbered 72 in 1961, or 1.3 per 100,000 population. The rates for homicide in recent years are 1.2 in 1955 and 1956, 1.3 in 1957, 1.0 in 1958, 1.1 in 1959, and 1.3 in 1960.

The causes of deaths for residents of the Commonwealth by sex for the complete International List of Diseases, Injuries and Causes of Death are shown in Table 10. Deaths from 256 Selected Causes occurring in each month are in Table 11 while those grouped in five-year age periods by sex are shown in Table 12. In Table 13 the deaths are shown for 58 causes and groups of causes for residents of other states; dying in Massachusetts as well as residents of Massachusetts dying in other states; also these causes and groups of causes are shown in Table 14 for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the five years 1957 to 1961 are shown for the 50 causes and groups of causes in the Abbreviated International List in Table 20. In addition to the above presentations, Tables 15 to 19, 21, 23 and 28 to 32 show causes of death.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include deaths caused by the action of chemical, thermal, or electrical agents, or following abortion, or from diseases resulting from injury or infection related to occupation, or suddenly when not disabled by recognizable disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1961 was 15,940, or 28.6 per cent of the total number of deaths which occurred during the year, as compared with 14,977 deaths in 1960 when the rate was 26.5 per cent. Of the deaths investigated by medical examiners, 2,627, or 17.5 per cent, were reported as due to violence, while among the deaths returned to the registrars, 2,799 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1961 was in Middlesex County, 3,948 as compared with 2,317 in Essex County. Of the deaths investigated in Middlesex County 584, or 11.2 per cent, were reported as due to violence.

Autopsies. — Autopsies were made in 1,924 or 12.0 per cent of the cases investigated by the medical examiners in 1961, as compared with 11.8 in 1960, 11.9 in 1959, 11.1 in 1958, 5.4 in 1957 and 4.8 in 1956.

The highest proportion of autopsies was in Middlesex County where 11.6 per cent of the views were autopsied, there being 12.7 per cent in 1960. Table 34 shows the number of views and the number of autopsies in each county in each year from 1952 to 1961, and the number and per cent of views autopsied for the ten-year period, 1952 to 1961.

Cause of Death. — Over three-fourths (82.8 per cent) of the deaths viewed by medical examiners in 1961 were from causes not due to violence, 17.1 per cent were due to violence, and .4 per cent were stillbirths. One thousand, nine hundred and sixteen, or 12 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 13,209, of which 13,118 were from natural causes and 91 were due to alcoholism.

Deaths due to violence numbered 2,731, of which 2,241 were due to accident and poisoning, 417 were suicides, and 73 were homicides.

Of the 2,241 deaths due to accident and poisoning, 1,041 were due to falls, 608 were due to automobile accidents, 134 resulted from drowning, 6 were due to railroad accidents, and 452 to other causes.

Suicides numbered 417, or 15.2 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 49, and by hanging or strangulation, 111, constituted almost two-fifths (38.3 per cent), of the total number. The number of suicides by firearms was 105; by poisons, 46; by drowning, 36, and other methods, 11.

Homicides numbered 73, of which 26 were by firearms, 13 by cutting or piercing instruments, and 34 by other means.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES ¹	Total.	REGISTERED.		Total.	ALLOCATED.			Population (Estimated July 1, 1961.)
		SEX.			SEX.		Rate.	
		Male.	Female.		Male.	Female.		
The State.	55,939	29,670	26,269	55,704	29,566	26,138	10.7	5,205,836
BARNSTABLE COUNTY	786	412	374	807	424	383	11.3	71,614
Barnstable	287	153	134	165	85	80	12.1	13,680
Bourne	229	121	108	81	41	40	5.6	14,391
Brewster	10	6	4	21	14	7	16.7	1,255
Chatham	14	8	6	45	24	21	13.5	3,328
Dennis	24	16	8	65	35	30	17.1	3,796
Eastham	4	2	2	15	7	8	12.3	1,221
Falmouth	62	35	27	130	70	60	9.8	13,284
Harwich	26	12	14	71	37	34	18.6	3,814
Mashpee	-	-	-	5	4	1	5.6	887
Orleans	12	6	6	23	12	11	9.6	2,382
Provincetown	31	11	20	44	21	23	12.9	3,414
Sandwich	19	7	12	25	13	12	11.9	2,096
Truro	10	8	2	13	8	5	12.7	1,022
Wellfleet	18	9	9	27	13	14	18.9	1,426
Yarmouth	40	18	22	77	40	37	13.7	5,618
BERKSHIRE COUNTY	1,520	806	714	1,627	885	742	11.3	143,859
Adams	150	74	76	148	79	69	11.8	12,530
Alford	-	-	-	2	-	2	7.7	260
Becket	6	5	1	11	8	3	14.1	780
Cheshire	8	8	-	26	14	12	10.3	2,509
Clarksburg	4	3	1	17	8	9	9.6	1,762
Dalton	45	22	23	66	33	33	10.0	6,545
Egremont	6	3	3	14	7	7	15.4	908
Florida	1	1	-	2	1	1	3.5	577
Great Barrington	117	68	49	91	57	34	13.6	6,691
Hancock	4	2	2	5	3	2	10.8	460
Hinsdale	5	4	1	11	6	5	7.7	1,425
Lanesborough	7	5	2	25	17	8	8.3	2,986
Lee	22	12	10	56	32	24	10.5	5,337
Lenox	42	21	21	41	24	17	9.5	4,314
Monterey	10	3	7	6	4	2	12.3	488
Mount Washington	1	-	1	2	1	1	58.8	34
New Ashford	-	-	-	-	-	-	-	168
New Marlborough	6	3	3	9	5	4	8.2	1,096
NORTH ADAMS	292	150	142	269	135	134	13.4	20,072
Otis	2	2	-	6	5	1	12.4	481
Peru	-	-	-	-	-	-	-	200
PITTSFIELD	700	370	330	647	344	303	11.0	58,602
Richmond	5	2	3	8	4	4	8.8	903
Sandisfield	15	11	4	11	8	3	20.2	545
Savoy	-	-	-	2	1	1	7.1	280
Sheffield	14	4	10	35	18	17	16.2	2,159
Stockbridge	11	6	5	21	11	10	9.6	2,180
Tyringham	-	-	-	1	1	-	5.0	198
Washington	8	4	4	4	4	-	13.6	293
West Stockbridge	4	3	1	11	8	3	8.7	1,259
Williamstown	32	19	13	77	46	31	10.3	7,427
Windsor	3	1	2	3	1	2	7.7	390
BRISTOL COUNTY	4,410	2,274	2,136	4,535	2,361	2,174	11.2	403,102
Acushnet	24	13	11	47	28	19	7.8	5,965
ATTLEBORO	416	216	200	303	153	150	10.9	27,670
Berkley	4	2	2	16	5	11	9.7	1,635
Dartmouth	88	40	48	162	80	82	10.8	14,960
Dighton	15	6	9	25	11	14	6.3	3,940
Easton	45	22	23	94	48	46	10.0	9,360
Fairhaven	100	41	59	168	93	75	11.4	14,640
FALL RIVER	1,423	712	711	1,169	562	607	11.7	99,642
Freetown	16	7	9	28	18	10	8.7	3,205
Mansfield	30	20	10	86	46	40	10.7	7,985
NEW BEDFORD	1,367	718	649	1,326	706	620	12.9	102,309
North Attleborough	61	37	24	158	86	72	10.4	15,110
Norton	46	16	30	53	26	27	7.5	7,065
Raynham	8	6	2	23	18	5	5.3	4,350
Rehoboth	16	6	10	70	39	31	13.3	5,275
Seekonk	22	15	7	77	49	28	8.9	8,660
Somerset	32	20	12	88	56	32	7.0	12,535
Swansea	37	16	21	90	46	44	8.8	10,230
TAUNTON	631	345	286	470	249	221	11.2	41,700
Westport	29	16	13	82	42	40	11.9	6,866

¹ Counties and cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES ¹	Total.	REGISTERED.		Total.	ALLOCATED.			Population (Estimated July 1, 1961.)
		SEX.			SEX.		Rate.	
		Male.	Female.		Male.	Female.		
DUKES COUNTY	109	54	55	111	60	51	19.0	5,837
Chilmark	5	3	2	6	5	1	25.0	240
Edgartown	14	8	6	28	15	13	19.0	1,473
Gay Head	2	1	1	2	1	1	19.2	104
Gosnold	1	1	—	2	2	—	30.3	66
Oak Bluffs	60	30	30	29	13	16	20.5	1,415
Tisbury	25	9	16	37	19	18	10.7	2,178
West Tisbury	2	2	—	7	5	2	19.3	361
ESSEX COUNTY	6,245	3,209	3,036	6,515	3,406	3,109	11.3	575,973
Amesbury	149	69	80	117	54	63	10.7	10,900
Andover	60	18	42	136	63	73	8.4	16,131
BEVERLY	381	208	173	376	202	174	10.2	36,670
Boxford	13	8	5	17	9	8	8.2	2,058
Danvers	464	218	246	186	97	89	8.3	22,313
Essex	14	9	5	21	11	10	9.2	2,273
Georgetown	15	8	7	40	18	22	10.4	3,530
GLOUCESTER	277	140	137	291	153	138	11.1	26,075
Groveland	12	6	6	34	19	15	10.1	3,356
Hamilton	40	14	26	37	19	18	6.6	5,614
HAVERHILL	594	282	312	586	297	289	12.5	46,809
Ipswich	97	45	52	108	58	50	12.4	8,676
LAWRENCE	867	487	380	939	502	437	13.1	71,436
LYNN	1,154	600	554	1,249	657	592	13.1	95,337
Lynnfield	18	8	10	49	24	25	5.7	8,598
Manchester	16	10	6	47	23	24	11.7	4,000
Marblehead	121	65	56	201	104	97	10.6	18,834
Merrimac	16	7	9	38	16	22	11.5	3,307
Methuen	391	207	184	287	162	125	10.0	28,500
Middleton	69	45	24	32	18	14	8.4	3,777
Nahant	33	9	24	26	14	12	6.4	4,034
Newbury	16	13	3	28	19	9	10.9	2,560
NEWBURYPORT	235	123	112	215	112	103	15.2	14,150
North Andover	72	30	42	112	57	55	10.1	11,083
PEABODY	262	135	127	318	170	148	9.7	32,776
Rockport	30	15	15	61	27	34	13.1	4,673
Rowley	28	16	12	27	17	10	9.5	2,837
SALEM	602	304	298	528	274	254	13.3	39,556
Salisbury	12	8	4	32	17	15	10.0	3,200
Saugus	127	73	54	164	94	70	7.8	20,971
Swampscott	37	18	19	148	65	83	10.9	13,477
Topsfield	7	3	4	20	10	10	5.8	3,436
Wenham	10	5	5	27	14	13	9.4	2,856
West Newbury	6	3	3	18	10	8	9.6	1,870
FRANKLIN COUNTY	503	264	239	616	330	286	11.1	55,498
Ashfield	12	5	7	10	3	7	8.7	1,147
Bernardston	2	1	1	10	5	5	7.2	1,391
Buckland	3	2	1	12	8	4	7.0	1,683
Charlemont	3	3	—	10	7	3	11.0	967
Colrain	4	4	—	11	6	5	7.6	1,439
Conway	5	5	—	16	12	4	18.1	884
Deerfield	27	9	18	35	19	16	10.3	3,380
Erving	4	3	1	10	6	4	7.8	1,284
Gill	4	1	3	7	2	5	5.7	1,220
Greenfield	206	109	97	178	95	83	9.9	17,885
Hawley	—	—	—	1	—	1	3.9	254
Heath	3	3	—	4	3	1	13.0	307
Leverett	7	4	3	5	2	3	5.4	926
Leyden	2	1	1	4	2	2	11.4	349
Monroe	1	1	—	2	2	—	9.4	213
Montague	100	53	47	92	47	45	11.6	7,919
New Salem	—	—	—	9	7	2	22.4	401
Northfield	24	13	11	26	11	15	11.0	2,346
Orange	33	17	16	106	59	47	17.0	6,226
Rowe	—	—	—	2	—	2	8.5	234
Shelburne	40	18	22	32	15	17	18.2	1,757
Shutesbury	—	—	—	4	3	1	14.8	270
Sunderland	12	5	7	7	4	3	5.3	1,301
Warwick	2	2	—	3	1	2	6.9	430
Wendell	2	2	—	9	5	4	30.6	294
Whately	7	3	4	11	6	5	10.4	1,051
HAMPDEN COUNTY	4,364	2,347	2,017	4,429	2,373	2,056	10.1	435,412
Agawam	36	23	13	116	70	46	7.2	16,022
Blandford	—	—	—	6	3	3	9.3	643
Brimfield	13	7	6	11	7	4	7.6	1,435

¹ Counties and cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES ¹	REGISTERED.			Total.	ALLOCATED.			Population (Estimated July 1, 1961.)
	Total.	SEX.			SEX.		Rate.	
		Male.	Female.		Male.	Female.		
HAMPDEN COUNTY —Continued								
Chester	11	5	6	21	9	12	18.0	1,170
CHICOPEE	273	153	120	465	260	205	7.4	62,511
East Longmeadow	20	10	10	67	37	30	6.3	10,539
Granville	2	2	—	8	6	2	9.0	886
Hampden	29	14	15	9	4	5	3.7	2,396
Holland	7	5	2	11	8	3	19.2	571
HOLYOKE	824	477	347	714	367	347	13.4	53,192
Longmeadow	34	25	9	111	66	45	10.3	10,779
Ludlow	59	33	26	85	46	39	6.0	14,080
Monson	51	30	21	50	28	22	7.3	6,798
Montgomery	22	9	13	3	2	1	8.8	341
Palmer	139	84	55	129	77	52	12.3	10,487
Russell	8	6	2	17	11	6	12.3	1,381
Southwick	13	6	7	40	14	26	7.6	5,250
SPRINGFIELD	2,320	1,190	1,130	2,031	1,062	969	11.5	176,595
Tolland	1	1	—	2	2	—	19.6	102
Wales	2	2	—	3	2	1	4.5	671
West Springfield	69	25	44	197	103	94	7.3	26,713
WESTFIELD	409	228	181	272	152	120	10.7	25,300
Wilbraham	22	12	10	61	37	24	8.1	7,550
HAMPSHIRE COUNTY	1,057	555	502	979	528	451	9.3	104,708
Amherst	73	30	43	94	52	42	6.7	13,934
Belchertown	36	19	17	33	19	14	6.1	5,258
Chesterfield	3	2	1	5	5	—	8.8	563
Cummington	3	1	2	6	1	5	10.8	555
Easthampton	55	23	32	121	66	58	9.8	12,495
Goshen	4	4	—	4	2	2	10.2	390
Granby	11	6	5	20	11	9	4.6	4,324
Hadley	19	10	9	25	15	10	7.9	3,143
Hatfield	9	5	4	25	12	13	10.5	2,379
Huntington	14	7	7	20	10	10	14.1	1,410
Middlefield	1	1	—	1	1	—	3.1	320
NORTHAMPTON	617	355	262	307	162	145	10.1	30,399
Pelham	1	1	—	10	8	2	12.2	818
Plainfield	1	1	—	3	2	1	12.4	242
South Hadley	57	22	35	122	69	53	8.0	15,234
Southampton	8	3	5	27	16	11	12.0	2,240
Ware	134	58	76	109	54	55	14.3	7,595
Westhampton	1	1	—	3	2	1	5.1	592
Williamsburg	8	5	3	32	18	14	14.0	2,212
Worthington	2	1	1	9	3	6	14.8	605
MIDDLESEX COUNTY	10,610	5,408	5,202	12,219	6,424	5,795	9.7	1,256,147
Acton	25	18	7	73	39	34	9.7	7,495
Arlington	386	180	206	546	286	260	10.7	50,710
Ashby	7	4	3	28	17	11	13.9	2,001
Ashland	20	9	11	52	32	20	6.4	8,061
Ayer	57	34	23	48	30	18	3.1	15,405
Bedford	106	92	14	50	29	21	4.4	11,320
Belmont	119	51	68	309	153	156	10.6	29,141
Billerica	73	40	33	125	75	50	6.8	18,315
Boxborough	2	1	1	6	2	4	7.0	850
Burlington	13	9	4	60	34	26	4.5	13,316
CAMBRIDGE	1,567	792	775	1,235	633	602	11.5	107,390
Carlisle	26	8	18	5	3	2	3.1	1,610
Chelmsford	68	35	33	160	86	74	10.3	15,523
Concord	173	93	80	89	40	49	6.9	12,833
Dracut	32	14	18	94	48	46	6.7	14,034
Dunstable	4	1	3	11	5	6	11.8	930
EVERETT	294	160	134	460	266	194	10.4	44,030
Frammingham	581	290	291	384	197	187	8.4	45,507
Groton	30	18	12	31	17	14	7.6	4,062
Holliston	38	14	24	55	29	26	8.5	6,440
Hopkinton	19	11	8	44	28	16	8.6	5,106
Hudson	61	36	25	113	63	50	11.4	9,891
Lexington	270	136	134	160	78	82	5.6	28,331
Lincoln	10	6	4	19	11	8	3.2	5,840
Littleton	8	7	1	26	18	8	4.8	5,322
LOWELL	1,281	661	620	1,222	625	597	13.3	91,976
MALDEN	623	305	318	699	344	355	12.1	57,624
MARLBOROUGH	245	133	112	217	122	95	11.3	19,183
Maynard	31	19	12	96	54	42	12.2	7,881
MEDFORD	503	258	245	693	387	306	10.7	64,941
MELROSE	359	187	172	326	171	155	10.8	30,085

¹ Counties and cities are printed in small capitals.² Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES ¹	Total.	REGISTERED.		Total.	ALLOCATED.			Population (Estimated July 1, 1961.)
		SEX.			SEX.		Rate.	
		Male.	Female.		Male.	Female.		
MIDDLESEX COUNTY — Continued								
Natick	235	114	121	216	102	114	7.2	29,450
NEWTON	727	327	400	928	454	474	9.9	93,706
North Reading	15	6	9	50	25	25	5.8	8,610
Pepperell	23	11	12	43	27	16	9.6	4,492
Reading	106	42	64	158	77	81	8.0	19,682
Sherborn	1	—	1	17	8	9	8.8	1,927
Shirley	30	16	14	31	17	14	5.7	5,370
SOMERVILLE	692	369	323	1,107	611	496	11.7	94,506
Stoneham	247	122	125	152	79	73	8.3	18,210
Stow	12	7	5	23	12	11	8.4	2,711
Sudbury	21	7	14	49	22	27	6.3	7,740
Tewksbury	24	11	13	91	53	38	5.5	16,370
Tewksbury Hospital	274	174	100	—	—	—	—	—
Townsend	6	4	2	37	19	18	9.7	3,800
Tyngsborough	8	4	4	27	14	13	7.8	3,456
Wakefield	103	46	57	214	114	100	8.6	24,760
WALTHAM	531	280	251	487	257	230	8.6	56,290
Watertown	135	68	67	392	210	182	9.9	39,635
Wayland	45	17	28	97	41	56	8.9	10,795
Westford	31	14	17	44	25	19	6.8	6,465
Weston	21	12	9	57	35	22	6.6	8,520
Wilmington	35	19	16	100	59	41	7.8	12,831
Winchester	199	106	93	210	102	108	10.6	19,765
WOBURN	207	102	105	253	139	114	7.9	31,903
NANTUCKET COUNTY	51	33	18	47	28	19	13.3	3,562
NORFOLK COUNTY	4,018	1,940	2,078	4,743	2,448	2,295	9.1	518,589
Avon	17	13	4	43	27	16	9.8	4,387
Bellingham	17	10	7	50	26	24	7.2	6,913
Braintree	169	76	93	283	143	140	8.9	31,594
Brookline	587	202	385	780	361	419	14.3	54,522
Canton	32	20	12	108	56	52	8.3	13,038
Cohasset	37	14	23	48	19	29	8.0	5,964
Dedham	99	44	55	213	104	109	8.7	24,256
Dover	4	3	1	11	7	4	3.7	2,905
Foxborough	146	66	80	66	32	34	6.4	10,320
Franklin	45	22	23	82	42	40	7.9	10,703
Holbrook	38	18	20	71	41	30	6.8	10,365
Medfield	120	45	75	44	22	22	7.1	6,119
Medway	15	6	9	50	25	25	9.5	5,257
Millis	18	11	7	44	23	21	9.8	4,464
Milton	180	87	93	274	142	132	10.2	26,753
Needham	141	74	67	178	98	80	6.7	26,303
Norfolk	205	111	94	28	16	12	7.9	3,528
Norwood	338	184	154	207	117	90	8.2	25,367
Plainville	33	11	22	37	19	18	9.5	3,894
QUINCY	854	440	414	978	519	459	11.0	88,416
Randolph	54	33	21	139	75	64	7.2	19,325
Sharon	25	16	9	62	32	30	6.0	10,306
Stoughton	191	94	97	128	68	60	7.7	16,630
Walpole	44	22	22	109	59	50	7.6	14,340
Wellesley	79	34	45	208	103	105	7.8	26,484
Westwood	24	14	10	66	30	36	6.2	10,576
Weymouth	430	236	194	386	213	173	7.8	49,070
Wrentham	76	34	42	50	29	21	7.3	6,790
PLYMOUTH COUNTY	2,456	1,273	1,183	2,775	1,460	1,315	11.0	252,551
Abington	59	31	28	93	46	47	8.6	10,806
Bridgewater	105	66	39	91	47	44	8.7	10,403
BROCKTON	996	511	485	921	476	445	12.5	73,830
Carver	18	10	8	19	12	7	9.6	1,980
Duxbury	25	12	13	45	18	27	9.3	4,815
East Bridgewater	20	16	4	57	35	22	9.1	6,247
Halifax	14	7	7	29	13	16	17.7	1,632
Hanover	31	21	10	53	33	20	8.8	6,050
Hanson	29	22	7	43	29	14	9.6	4,445
Hingham	77	30	47	145	74	71	9.2	15,660
Hull	28	12	16	67	34	33	9.3	7,222
Kingston	52	24	28	69	37	32	15.8	4,368
Lakeville	56	21	35	23	15	8	7.3	3,271
Marion	11	6	5	28	14	14	9.5	2,927
Marshfield	36	24	12	66	41	25	9.5	6,906
Mattapoisett	18	10	8	28	14	14	8.8	3,171
Middleborough	199	103	96	189	97	92	16.8	11,203
Norwell	24	13	11	33	16	17	6.2	5,330

¹ Counties and cities are printed in small capitals.² Exclusive of stillbirths.

Table 1 REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES ¹	REGISTERED.			Total.	ALLOCATED.			Population (Estimated July 1, 1961.)	
	Total.	SEX.			Total.	SEX.			Rate.
		Male.	Female.			Male.	Female.		
PLYMOUTH COUNTY — Continued									
Pembroke	51	21	30	53	33	20	10.5	5,030	
Plymouth	215	118	97	203	107	96	13.8	14,618	
Plympton	21	9	12	9	7	2	10.8	832	
Rochester	6	3	3	15	8	7	9.4	1,581	
Rockland	70	31	39	121	62	59	9.1	13,363	
Scituate	52	29	23	97	42	55	8.6	11,465	
Wareham	152	78	74	127	60	67	13.2	9,608	
West Bridgewater	15	9	6	36	24	12	7.0	5,140	
Whitman	76	36	40	115	66	49	10.8	10,648	
SUFFOLK COUNTY	13,122	7,503	5,619	9,975	5,405	4,570	12.6	788,706	
BOSTON	12,260	6,965	5,295	8,994	4,850	4,144	12.9	694,600	
CHELSEA	440	305	135	398	231	167	11.8	33,618	
REVERE	272	166	106	363	210	153	9.0	40,164	
Winthrop	150	67	83	220	114	106	10.8	20,324	
WORCESTER COUNTY	6,688	3,592	3,096	6,326	3,434	2,892	10.7	590,278	
Ashburnham	22	5	17	27	9	18	9.6	2,791	
Athol	188	94	94	132	76	56	11.2	11,761	
Auburn	45	25	20	114	68	46	7.9	14,324	
Barre	14	5	9	28	13	15	7.9	3,518	
Berlin	11	10	1	19	11	8	10.7	1,770	
Blackstone	18	10	8	50	27	23	9.6	5,188	
Bolton	3	3	—	6	5	1	4.6	1,284	
Boylston	73	45	28	27	14	13	11.2	2,410	
Brookfield	28	13	15	29	15	14	10.7	1,774	
Charlton	30	20	10	48	33	15	12.5	3,740	
Clinton	144	66	78	136	71	65	10.4	13,000	
Douglas	13	11	2	32	18	14	12.3	2,584	
Dudley	18	9	9	53	31	22	8.0	6,610	
East Brookfield	9	5	4	22	14	8	14.1	1,556	
FITCHBURG	496	247	249	462	235	227	10.6	43,480	
GARDNER	356	190	166	233	128	105	12.1	19,224	
Grafton	123	64	59	82	45	37	7.6	10,800	
Hardwick	28	20	8	38	21	17	16.0	2,364	
Harvard	7	4	3	18	7	11	7.1	2,553	
Holden	122	63	59	92	47	45	8.9	10,311	
Hopedale	31	17	14	41	24	17	10.1	4,042	
Hubbardston	5	3	2	16	7	9	13.0	1,231	
Lancaster	15	7	8	40	18	22	10.0	4,010	
Leicester	18	13	5	58	32	26	7.0	8,316	
LEOMINSTER	303	162	141	299	159	140	10.5	28,320	
Lunenburg	12	7	5	54	29	25	18.3	6,460	
Mendon	12	5	7	25	12	13	11.9	2,101	
Millford	187	96	91	170	89	81	10.6	15,921	
Millbury	43	26	17	92	60	32	9.4	9,756	
Millville	12	5	7	19	12	7	12.0	1,580	
New Braintree	—	—	—	3	3	—	5.8	515	
North Brookfield	15	8	7	36	15	21	5.2	6,848	
Northborough	43	22	21	47	28	19	4.3	10,921	
Northbridge	104	56	48	123	68	55	33.6	3,660	
Oakham	4	3	1	5	3	2	9.4	531	
Oxford	21	14	7	54	41	13	5.7	9,465	
Paxton	8	5	3	21	6	15	8.5	2,458	
Petersham	1	—	1	7	4	3	7.7	901	
Phillipston	1	—	1	7	3	4	10.0	703	
Princeton	7	3	4	9	4	5	6.5	1,382	
Royalston	2	2	—	9	3	6	11.1	807	
Rutland	173	161	12	18	11	7	5.4	3,292	
Shrewsbury	45	21	24	118	68	50	6.9	16,950	
Southborough	15	11	4	33	21	12	8.1	4,070	
Southbridge	215	129	86	206	129	77	12.3	16,671	
Spencer	51	27	24	105	59	46	13.2	7,940	
Sterling	13	10	3	38	26	12	11.6	3,252	
Sturbridge	20	10	10	26	18	8	7.1	3,661	
Sutton	13	7	6	30	19	11	8.1	3,690	
Templeton	44	27	17	71	40	31	13.0	5,444	
Upton	19	8	11	28	12	16	8.8	3,172	
Uxbridge	61	27	34	83	44	39	10.5	7,890	
Warren	12	5	7	36	17	19	10.5	3,417	
Webster	154	89	65	148	83	65	10.7	13,836	
West Boylston	15	11	4	41	27	14	4.2	9,755	
West Brookfield	28	20	8	21	11	10	3.7	5,657	
Westborough	249	112	137	68	32	36	3.2	2,083	
Westminster	9	4	5	37	17	20	9.0	4,095	
Winchendon	77	36	41	70	36	34	11.1	6,310	
WORCESTER	2,883	1,514	1,369	2,366	1,256	1,110	12.5	188,123	

¹ Counties and cities are printed in small capitals.² Exclusive of stillbirths.

Line No.	Table 2 STATE, COUNTIES, AND SEX	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	The State	55,704	2,523	2,159	123	97	69	75	192	174	209	280	253
2	Males	29,566	1,426	1,218	71	52	43	42	107	115	144	201	157
3	Females	26,138	1,097	941	52	45	26	33	85	59	65	79	96
4	BARNSTABLE	807	47	39	2	3	1	2	4	1	4	6	1
5	Males	424	26	22	1	1	1	1	3	1	2	5	0
6	Females	383	21	17	1	2	-	1	1	-	2	1	1
7	BERKSHIRE	1,627	100	80	12	3	3	2	8	3	13	11	9
8	Males	883	60	44	9	3	2	2	-	3	10	8	6
9	Females	748	40	36	3	-	1	-	8	-	3	3	3
10	BRISTOL	4,555	178	153	10	6	7	2	14	14	18	24	17
11	Males	2,361	114	101	5	3	4	1	9	8	11	18	8
12	Females	2,174	64	52	5	3	3	1	5	6	7	6	9
13	DUKES	111	4	3	-	-	-	1	1	-	3	-	-
14	Males	60	1	-	-	-	-	1	-	-	-	-	-
15	Females	51	3	3	-	-	-	-	1	-	-	-	-
16	ESSEX	6,515	322	281	14	11	9	7	4	21	18	18	20
17	Males	3,406	172	151	6	6	6	3	1	14	14	11	10
18	Females	3,109	150	130	8	5	3	4	3	7	4	7	10
19	FRANKLIN	616	25	19	3	2	-	1	2	2	3	4	3
20	Males	330	13	9	1	2	-	1	2	2	1	3	3
21	Females	286	12	10	2	-	-	-	-	-	2	1	-
22	HAMPDEN	4,429	246	217	9	9	5	6	12	12	14	23	16
23	Males	2,373	144	127	5	3	4	5	7	10	8	18	11
24	Females	2,056	102	90	4	6	1	1	5	2	6	5	5
25	HAMPSHIRE	979	58	50	3	1	1	2	6	4	3	6	2
26	Males	528	38	32	3	-	1	2	2	1	3	5	2
27	Females	451	20	18	-	1	-	1	4	3	-	1	-
28	MIDDLESEX	12,219	351	271	32	26	10	12	48	39	34	56	53
29	Males	6,424	201	156	20	16	4	5	23	25	22	39	36
30	Females	5,795	150	115	12	10	6	7	25	14	12	17	17
31	NANTUCKET	47	11	1	-	4	6	-	5	-	-	-	1
32	Males	23	6	1	-	2	3	-	3	-	-	-	1
33	Females	19	5	-	-	2	3	-	2	-	-	-	-
34	NORFOLK	4,743	235	210	6	6	6	7	27	17	22	27	20
35	Males	2,448	138	125	4	3	2	4	16	11	18	15	13
36	Females	2,295	97	85	2	3	4	3	11	6	4	12	7
37	PLYMOUTH	2,775	151	131	2	9	3	6	12	12	13	21	18
38	Males	1,460	77	67	1	4	3	2	8	6	8	16	14
39	Females	1,315	74	64	1	5	-	4	4	6	5	5	4
40	SUFFOLK	9,975	461	417	18	8	7	11	23	26	36	49	69
41	Males	5,447	251	225	11	4	5	6	18	16	27	36	38
42	Females	4,528	210	192	7	4	2	5	5	10	9	13	31
43	WORCESTER	6,326	334	287	12	9	11	15	26	23	28	35	24
44	Males	3,431	185	158	5	5	8	9	15	18	17	27	15
45	Females	2,892	149	129	7	4	3	6	11	5	11	8	9
46	MUNICIPALITIES²												
47	Abington	93	7	7	-	-	-	1	-	1	-	-	-
48	Adams	118	9	9	-	-	-	-	-	1	-	-	2
49	Agawam	116	10	10	-	-	-	-	-	1	-	1	1
50	Amesbury	117	4	4	-	-	-	-	1	-	-	-	-
51	Andover	136	7	5	-	-	2	-	-	-	1	2	-
52	Arlington	546	14	14	-	-	-	-	-	3	1	-	3
53	Athol	132	3	3	-	-	-	-	-	-	1	-	-
54	ATTLEBORO	303	17	15	2	-	-	-	1	1	1	2	-
55	Auburn	114	6	6	-	-	-	-	1	-	1	3	-
56	Barnstable	165	5	4	-	1	-	-	1	-	2	1	-
57	Belmont	309	6	6	-	-	-	-	1	1	1	1	-
58	Beverly	376	18	14	1	1	1	1	1	2	2	1	2
59	BillERICA	125	16	14	-	1	-	1	1	2	1	-	2
60	BOSTON	8,994	415	374	17	8	7	9	20	21	33	43	66
61	Braintree	283	15	15	-	-	-	-	2	3	1	-	2
62	BROCKTON	921	47	41	1	3	-	2	5	4	2	6	5
63	Brookline	780	11	10	-	1	-	-	-	2	1	2	3
64	CAMBRIDGE	1,235	53	45	6	1	1	-	4	4	4	3	8
65	Canton	108	7	5	1	-	-	1	2	-	-	2	-
66	Chelmsford	160	10	8	1	1	-	-	2	-	1	-	1

¹ Exclusive of stillbirths.² Age at last birthday.³ Counties and cities printed in small capitals.

IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1961.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Accu- known.
1	391	639	1,085	1,713	2,616	3,602	4,912	6,840	7,828	7,901	7,007	4,953	2,063	519	89	-
2	224	383	677	1,047	1,618	2,354	3,122	3,962	4,179	3,953	3,067	2,021	702	191	22	-
3	167	256	408	666	968	1,248	1,700	2,878	3,649	3,948	3,940	2,932	1,381	328	67	-
4	6	8	8	17	31	42	71	110	113	110	99	75	42	11	1	-
5	3	5	4	10	22	28	43	58	64	53	44	36	15	2	-	-
6	3	3	4	7	9	14	28	52	49	57	55	39	27	9	1	-
7	10	23	30	58	68	103	129	191	219	229	198	153	67	10	2	-
8	3	16	16	36	40	77	81	115	122	100	103	56	26	2	-	-
9	3	14	22	28	26	48	76	97	120	95	97	41	8	2	-	-
10	28	52	89	151	212	307	407	575	669	692	558	340	142	39	9	-
11	21	26	51	95	133	201	245	333	323	332	234	133	54	12	1	-
12	7	26	38	56	79	106	162	212	347	360	324	207	88	27	8	-
13	-	1	5	7	3	7	8	8	16	16	18	7	4	2	1	-
14	-	-	5	4	3	6	6	5	8	9	8	-	4	1	1	-
15	-	1	-	3	-	1	2	3	8	7	10	7	4	1	-	-
16	48	78	128	175	296	388	561	839	899	939	849	565	275	63	9	-
17	31	40	91	97	181	254	356	465	494	479	367	224	79	21	5	-
18	17	38	37	78	115	134	295	374	405	460	482	341	196	42	4	-
19	8	4	8	14	18	29	43	61	76	80	99	77	28	8	4	-
20	5	3	4	7	13	20	25	49	59	41	53	34	9	2	2	-
21	3	1	4	7	5	9	18	32	37	39	46	43	19	6	2	-
22	59	102	143	178	272	392	609	641	661	661	504	329	145	34	7	-
23	15	40	69	93	115	174	239	331	332	350	216	124	49	10	4	-
24	14	19	33	50	63	98	153	278	310	331	258	205	96	24	3	-
25	5	12	19	32	32	53	52	150	136	133	132	88	48	7	2	-
26	3	6	9	21	17	35	35	93	71	65	59	45	16	3	1	-
27	2	6	10	11	15	18	19	57	65	67	73	43	32	4	1	-
28	79	116	198	378	647	828	1,127	1,408	1,704	1,644	1,679	1,296	492	122	20	-
29	42	77	121	223	399	523	734	820	913	780	716	602	147	35	5	-
30	37	39	77	155	257	305	393	588	791	864	963	694	345	87	15	-
31	1	-	2	1	4	2	3	2	1	3	4	3	2	2	-	-
32	1	-	2	-	3	1	2	1	1	2	2	-	2	1	-	-
33	-	-	-	1	1	1	1	1	-	1	2	3	-	1	-	-
34	36	58	86	134	227	316	400	527	641	651	584	489	195	45	6	-
35	20	37	59	83	144	216	256	289	358	310	233	176	54	11	-	-
36	16	21	36	51	83	100	144	238	233	341	351	313	141	34	6	-
37	25	33	55	63	105	138	208	279	373	428	403	276	126	30	6	-
38	16	13	35	41	63	80	149	168	213	213	161	107	56	6	1	-
39	9	20	20	22	42	49	59	111	160	215	242	169	70	24	5	-
40	81	138	245	345	599	720	968	1,281	1,450	1,372	1,121	698	289	81	13	-
41	45	82	148	203	340	482	915	748	744	742	487	257	192	66	2	-
42	36	57	97	142	169	238	353	533	666	630	634	441	187	15	11	-
43	35	57	110	195	286	397	537	789	889	952	759	557	228	65	9	-
44	15	38	72	134	184	248	332	487	458	496	354	227	93	19	-	-
45	20	19	38	61	102	149	205	293	431	456	405	330	135	46	9	-
46	-	-	3	2	3	3	11	10	10	10	19	5	4	2	1	-
47	1	-	4	5	4	14	16	20	28	25	13	12	3	1	-	-
48	-	-	2	12	12	11	10	9	11	9	13	10	4	-	-	-
49	-	3	1	2	6	3	8	11	13	20	21	10	9	5	-	-
50	-	3	2	3	9	12	10	21	14	11	18	15	10	1	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	3	5	8	16	31	35	53	72	82	73	75	44	24	2	2	-
53	1	-	4	1	5	8	15	14	20	19	18	14	6	3	-	-
54	4	3	11	12	13	23	17	32	50	48	29	21	14	2	2	-
55	1	-	1	3	7	10	14	12	21	15	9	7	2	1	-	-
56	2	2	1	5	6	8	13	22	24	27	19	11	13	3	-	-
57	2	2	4	11	19	22	35	38	37	43	27	39	13	7	-	-
58	3	6	3	8	19	25	35	39	51	53	53	38	12	4	1	-
59	2	-	3	6	8	10	7	14	11	13	12	10	5	2	-	-
60	80	128	216	319	471	665	867	1,156	1,270	1,231	1,022	627	259	72	13	-
61	-	5	5	8	16	23	21	28	35	43	34	28	11	2	1	-
62	5	11	15	19	39	45	80	99	136	157	122	83	30	10	1	-
63	3	3	7	16	41	54	67	93	122	112	102	91	44	6	-	-
64	9	10	24	44	63	80	123	128	168	182	162	100	49	11	1	-
65	1	5	3	2	6	5	8	11	11	13	14	12	5	1	-	-
66	-	1	-	9	5	17	12	19	21	11	26	15	6	2	2	-

Line No.	Table 2 MUNICIPALITIES. ³	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	CHELSEA . . .	398	19	17	1	-	-	1	2	2	3	2	1
2	CRICOFEE . . .	465	38	35	1	-	1	1	1	2	3	4	-
3	Clinton . . .	136	10	9	-	-	1	-	1	-	1	-	-
4	Concord . . .	89	7	5	1	-	-	1	-	-	-	2	-
5	Danvers . . .	186	11	11	-	-	-	-	-	1	1	-	1
6	Dartmouth . . .	162	6	6	-	-	-	-	-	-	1	1	3
7	Dedham . . .	213	13	13	-	-	-	-	1	2	2	2	2
8	Dracut . . .	94	8	8	-	-	-	-	-	-	-	3	-
9	Easthampton . . .	124	7	5	1	-	-	1	-	1	1	1	-
10	EVERETT . . .	460	21	19	-	2	-	-	1	2	3	3	3
11	Fairhaven . . .	168	3	3	-	-	-	-	-	-	1	-	-
12	FALL RIVER . . .	1,169	55	44	4	3	4	-	6	-	4	3	3
13	FITCHBURG . . .	462	21	19	1	-	-	-	2	3	1	-	3
14	Framingham . . .	384	26	23	1	-	1	1	3	1	2	2	1
15	GARDNER . . .	283	4	3	-	1	-	-	-	1	1	-	-
16	GLOUCESTER . . .	261	23	22	-	-	-	1	-	-	-	1	1
17	Grafton . . .	82	5	4	1	-	-	-	1	-	1	-	-
18	Greenfield . . .	178	6	6	-	-	-	-	-	-	2	-	1
19	HAVERHILL . . .	586	20	25	2	2	-	1	-	2	3	-	1
20	Lingham . . .	145	4	3	-	-	-	1	1	-	2	4	2
21	HOLYOKE . . .	714	34	30	1	1	1	1	2	-	1	1	2
22	LAWRENCE . . .	939	41	37	4	-	-	-	1	1	2	5	3
23	LEXINGTON . . .	299	18	15	1	1	1	-	2	1	1	2	2
24	Lexington . . .	160	9	8	-	1	-	-	-	-	1	2	1
25	LOWELL . . .	1,222	64	55	6	-	-	3	6	3	2	6	7
26	Ludlow . . .	85	3	2	1	-	-	-	-	-	1	3	-
27	LYNN . . .	1,249	40	29	4	3	3	1	6	1	4	2	5
28	MATDEN . . .	699	29	23	2	-	1	3	3	2	-	3	4
29	Middlehead . . .	201	5	5	-	-	-	-	1	-	-	-	-
30	MARLBOROUGH . . .	217	20	20	-	-	-	-	1	-	-	1	1
31	MEDFORD . . .	693	30	25	-	5	-	-	2	2	2	4	3
32	MELROSE . . .	326	17	15	-	1	1	-	1	1	-	1	1
33	Methuen . . .	287	14	11	1	1	1	-	-	2	1	2	-
34	Middleborough . . .	189	8	8	-	-	-	-	1	-	4	2	3
35	Milford . . .	170	7	7	-	-	-	-	-	-	2	1	1
36	Milton . . .	274	5	5	-	-	-	-	1	-	-	1	2
37	Natick . . .	216	13	11	-	1	-	1	2	1	-	2	-
38	Norham . . .	178	8	8	-	-	-	-	1	1	-	2	-
39	NEW BEDFORD . . .	1,326	44	36	3	2	2	1	2	6	4	8	8
40	NEW-BURYPORT . . .	215	9	8	-	-	1	-	4	1	-	1	1
41	NEWTON . . .	928	34	26	1	2	4	1	2	6	4	1	5
42	NORTH ADAMS . . .	269	4	4	-	-	-	-	-	1	2	2	2
43	No. Attleborough . . .	158	11	11	-	-	-	-	-	-	1	1	-
44	NORTHAMPTON . . .	307	14	12	1	-	-	1	-	1	1	-	-
45	Northbridge . . .	123	1	1	-	-	-	-	1	1	-	-	1
46	Norwood . . .	207	11	10	1	-	-	1	3	1	2	2	-
47	Palmer . . .	129	7	5	-	2	-	-	1	-	-	2	-
48	Peabody . . .	318	23	21	-	2	-	-	-	2	3	1	-
49	PITTSFIELD . . .	647	46	40	3	2	1	-	1	1	8	5	1
50	Plymouth . . .	203	9	6	-	1	1	1	-	1	-	-	1
51	QUINCY . . .	978	40	37	-	-	1	2	4	1	5	6	3
52	Randolph . . .	139	14	12	1	-	1	-	1	-	2	1	1
53	Reading . . .	158	9	8	1	-	-	-	3	1	1	1	3
54	REVERE . . .	363	17	16	1	-	-	-	1	2	-	2	2
55	Rockland . . .	121	7	6	-	1	-	-	1	-	-	1	-
56	SALEM . . .	528	19	16	-	2	1	-	1	1	-	2	2
57	Saursbury . . .	164	11	10	1	-	-	-	-	-	1	1	1
58	Shrewsbury . . .	118	8	8	-	-	-	-	-	1	-	-	-
59	Somerset . . .	88	5	4	-	-	1	-	-	-	1	1	-
60	SOMERVILLE . . .	1,107	54	47	5	2	-	-	1	3	2	10	3

¹ Exclusive of stillbirths.² Age at last birthday.³ Cities printed in small capitals.

IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1961.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	1	4	12	12	18	21	37	53	88	57	22	34	9	1	-	-
2	2	7	10	18	23	26	40	65	83	58	39	31	12	3	-	-
3	-	2	2	3	9	8	17	16	10	21	12	14	8	2	-	-
4	1	1	2	4	4	3	7	6	12	8	15	10	4	3	-	-
5	1	1	5	4	8	15	15	21	24	24	26	16	9	3	-	-
6	-	2	4	9	4	8	14	22	32	28	14	13	1	-	-	-
7	2	3	7	4	12	12	19	32	25	24	23	22	5	3	1	-
8	-	3	2	6	6	7	6	11	10	11	12	9	1	1	-	-
9	1	3	1	2	1	4	5	18	15	21	21	15	6	1	-	-
10	6	9	9	12	26	37	47	50	71	52	50	40	12	3	3	-
11	-	1	3	5	6	11	16	22	28	28	23	12	8	1	-	-
12	17	26	36	33	73	96	95	138	147	175	131	84	36	8	3	-
13	4	4	9	13	16	32	36	56	71	77	54	37	19	4	-	-
14	3	3	12	8	23	19	31	43	54	48	53	36	10	4	2	-
15	1	2	3	11	9	20	14	36	26	34	35	25	19	1	-	-
16	2	3	6	10	15	19	21	39	29	37	33	34	13	4	1	-
17	-	2	3	3	3	3	5	13	6	13	15	5	3	1	-	-
18	2	1	3	2	2	9	14	24	23	29	26	21	11	1	1	-
19	4	6	9	13	22	37	39	98	75	74	86	56	30	7	-	-
20	3	1	3	2	6	9	8	9	14	18	30	20	8	1	-	-
21	4	10	14	16	24	50	62	87	106	129	85	49	24	11	3	-
22	3	6	22	24	61	54	86	137	151	147	94	58	38	4	1	-
23	-	-	2	13	16	19	27	38	33	49	36	23	13	4	-	-
24	2	-	3	5	7	8	13	17	25	18	18	21	9	2	1	-
25	12	13	24	47	50	72	115	149	167	183	133	128	36	2	2	-
26	1	1	2	6	6	2	8	13	18	6	9	4	2	-	-	-
27	23	23	27	39	60	64	106	135	192	198	155	115	41	11	2	-
28	2	9	14	39	44	64	77	113	113	115	87	64	36	13	1	-
29	1	3	5	13	9	8	13	31	23	37	39	16	14	2	-	-
30	-	4	2	4	7	12	15	22	36	31	31	15	8	3	1	-
31	6	4	12	21	32	46	63	74	102	91	96	68	28	7	-	-
32	3	3	5	3	17	21	39	34	43	43	37	37	17	3	3	-
33	4	6	3	4	12	15	21	40	33	42	50	28	7	3	-	-
34	-	3	5	6	8	10	7	21	23	20	30	21	8	-	-	-
35	2	4	3	5	7	6	10	20	25	21	26	18	9	9	-	-
36	1	5	4	5	17	25	26	32	37	34	29	35	13	1	1	-
37	4	3	7	5	7	15	22	20	28	21	27	25	12	2	-	-
38	1	-	1	3	7	19	16	22	19	16	25	25	11	1	-	-
39	9	21	26	37	57	76	120	178	198	216	167	102	32	15	-	-
40	2	1	5	9	9	13	12	24	19	23	36	22	14	-	-	-
41	16	14	14	45	44	62	74	105	101	117	121	85	58	20	-	-
42	1	3	3	6	16	11	27	32	30	40	36	38	14	1	-	-
43	1	1	2	8	8	7	6	20	22	28	21	14	4	1	2	-
44	2	4	10	9	9	20	20	51	44	45	39	27	19	1	2	-
45	-	-	2	3	5	12	14	19	19	24	14	9	5	-	1	-
46	1	5	5	9	6	6	12	23	32	32	23	26	4	-	-	-
47	2	1	2	5	5	8	12	17	20	18	17	6	5	2	-	-
48	3	3	10	7	12	15	34	45	53	39	37	18	21	1	-	-
49	6	8	12	24	30	46	42	84	89	82	77	55	33	3	1	-
50	1	4	5	6	2	8	17	18	25	32	37	24	10	3	-	-
51	10	8	21	24	47	72	77	107	122	148	142	102	22	6	1	-
52	2	1	1	6	5	13	16	19	16	11	10	11	5	1	-	-
53	1	1	5	7	7	15	19	14	14	17	17	13	5	5	-	-
54	-	3	13	10	12	26	41	45	57	50	41	29	7	5	-	-
55	3	2	3	4	3	9	5	12	14	15	22	9	8	3	-	-
56	1	10	11	11	30	36	60	73	74	51	75	42	22	6	1	-
57	5	4	5	9	5	9	11	27	17	20	23	7	2	6	-	-
58	1	1	2	6	4	6	9	12	20	15	16	8	1	1	-	-
59	-	3	4	2	4	7	7	16	14	10	6	5	2	2	-	-
60	8	9	20	46	62	89	110	133	147	146	145	86	30	11	1	-

Line No.	Table 2 MUNICIPALITIES. ³	ALLOCATED DEATHS, ¹ BY SEX AND AGE, ² IN EACH COUNTY AND											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	South Hadley . . .	122	12	12	-	-	-	-	-	1	-	3	-
2	Southbridge . . .	206	15	11	2	-	2	-	3	-	1	2	-
3	SPRINGFIELD . . .	2,031	151	138	4	3	3	3	5	7	2	8	8
4	Stoneham . . .	152	8	7	-	1	-	-	2	1	-	1	-
5	Stoughton . . .	128	10	9	-	-	1	-	2	1	2	-	-
6	Swampscott . . .	148	7	6	-	-	-	1	-	1	1	-	-
7	TAUNTON . . .	470	22	17	2	1	1	1	1	2	1	3	2
8	Tewksbury . . .	91	22	21	1	-	-	-	-	1	-	3	-
9	Wakefield . . .	214	9	8	-	1	-	-	-	-	4	-	2
10	Walpole . . .	109	4	3	1	-	-	-	3	-	-	2	1
11	WALTHAM . . .	437	53	44	3	3	2	1	3	-	-	1	2
12	Watertown . . .	392	15	12	1	2	-	-	1	2	-	1	1
13	Webster . . .	148	17	16	-	1	-	-	2	1	-	-	1
14	Wellesley . . .	208	6	5	-	-	1	-	3	1	1	1	-
15	West Springfield . . .	197	12	12	-	-	-	-	1	-	1	-	-
16	WESTFIELD . . .	272	22	21	-	1	-	-	1	-	-	1	1
17	Weymouth . . .	336	29	26	1	2	-	-	1	2	2	6	3
18	Wilmington . . .	100	11	9	1	1	-	-	-	-	-	-	1
19	Winchester . . .	210	17	16	1	-	-	-	2	1	3	3	-
20	Winthrop . . .	220	17	13	-	-	-	4	-	1	-	1	-
21	WOBURN . . .	253	23	18	1	3	1	-	3	2	3	1	2
22	WORCESTER . . .	2,366	109	100	2	2	2	3	8	6	4	15	8

¹ Exclusive of stillbirths.² Age at last birthday.³ Cities printed in small capitals.

IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1961.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un- known.
1	-	3	3	6	7	7	11	16	13	9	13	11	2	-	-	-
2	1	1	1	9	9	11	20	23	26	32	20	13	6	2	-	-
3	16	25	51	72	67	119	189	292	276	330	223	161	64	10	-	-
4	-	1	4	4	5	12	11	20	20	20	22	17	4	-	-	-
5	2	2	2	4	10	3	6	12	27	21	10	9	2	2	-	-
6	1	2	-	3	8	12	11	17	24	19	17	15	9	1	-	-
7	3	3	10	11	25	29	57	55	68	55	57	41	22	3	-	-
8	-	1	1	6	6	6	5	7	10	10	6	5	3	1	-	-
9	3	2	4	9	11	14	11	19	24	28	30	29	14	-	1	-
10	2	1	3	3	5	6	10	9	8	19	18	10	4	1	-	-
11	4	11	9	23	24	35	53	54	46	52	46	48	13	8	2	-
12	4	7	6	18	15	20	40	42	57	51	47	42	20	3	-	-
13	4	1	1	6	9	14	15	15	11	9	13	21	10	6	-	-
14	4	1	1	6	9	14	15	31	20	29	24	26	10	6	-	-
15	-	5	-	4	11	11	24	31	30	22	28	12	4	1	-	-
16	1	3	7	8	11	21	19	37	35	38	35	30	13	1	1	-
17	2	8	9	18	14	25	37	46	36	53	44	33	13	4	1	-
18	-	2	3	4	5	8	8	9	16	12	14	4	2	1	-	-
19	-	4	1	9	14	18	13	19	29	22	29	19	11	2	-	-
20	-	2	4	4	8	8	30	27	35	22	24	20	14	3	-	-
21	1	5	2	8	8	16	28	18	38	42	24	21	7	2	-	-
22	15	21	39	67	118	144	223	312	336	365	280	206	74	14	2	-

Table 3

YEARS.	MORTALITY ¹ OF MALES AND FEMALES: 1937 TO 1961.					
	DEATHS. ²		Deaths of males to 1,000 deaths of females.	DEATH RATES ³ PER 1,000 POPULATION.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1937	27,395	24,892	1,101	-	-	-
1938	26,046	23,850	1,092	-	-	-
1939	26,340	24,567	1,072	-	-	-
1940	26,572	24,708	1,075	12.6	11.2	1.4
1941	26,803	24,238	1,106	-	-	-
1942	27,031	24,171	1,118	12.8	10.9	1.9
1943	28,386	26,025	1,091	13.4	11.7	1.7
1944	27,046	24,408	1,108	12.8	10.9	1.9
1945	26,942	23,821	1,131	-	-	-
1946	27,021	24,268	1,113	12.2	10.4	1.8
1947	27,472	24,111	1,139	12.3	10.2	2.1
1948	27,852	24,463	1,139	12.4	10.3	2.1
1949	26,880	23,562	1,141	11.8	9.9	1.9
1950	26,870	23,489	1,144	11.8	9.7	2.1
1951	28,189	24,751	1,139	12.3	10.1	2.2
1952	27,851	24,129	1,154	12.1	9.8	2.3
1953	27,947	23,919	1,167	12.0	9.6	2.4
1954	27,324	23,929	1,142	11.6	9.6	2.0
1955	28,345	26,041	1,132	12.1	10.0	2.1
1956	28,206	24,551	1,149	12.0	9.7	2.3
1957	29,163	25,495	1,144	12.3	10.0	2.3
1958	28,926	25,866	1,118	12.1	10.1	2.0
1959	28,985	25,670	1,129	12.1	10.0	2.1
1960	30,350	26,201	1,153	12.2	9.8	2.4
1961	29,566	26,138	1,131	11.8	9.7	2.1

¹ Exclusive of stillbirths.² Allocated since 1943.³ Rates are calculated on estimated population, except in census years. Male and female population not enumerated in State census of 1935 and 1945.

Table 4

AGE PERIODS.	DEATHS ¹ AT SPECIFIED AGES: CENSUS YEARS 1935 TO 1960.					
	1960.	1955.	1950.	1945.	1940.	1935.
All ages.	56,566 ²	53,356 ²	50,359 ²	50,763 ²	50,698 ²	49,634 ²
Under 5 years	2,414	2,820	2,672	2,889	2,925	3,809
Under 1 year	2,054	2,438	2,277	2,433	2,450	3,014
5 to 9 years	257	244	153	233	245	513
10 to 14 years	137	132	106	200	281	461
15 to 19 years	237	191	198	333	444	616
20 to 29 years	501	579	713	990	1,151	1,627
30 to 39 years	1,135	1,168	1,332	1,633	1,774	2,465
40 to 49 years	2,830	2,773	3,068	3,696	3,994	4,488
50 to 59 years	6,219	6,153	6,782	7,500	7,092	7,001
60 to 69 years	12,176	11,776	11,503	11,250	11,571	11,083
70 years and over	30,654	27,550	23,892	20,039	21,221	17,631
Age unknown	-	-	-	-	-	-
AGE PERIODS.	DEATH RATES PER 1,000 POPULATION ³ AT SPECIFIED AGES.					
	11.6	11.0	10.7	11.3	11.7	11.4
All ages.	11.6	11.0	10.7	11.3	11.7	11.4
Under 5 years	4.4	5.9	6.0	-	10.4	-
Under 1 year	18.2	26.2	27.2	-	46.6	-
5 to 9 years5	.6	.4	-	.8	-
10 to 14 years3	.4	.4	-	.8	-
15 to 19 years6	.7	.6	-	1.2	-
20 to 29 years8	.9	1.1	-	1.6	-
30 to 39 years	1.6	1.6	1.9	-	2.8	-
40 to 49 years	4.2	4.3	4.9	-	6.6	-
50 to 59 years	11.0	11.1	12.4	-	14.7	-
60 to 69 years	27.1	27.6	28.6	-	34.3	-
70 years and over	86.7	92.1	- ⁴	-	253.7	-

¹ Exclusive of stillbirths.² Allocated.³ Population by age groups not enumerated for 1935 and 1945.⁴ U. S. Census figures for 1930 and 1950 not available.

Table 5	MALE DEATHS ¹ PER 1,000 FEMALE DEATHS ¹ AT SPECIFIED AGES.				AGE PERIODS.	MALE DEATHS ¹ PER 1,000 FEMALE DEATHS ¹ AT SPECIFIED AGES.			
	1961.	1960.	1959.	1958.		1961.	1960.	1959.	1958.
All Ages.	1,129	1,159	1,129	1,118	40 to 44 years	1,659	1,351	1,690	1,418
Under 1 year	1,294	1,481	1,532	1,379	45 to 49 years	1,572	1,712	1,604	1,631
1 year	1,365	795	1,385	1,444	50 to 54 years	1,741	1,959	1,808	1,701
2 years	1,156	1,133	886	1,289	55 to 59 years	1,928	1,910	1,727	1,779
3 years	1,654	1,556	1,400	1,243	60 to 64 years	1,764	1,646	1,546	1,582
4 years	1,273	1,065	1,958	1,148	65 to 69 years	1,392	1,461	1,437	1,404
5 to 9 years	1,230	1,197	1,255	1,555	70 to 74 years	1,148	1,222	1,255	1,231
10 to 14 years	1,959	1,446	2,055	1,694	75 to 79 years	979	1,003	932	912
15 to 19 years	2,215	2,292	2,328	2,089	80 to 84 years	774	751	739	722
20 to 24 years	2,544	2,451	1,900	2,621	85 to 89 years	626	646	624	656
25 to 29 years	1,625	1,723	1,878	1,465	90 to 94 years	508	502	485	522
30 to 34 years	1,341	1,582	1,407	1,437	95 to 99 years	582	436	389	304
35 to 39 years	1,496	1,741	1,386	1,361	100 years and over	328	273	224	239

¹ Allocated.

Table 6	ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1961.													
	AGE AT DEATH.	Both Sexes.	MALES.						FEMALES.					
			Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State														
15 Years and Over.	52,447	27,711	3,850	16,527	6,377	896	61	24,736	4,101	7,530	12,555	525	25	
15 to 19 years	215	150	146	4	-	-	-	65	59	6	-	-	-	
20 to 29 years	544	367	216	142	1	6	2	177	64	103	3	7	-	
30 to 39 years	1,068	625	168	399	3	51	4	443	86	323	12	22	-	
40 to 49 years	2,865	1,755	331	1,280	37	104	3	1,110	154	821	66	69	-	
50 to 59 years	6,160	3,994	551	2,998	214	220	11	2,166	345	1,353	370	97	1	
60 to 69 years	11,653	7,075	863	5,054	866	275	17	4,578	647	2,125	1,688	114	4	
70 to 79 years	15,607	8,027	993	4,634	2,212	173	15	7,580	1,192	2,038	4,201	137	12	
80 years and over	14,335	5,718	582	2,016	3,044	67	9	8,617	1,554	761	6,215	79	8	
Boston														
15 Years and Over.	8,532	4,662	930	2,456	1,037	209	-	3,870	656	1,126	1,987	101	-	
15 to 19 years	33	24	24	-	-	-	-	9	9	-	-	-	-	
20 to 29 years	109	59	38	20	-	1	-	50	26	24	-	-	-	
30 to 39 years	208	108	32	57	1	18	-	100	17	75	5	3	-	
40 to 49 years	535	340	67	235	14	24	-	195	31	127	17	20	-	
50 to 59 years	1,136	764	170	493	48	53	-	372	91	165	87	29	-	
60 to 69 years	2,017	1,206	195	796	161	54	-	811	80	360	350	21	-	
70 to 79 years	2,501	1,421	284	723	373	41	-	1,680	150	265	644	21	-	
80 years and over	1,993	740	120	162	440	18	-	1,253	252	110	884	7	-	

Table 7

DEATHS¹ OF MALES AND FEMALES AT SPECIFIED AGES: 1952 TO 1961.

AGE PERIODS AND YEARS.	BOTH SEXES.		MALES.		FEMALES.		Female deaths per 1,000 male deaths.
	Number. ²	Per Cent distrib- ution.	Number. ²	Per Cent distrib- ution.	Number. ²	Per Cent distrib- ution.	
ALL AGES.							
1952	51,980	100.0	27,851	100.0	24,129	100.0	866
1953	51,896	100.0	27,947	100.0	23,949	100.0	857
1954	51,253	100.0	27,324	100.0	23,929	100.0	876
1955	53,386	100.0	28,345	100.0	25,041	100.0	883
1956	52,757	100.0	28,206	100.0	24,551	100.0	870
1957	54,655	100.0	29,163	100.0	25,495	100.0	874
1958	54,792	100.0	28,926	100.0	25,866	100.0	894
1959	54,655	100.0	28,983	100.0	25,672	100.0	886
1960	56,560	100.0	30,359	100.0	26,201	100.0	863
1961	55,704	100.0	29,566	100.0	26,138	100.0	884
UNDER 1 YEAR.							
1952	2,472	4.8	1,429	5.1	1,043	4.3	730
1953	2,345	4.5	1,345	4.8	1,000	4.2	743
1954	2,490	4.9	1,440	5.3	1,050	4.4	729
1955	2,438	4.6	1,454	5.1	984	3.9	679
1956	2,503	4.7	1,472	5.2	1,031	4.2	700
1957	2,649	4.8	1,533	5.3	1,116	4.4	728
1958	2,536	4.6	1,470	5.1	1,066	4.1	725
1959	2,611	4.8	1,580	5.5	1,031	4.0	653
1960	2,054	3.6	1,226	4.0	828	3.1	675
1961	2,478	4.4	1,398	4.7	1,080	4.1	772
UNDER 5 YEARS.							
1952	2,887	5.6	1,659	6.0	1,228	5.1	740
1953	2,740	5.3	1,566	5.6	1,174	4.9	750
1954	2,846	5.6	1,631	6.0	1,215	5.1	745
1955	2,820	5.3	1,677	5.9	1,143	4.6	681
1956	2,854	5.4	1,669	5.9	1,185	4.8	710
1957	3,000	5.5	1,740	6.0	1,260	4.9	724
1958	2,905	5.3	1,679	5.8	1,226	4.7	730
1959	2,961	5.4	1,780	6.2	1,181	4.6	663
1960	2,414	4.3	1,410	4.6	1,004	3.8	712
1961	2,848	5.1	1,612	5.4	1,236	4.7	766
60 TO 69 YEARS.							
1952	11,708	22.5	6,984	25.1	4,724	19.6	676
1953	11,844	22.8	7,112	25.4	4,732	19.8	665
1954	11,447	22.3	6,827	25.0	4,620	19.3	677
1955	11,776	22.0	7,051	24.9	4,725	18.9	670
1956	11,676	22.1	6,983	24.8	4,693	19.1	672
1957	12,328	22.6	7,440	25.5	4,888	19.2	657
1958	11,943	21.8	7,126	24.6	4,817	18.6	676
1959	11,568	21.2	6,908	23.8	4,660	18.1	675
1960	12,176	21.5	7,378	24.3	4,798	18.3	650
1961	11,653	21.0	7,075	24.0	4,578	17.5	647
70 TO 79 YEARS.							
1952	14,164	27.2	7,069	25.4	7,095	29.4	1,004
1953	14,142	27.2	7,266	26.0	6,876	28.7	946
1954	14,103	27.5	7,027	25.7	7,076	29.6	1,007
1955	14,723	27.6	7,442	26.3	7,281	29.1	978
1956	14,453	27.4	7,406	26.3	7,047	28.7	952
1957	14,785	27.0	7,576	26.0	7,209	28.3	952
1958	15,084	27.5	7,758	26.8	7,326	28.3	944
1959	15,225	27.9	7,916	27.3	7,309	28.5	923
1960	15,779	27.9	8,288	27.3	7,491	28.6	904
1961	15,607	28.0	8,027	27.1	7,580	29.0	944
ALL OTHER AGES.							
1952	23,221	44.7	12,139	43.5	11,082	45.9	913
1953	23,170	44.7	12,003	43.0	11,167	46.6	930
1954	22,857	44.6	11,839	43.3	11,108	46.0	938
1955	24,067	45.1	12,175	42.9	11,892	47.4	977
1956	23,774	45.1	12,148	43.1	11,626	47.4	957
1957	24,545	44.9	12,407	42.5	12,138	47.6	974
1958	24,860	45.4	12,363	42.7	12,497	48.3	1,011
1959	24,901	45.6	12,379	42.7	12,522	48.8	1,012
1960	26,191	46.3	13,283	43.8	12,908	49.3	971
1961	25,596	45.9	12,852	43.5	12,744	48.8	991

¹ Exclusive of stillbirths.² Allocated.

Table 8 ALLOCATED DEATHS,¹ IN COUNTIES AND IN MUNICIPALITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1961.

COUNTIES AND MUNICIPALITIES HAVING OVER 50,000 INHABITANTS IN 1960. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	55,764	5,103	4,526	4,690	4,569	4,707	4,497	4,530	4,403	4,369	4,719	4,664	4,933
Average daily number of deaths . . .	153	163	161	151	152	151	150	146	142	145	152	155	159
COUNTIES.													
Middlesex . . .	12,219	1,095	1,003	1,042	970	982	978	1,005	961	943	1,085	1,064	1,091
Suffolk . . .	9,975	976	797	843	830	862	787	823	819	820	874	844	700
Worcester . . .	6,326	577	499	547	507	523	519	491	503	501	499	520	640
Essex . . .	6,515	554	527	562	534	601	529	540	508	497	526	525	612
Norfolk . . .	4,743	449	373	380	397	379	365	402	404	384	390	403	417
Hampden . . .	4,429	431	369	389	348	357	358	321	318	350	384	401	403
Bristol . . .	4,535	419	383	367	383	403	378	363	328	345	393	348	425
Plymouth . . .	2,775	250	232	243	249	226	217	226	199	224	211	228	270
Berkshire . . .	1,627	133	139	142	146	135	138	125	137	117	141	139	135
Hampshire . . .	979	98	68	69	64	82	81	97	88	69	79	78	106
Barnstable . . .	807	64	69	50	72	74	72	69	72	66	75	58	66
Franklin . . .	616	43	48	40	58	65	58	56	51	40	53	48	56
Dukes . . .	111	10	11	8	8	9	13	9	12	9	6	5	11
Nantucket . . .	47	4	2	8	3	9	4	3	3	4	3	3	1
CITIES OVER 100,000													
Boston . . .	8,994	895	714	760	738	780	705	750	734	749	801	753	615
Worcester . . .	1,788	158	163	148	160	137	145	125	134	136	149	141	192
Springfield . . .	2,031	191	185	172	167	158	195	151	150	151	165	169	177
Cambridge . . .	1,235	132	98	94	107	98	84	104	99	84	113	101	121
New Bedford . . .	1,324	132	108	122	104	107	117	111	94	87	115	99	128
MUNICIPALITIES 50,000 to 100,000.													
Fall River . . .	1,259	104	97	97	100	121	106	102	99	102	114	108	109
Somerville . . .	1,107	89	91	98	87	95	84	93	94	80	96	108	92
Lynn . . .	1,250	99	106	131	102	107	102	94	79	101	98	103	128
Newton . . .	928	92	87	90	67	61	76	71	76	83	74	72	79
Lowell . . .	1,222	105	118	101	80	112	102	90	88	86	114	101	125
Quincy . . .	780	65	65	62	58	61	63	74	70	61	80	68	53
Brockton . . .	921	89	63	84	84	56	75	78	67	69	73	77	106
Lawrence . . .	939	77	75	87	71	80	73	84	70	74	86	73	89
Medford . . .	693	73	49	58	48	56	49	64	54	52	68	68	54
Chicopee . . .	465	52	35	41	40	42	27	37	24	37	48	44	38
Pittsfield . . .	647	57	55	50	52	57	61	41	56	44	64	59	51
Malden . . .	699	63	60	60	56	52	45	74	49	59	62	60	59
Waltham . . .	487	40	35	46	28	37	38	41	37	52	40	43	50
Brookline . . .	978	95	75	76	78	79	74	74	86	84	88	79	90
Holyoke . . .	714	65	51	57	44	60	63	53	57	54	62	73	75

¹ Exclusive of stillbirths.

YEARS.	DEATHS. ¹		LIVE BIRTHS.		DEATHS UNDER 1 YEAR.		DEATHS UNDER 1 MONTH. ³	
	Number. ²	Per 1,000 population.	Number. ²	Per 1,000 population.	Number. ²	Per 1,000 live births. ²	Number. ²	Per 1,000 live births. ²
1937 . . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28
1938 . . .	49,285	11.1	62,382	14.1	2,439	39.1	1,661	27
1939 . . .	50,292	11.3	62,575	14.1	2,338	37.4	1,605	26
1940 . . .	50,698	11.7	65,369	15.1	2,450	37.5	1,655	25
1941 . . .	50,456	11.7	70,228	16.2	2,480	35.3	1,677	24
1942 . . .	50,523	11.7	83,371	19.2	2,651	31.8	1,917	23
1943 . . .	54,411	12.5	85,743	19.8	2,939	34.3	1,926	22
1944 . . .	51,454	11.8	78,140	18.0	2,582	33.0	1,754	22
1945 . . .	50,763	11.3	76,455	16.9	2,433	31.8	1,701	22
1946 . . .	51,289	11.3	96,903	21.3	2,996	30.9	2,222	23
1947 . . .	51,583	11.2	106,690	23.3	3,021	28.3	2,201	21
1948 . . .	52,315	11.3	98,933	21.4	2,614	26.4	1,986	20
1949 . . .	50,442	10.8	96,041	20.6	2,341	24.4	1,786	19
1950 . . .	50,359	10.7	95,619	20.3	2,277	23.8	1,750	18
1951 . . .	52,940	11.2	99,851	21.1	2,184	21.9	1,710	17
1952 . . .	51,980	10.9	103,936	21.8	2,472	23.8	1,918	19
1953 . . .	51,896	10.8	104,232	21.7	2,345	22.5	1,816	17
1954 . . .	51,253	10.6	107,086	22.1	2,490	23.3	1,928	18
1955 . . .	53,386	11.0	109,610	22.6	2,438	22.2	1,917	18
1956 . . .	52,757	10.8	111,407	22.8	2,503	22.5	1,960	18
1957 . . .	54,658	11.1	115,065	23.4	2,646	23.0	2,074	18
1958 . . .	54,792	11.1	114,563	23.2	2,536	22.1	1,915	17
1959 . . .	54,655	11.0	114,090	22.9	2,611	22.9	1,984	17
1960 . . .	56,560	11.0	114,018	22.1	2,654	18.0	1,571	14
1961 . . .	55,704	10.7	114,763	22.0	2,517	21.9	874	8

¹ Exclusive of stillbirths.

² Allocated since 1935.

³ Under 4 weeks since 1949.

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
	All Causes.	55,704	29,566	26,138
I.	INFECTIVE AND PARASITIC DISEASES	459	310	149
001-008	Tuberculosis of the respiratory system	269	212	57
001	Respiratory tuberculosis with mention of occupational disease of lung	3	3	-
002	Pulmonary tuberculosis	257	204	53
003.1	Pleurisy with effusion without mention of cause	8	4	4
008	Tuberculosis, unspecified site	1	1	-
010-019	Tuberculosis, other forms	10	7	3
010	Tuberculosis of meninges and central nervous system	4	2	2
011	Tuberculosis of intestines, peritoneum and mesenteric glands	-	-	-
012.0	Active or unspecified tuberculosis of vertebral column	1	-	1
015	Tuberculosis of lymphatic system	-	-	-
016	Tuberculosis of genito-urinary system	1	1	-
017	Tuberculosis of adrenal glands	1	1	-
019.2	Other forms of disseminated tuberculosis	3	3	-
020-029	Syphilis and its sequelae	30	24	6
022	Aneurysm of aorta	15	13	2
023	Other cardiovascular syphilis	9	6	3
024	Tabes dorsalis	1	1	-
025	General paralysis of insane	1	-	1
026	Other syphilis of central nervous system	2	2	-
029	Syphilis, unqualified	2	2	-
030-039	Gonococcal infection and other venereal diseases	1	1	-
040-049	Infectious diseases commonly arising in intestinal tract	7	2	5
042.0	Other Salmonella infections, without mention of food as vehicle of infection	3	1	2
050-064	Other bacterial diseases	78	40	38
051	Streptococcal sore throat	-	-	-
052	Erysipelas	-	-	-
053	Septicemia and pyemia	52	24	28
.0	Streptococcus	8	5	3
.1	Staphylococcus	11	3	8
.2	Pneumococcus	1	1	-
.3	Other specified organism	5	3	2
.4	Organism unspecified	27	12	15
054	Bacterial toxemia	1	-	1
057	Meningococcal infections	21	12	9
.0	Meningococcal meningitis	9	5	4
.1	Acute and unspecified meningococcemia	12	7	5
.3	Other forms of meningococcal infection	-	-	-
058	Plague	1	1	-
063	Gas gangrene	3	3	-
070-074	Spirochetal diseases, except syphilis	1	-	1
070	Vincent's infection	-	-	-
080-096	Diseases attributable to viruses	51	19	32
080	Acute poliomyelitis	1	-	1
.0	Specified as bulbar or polio-encephalitis	1	-	1
.3	Unspecified	-	-	-
081	Late effects of acute poliomyelitis	2	-	2
082	Acute infectious encephalitis	6	3	3
.0	Arthropod-borne encephalitis	-	-	-
.1	Lymphocytic choriomeningitis	1	1	-
.3	Other and unspecified infectious encephalitis	5	2	3
083	Late effects of acute infectious encephalitis	-	-	-
.0	Postencephalitic Parkinsonism	-	-	-
.3	Other postencephalitic conditions	-	-	-
087	Chickenpox	2	1	1
089	Mumps	5	-	5
092	Infectious hepatitis	19	7	12
096.9	Other diseases attributable to viruses	16	8	8
100-108	Typhus and other rickettsial diseases	-	-	-
110-117	Malaria	-	-	-
120-138	Other infective and parasitic diseases	12	5	7
134	Other fungus infections	5	2	3
.3	Moniliasis	3	1	2
.5	Other	-	-	-
136	Pediculosis	-	-	-
138	Other infective and parasitic diseases	5	2	3
.0	Sarcoid of Boeck	2	1	1
.1	Other	3	1	2

Table 10

CAUSE OF DEATH.

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.

Detailed Int. List No.		Total	Males	Females
II.	NEOPLASMS	9,820	5,155	4,665
140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,704	5,101	4,603
140-148	Malignant neoplasm of buccal cavity and pharynx	289	236	53
140	Malignant neoplasm of lip	10	7	3
.1	Lower lip	4	4	-
.9	Lip, unspecified (including commissure)	4	3	1
141	Malignant neoplasm of tongue	83	65	18
.0	Base of tongue	7	6	1
.9	Part unspecified	73	56	17
142	Malignant neoplasm of salivary gland	11	7	4
.0	Parotid gland	8	5	3
.7	Other salivary gland	1	1	-
.9	Gland unspecified	1	1	-
143	Malignant neoplasm of floor of mouth	21	20	1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	42	35	7
145	Malignant neoplasm of oral mesopharynx	29	22	7
.0	Tonsil (excluding pillars)	26	21	5
.7	Other specified parts of mesopharynx	1	1	2
146	Malignant neoplasm of nasal mesopharynx	15	13	2
147	Malignant neoplasm of hypopharynx	11	11	-
148	Malignant neoplasm of pharynx, unspecified	66	56	10
150-159	Malignant neoplasm of digestive organs and peritoneum	3,536	1,826	1,710
150	Malignant neoplasm of esophagus	178	137	41
151	Malignant neoplasm of stomach	729	433	296
152	Malignant neoplasm of small intestine, including duodenum	24	14	10
.0	Duodenum	10	7	3
.7	Other specified parts of small intestine	8	3	5
.9	Part unspecified	6	4	2
153	Malignant neoplasm of large intestine, except rectum	1,279	566	713
.0	Cecum, appendix, and ascending colon	188	84	104
.1	Transverse colon, including hepatic and splenic flexures	55	20	35
.2	Descending colon	47	22	25
.3	Sigmoid colon	337	161	176
.7	Multiple parts of large intestine	1	1	-
.8	Large intestine (including colon), part unspecified	540	234	306
.9	Intestinal tract, part unspecified	111	44	67
154	Malignant neoplasm of rectum	433	239	194
155	Malignant neoplasm of biliary passages and of liver (primary)	195	76	119
.0	Liver	26	18	8
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	167	57	110
.8	Multiple sites	2	1	1
156	Malignant neoplasm of liver (secondary and unspecified)	164	82	82
.11	Unspecified	117	60	57
.2	Secondary	41	20	21
157	Malignant neoplasm of pancreas	490	262	228
158	Malignant neoplasm of peritoneum	27	10	17
159	Malignant neoplasm of unspecified digestive organs	17	7	10
160-165	Malignant neoplasm of respiratory system	1,463	1,254	209
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	17	6	11
.0	Nose (internal) and nasal cavities	4	2	2
.1	Eustachian tube and middle ear	1	-	1
.2	Maxillary sinus	8	3	5
.7	Other specified sinus (accessory)	4	1	3
161	Malignant neoplasm of larynx	98	91	7
162	Malignant neoplasm of bronchus and trachea, and of lung (primary)	348	312	36
.0	Trachea	7	6	1
.1	Bronchus and lung	341	306	35
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	985	834	151
164	Malignant neoplasm of mediastinum	5	4	1
165	Malignant neoplasm of thoracic organs (secondary)	10	7	3
170-181	Malignant neoplasm of breast and genito-urinary organs	2,652	833	1,819
170	Malignant neoplasm of breast	923	14	909
171	Malignant neoplasm of cervix uteri	224	-	224
172	Malignant neoplasm of corpus uteri	40	-	40
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	2	-	2
174	Malignant neoplasm of uterus, unspecified	178	-	178

¹ Special subdivision used in the Division of Vital Statistics.

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	302	-	302
.0	Ovary	283	-	283
.1	Fallopian tube and broad ligament	19	-	19
176	Malignant neoplasm of other and unspecified female genital organs	26	-	26
.0	Vulva	14	-	14
.1	Vagina	8	-	8
.7	Other specified sites	1	-	1
.9	Site unspecified	3	-	3
177	Malignant neoplasm of prostate	466	466	-
178	Malignant neoplasm of testis	12	12	-
179	Malignant neoplasm of other and unspecified male genital organs	11	11	-
.0	Penis	9	9	-
.1	Scrotum	2	2	-
180	Malignant neoplasm of kidney	182	128	54
181	Malignant neoplasm of bladder and other urinary organs	286	202	84
.0	Bladder	281	200	81
.7	Other urinary organs	5	2	3
190-199	Malignant neoplasm of other and unspecified sites	930	474	456
190	Malignant melanoma of skin	76	39	37
.3	Other and unspecified parts of face	5	4	1
.5	Trunk	6	4	2
.6	Upper limb	2	1	1
.7	Lower limb	8	2	6
.9	Site unspecified	55	28	27
191	Other malignant neoplasm of skin	40	23	17
.0	Lips	-	-	-
.1	Eyelids, including canthi	1	1	-
.2	Ear and external auricular canal	2	2	-
.3	Other and unspecified parts of face	15	10	5
.4	Scalp and neck	4	1	3
.5	Trunk	3	1	2
.6	Upper limb	2	-	2
.7	Lower limb	-	-	-
.9	Site unspecified	13	8	5
192	Malignant neoplasm of eye	7	6	1
193	Malignant neoplasm of brain and other parts of nervous system	254	147	107
.0	Brain	165	93	72
.1	Spinal cord	4	3	1
.2	Meninges	1	-	1
.4	Sympathetic nervous system	17	10	7
.9	Site unspecified	67	41	26
194	Malignant neoplasm of thyroid gland	37	10	27
195	Malignant neoplasm of other endocrine glands	14	7	7
.0	Suprarenal gland	11	7	4
.2	Thymus	3	-	3
.4	Pineal gland	-	-	-
196	Malignant neoplasm of bone	67	35	32
.0	Bones of the skull and face	8	2	6
.1	Lower jaw bone	-	-	-
.2	Vertebral column (excluding sacrum and coccyx)	21	13	8
.3	Ribs, sternum and clavicle	3	2	1
.4	Long bones of upper limb, and scapula	3	-	3
.5	Upper limb, short bones	-	-	-
.6	Pelvic bones, sacrum, coccyx	4	2	2
.7	Lower limb, long bones	9	3	6
.9	Multiple sites and site unspecified	19	13	6
197	Malignant neoplasm of connective tissue	31	18	13
.1	Trunk	5	4	1
.3	Lower limb (including hip)	5	3	2
.9	Site unspecified	21	11	10
198	Secondary and unspecified malignant neoplasm of lymph nodes	18	5	13
.0	Head, face and neck	10	3	7
.8	Multiple sites	8	2	6
199	Malignant neoplasm of other and unspecified sites	386	184	202
.1 ¹	Malignant neoplasm of other specified sites not specified as secondary	58	31	27
.2	Malignant neoplasm with primary site not indicated	328	153	175
200-205	Neoplasm of lymphatic and hematopoietic tissues	831	477	354
200	Lymphosarcoma and reticulosarcoma	160	91	69
.0	Reticulum cell sarcoma	39	23	16
.1	Lymphosarcoma	81	45	36
.2	Other primary malignant neoplasms of lymphoid tissue	40	23	17
201	Hodgkin's disease	124	76	48
202	Other forms of lymphoma (reticulosis)	54	32	22

¹ Special subdivision used in the Division of Vital Statistics.

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
.0	Giant follicular lymphoma (Brill-Symmer's disease)	3	1	2
.1	Other	51	31	20
203	Multiple myeloma (plasmocytoma)	93	48	45
204	Leukemia and aleukemia	397	228	169
.0	Lymphatic leukemia	97	59	38
.1	Myeloid leukemia	87	52	35
.2	Monocytic leukemia	16	9	7
.3	Acute leukemia	159	89	70
.4	Other and unspecified leukemia	38	19	19
205	Mycosis fungoides	3	2	1
210-229	Benign neoplasm	54	26	28
211	Benign neoplasm of other parts of digestive system	4	2	2
212	Benign neoplasm of respiratory system	2	2	-
214	Uterine fibromyoma	1	-	1
215	Other benign neoplasm of uterus	-	-	-
216	Benign neoplasm of ovary	3	-	3
219	Benign neoplasm of kidney and other urinary organs	1	1	-
223	Benign neoplasm of brain and other parts of nervous system	25	11	14
224	Benign neoplasm of endocrine glands	7	4	3
227	Other benign neoplasm of muscular and connective tissue	6	5	1
228	Hemangioma and lymphangioma	5	1	4
230-239	Neoplasm of unspecified nature	62	28	34
230	Neoplasm of unspecified nature of digestive organs	10	5	5
231	Neoplasm of unspecified nature of respiratory organs	4	3	1
236	Neoplasm of unspecified nature of other genito-urinary organs	2	1	1
237	Neoplasm of unspecified nature of brain and other parts of nervous system	41	17	24
239	Neoplasm of unspecified nature of other and unspecified organs	5	2	3
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES	1,172	488	684
240-245	Allergic disorders	160	96	64
241	Asthma	160	96	64
242	Angioneurotic edema	-	-	-
250-254	Diseases of thyroid gland	13	1	12
250	Simple goiter	1	-	1
252	Thyrotoxicosis with or without goiter	3	1	2
.0	Toxic diffuse goiter	2	-	2
.1	Toxic nodular goiter	1	1	-
253	Myxedema and cretinism	8	-	8
254	Other diseases of thyroid	1	-	1
260	Diabetes mellitus	930	357	573
270-277	Diseases of other endocrine glands	15	12	3
270	Disorders of pancreatic internal secretion other than diabetes mellitus	1	1	-
271	Diseases of parathyroid gland	5	4	1
.0	Hyperparathyroidism	5	4	1
272	Diseases of pituitary gland	2	1	1
273	Diseases of thymus gland	2	1	1
274	Diseases of adrenal glands	4	4	-
277	Polyglandular dysfunction and other diseases of endocrine glands	1	1	-
280-289	Avitaminoses and other metabolic diseases	54	23	31
286	Other avitaminoses and nutritional deficiency states	35	15	20
.0	Steatorrhea and sprue	-	-	-
.5	Malnutrition, unqualified	31	13	18
.7	Other and multiple deficiency states	4	2	2
287	Obesity, not specified as of endocrine origin	2	1	1
288	Gout	-	-	-
289	Other metabolic diseases	17	7	10
.0	Lipidosis (disturbance of lipid metabolism)	1	1	-
.1	Amyloidosis	9	2	7
.2	Other	7	4	3
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	128	53	75
290-299	Diseases of the blood and blood-forming organs	128	53	75
290	Pernicious and other hyperchromic anemias	21	6	15
.0	Pernicious anemia	18	5	13
.2	Other hyperchromic anemias	3	1	2
291	Iron deficiency anemias (hypochromic anemias)	2	1	1
292	Other anemias of specified type	37	18	19
.0	Familial acholuric jaundice	6	3	3
.2	Other hemolytic anemias	5	3	2

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
.3	Leuko-erythroblastic anemia	6	2	4
.4	Aplastic anemia	19	9	10
.7	Other specified anemias	1	1	-
293	Anemia of unspecified type	14	6	8
294	Polycythemia	12	7	5
295	Hemophilia	2	2	-
296	Purpura and other hemorrhagic conditions	19	7	12
297	Agranulocytosis	7	2	5
298	Diseases of spleen	8	2	6
.1	Other	8	2	6
299	Other diseases of blood and blood-forming organs	6	2	4
V.	MENTAL PSYCHONEUROTIC AND PERSONALITY DIS- ORDERS	129	84	45
300-309	Psychoses	26	10	16
303	Paranoia and paranoid states	4	2	2
304	Senile psychosis	5	-	5
305	Presenile psychosis	5	1	4
307	Alcoholic psychosis	10	7	3
309	Other and unspecified psychoses	2	-	2
310-318	Psychoneurotic disorders	4	-	4
311	Hysterical reaction without mention of anxiety reaction	3	-	3
314	Neurotic-depressive reaction	1	-	1
320-326	Disorders of character, behavior and intelligence	99	74	25
322	Alcoholism	91	69	22
.0	Acute	39	28	11
.1	Chronic	21	18	3
.2	Unspecified	31	23	8
323	Other drug addiction	1	1	-
325	Mental deficiency	7	4	3
.4	Mongolism	5	3	2
.5	Other and unspecified types	2	1	1
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6,472	2,842	3,630
330-334	Vascular lesions affecting central nervous system	6,026	2,597	3,429
330	Subarachnoid hemorrhage	188	87	101
331	Cerebral hemorrhage	3,234	1,397	1,837
332	Cerebral embolism and thrombosis	2,059	869	1,190
333	Spasm of cerebral arteries	1	1	-
334	Other and ill-defined vascular lesions affecting central nervous system	544	243	301
340-345	Inflammatory diseases of central nervous system	158	80	78
340	Meningitis, except meningococcal and tuberculous	74	42	32
.0	Hemophilus influenzae	7	2	5
.1	Pneumococcus	19	8	11
.2	Due to other specified organism	1	1	-
.3	Unspecified cause	47	31	16
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	2	1	1
342	Intracranial and intraspinal abscess	5	3	2
343	Encephalitis, myelitis and encephalomyelitis (except acute infectious)	11	5	6
344	Late effects of intracranial abscess or pyogenic infection	14	6	8
345	Multiple sclerosis	52	23	29
350-357	Other diseases of central nervous system	272	158	114
350	Paralysis agitans	112	60	52
351	Cerebral spastic infantile paralysis	6	2	4
352	Other cerebral paralysis	10	6	4
353	Epilepsy	76	53	23
.1	Grand mal	15	12	3
.2	Status epilepticus	10	8	2
.3	Other and unspecified	51	33	18
355	Other diseases of brain	25	11	14
356	Motor neurone disease and muscular atrophy	37	24	13
.0	Progressive muscular atrophy	4	3	1
.1	Amyotrophic lateral sclerosis	28	19	9
.2	Spinal type of muscular atrophy	5	2	3
357	Other diseases of spinal cord	6	2	4
360-369	Diseases of nerves and peripheral ganglia	8	3	5
364	Polyneuritis and polyradiculitis	5	2	3
366	Other and unspecified forms of neuralgia and neuritis	1	-	1
367	Other diseases of cranial nerves	1	1	-
369	Diseases of peripheral autonomic nervous system	1	-	1
370-379	Inflammatory diseases of eye	1	1	-

Table 10

CAUSE OF DEATH.

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	Total		
		Total	Males	Females
377	Inflammation of optic nerve and retina	1	1	-
379	Other inflammatory diseases of eye	-	-	-
380-389	Other diseases and conditions of eye	1	-	1
384	Paralysis of cranial nerve	1	-	1
390-398	Diseases of ear and mastoid process	6	3	3
391	Otitis media without mention of mastoiditis	5	3	2
.1	Chronic	3	1	2
.2	Unspecified	2	2	-
392	Otitis media with mastoiditis	-	-	-
.0	Acute	-	-	-
393	Mastoiditis without mention of otitis media	1	-	1
.0	Acute	-	-	-
.1	Chronic	1	-	1
.2	Unspecified	-	-	-
396	Other diseases of ear and mastoid process	-	-	-
VII.	DISEASES OF THE CIRCULATORY SYSTEM	25,571	13,763	11,808
400-402	Rheumatic fever	22	12	10
400	Rheumatic fever without mention of heart involvement	2	1	1
401	Rheumatic fever with heart involvement	20	11	9
.0	Active rheumatic pericarditis	9	5	4
.1	Active rheumatic endocarditis	4	3	1
.2	Active rheumatic myocarditis	1	1	-
.3	Active rheumatic fever with other and multiple types of heart involvement	6	2	4
402	Chorea	-	-	-
.0	Without mention of heart involvement	-	-	-
410-416	Chronic rheumatic heart disease	670	270	400
410	Diseases of mitral valve	214	75	139
411	Diseases of aortic valve (rheumatic)	80	48	32
413	Diseases of pulmonary valve (rheumatic)	-	-	-
414	Other endocarditis (rheumatic)	11	8	3
415	Other myocarditis (rheumatic)	6	2	4
416	Other heart disease (rheumatic)	359	137	222
420-422	Arteriosclerotic and degenerative heart disease	20,153	11,380	8,773
420	Arteriosclerotic heart disease, including coronary disease	18,905	10,799	8,106
.0	Arteriosclerotic heart disease so described	7,598	3,618	3,980
.1	Heart disease specified as involving coronary arteries	11,285	7,169	4,116
.2	Angina pectoris without mention of coronary disease	22	12	10
421	Chronic endocarditis (nonrheumatic)	132	75	57
.0	Of mitral valve, specified as nonrheumatic	13	5	8
.1	Of aortic valve (nonrheumatic)	62	38	24
.3	Of pulmonary valve (nonrheumatic)	6	3	3
.4	Other and ill-defined (nonrheumatic)	51	29	22
422	Other myocardial degeneration	1,116	506	610
.1	With arteriosclerosis	782	337	445
.2	Other	334	169	165
430-434	Other diseases of heart	829	451	378
430	Acute and subacute endocarditis	51	33	18
.0	Acute and subacute bacterial endocarditis	47	30	17
.1	Other acute endocarditis	4	3	1
431	Acute myocarditis (nonrheumatic)	21	13	8
432	Acute pericarditis (nonrheumatic)	1	-	1
433	Functional disease of heart	100	47	53
.0	Heart block	48	26	22
.1	Other disorders of heart rhythm	52	21	31
434	Other and unspecified diseases of heart	656	358	298
.0	Kyphoscoliotic heart disease	4	3	1
.1	Congestive heart failure	301	156	145
.2	Left ventricular failure	27	17	10
.3	Other disease of heart	19	10	9
.4	Unspecified disease of heart	305	172	133
440-447	Hypertensive disease	1,937	772	1,185
440	Essential benign hypertension with heart disease	4	1	3
441	Essential malignant hypertension with heart disease	1	1	-
442	Hypertensive heart disease with arteriolar nephrosclerosis	210	88	122
443	Other and unspecified hypertensive heart disease	1,404	526	878
444	Essential benign hypertension without mention of heart	79	30	49
445	Essential malignant hypertension without mention of heart	18	10	8
446	Hypertension with arteriolar nephrosclerosis without mention of heart	216	104	112
447	Other hypertensive disease without mention of heart	25	12	13

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
450-456	Diseases of arteries	1,545	706	839
450	General arteriosclerosis	1,192	466	726
.0	Without mention of gangrene	1,115	426	689
.1	With gangrene	77	40	37
451	Aortic aneurysm (nonsyphilitic), and dissecting aneurysm	272	196	76
452	Other aneurysm, except of heart and aorta	17	12	5
453	Peripheral vascular disease	5	1	4
.0	Raynaud's disease	2	-	2
.1	Thrombo-angiitis obliterans	2	1	1
.3	Other	1	-	1
454	Arterial embolism and thrombosis	31	16	15
455	Gangrene of unspecified cause	9	7	2
456	Other diseases of arteries	19	8	11
460-468	Diseases of veins and other diseases of circulatory system	395	176	219
460	Varicose veins of lower extremities	5	1	4
462	Varicose veins of other specified sites	14	10	4
.1	Varicose veins of esophagus	12	9	3
.2	Other	2	1	1
463	Phlebitis and thrombophlebitis of lower extremities	46	20	26
464	Phlebitis and thrombophlebitis of other sites	53	24	29
465	Pulmonary embolism and infarction	224	96	128
466	Other venous embolism and thrombosis	34	11	23
467	Other diseases of circulatory system	19	14	5
.0	Hypotension	2	2	-
.1	Diseases of capillaries	-	-	-
.2	Other and unspecified	17	12	5
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	3,118	1,821	1,297
470-475	Acute upper respiratory infections	12	6	6
472	Acute pharyngitis	1	1	-
.1	Other	1	1	-
473	Acute tonsillitis	1	1	-
474	Acute laryngitis and tracheitis	2	2	-
475	Acute upper respiratory infection of multiple or unspecified sites	8	2	6
480-483	Influenza	12	6	6
480	Influenza with pneumonia	9	4	5
481	Influenza with other respiratory manifestations, and influenza, unqualified	2	1	1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	1	1	-
490-493	Pneumonia	2,205	1,208	997
490	Lobar pneumonia	271	154	117
491	Bronchopneumonia	1,434	768	666
492	Primary atypical pneumonia	205	119	86
493	Pneumonia, other and unspecified	295	167	128
500-502	Bronchitis	150	99	51
500	Acute bronchitis	43	21	22
501	Bronchitis, unqualified	20	11	9
502	Chronic bronchitis	87	67	20
.0	Bronchitis with emphysema	63	51	12
.1	Other	24	16	8
510-527	Other diseases of respiratory system	739	502	237
510	Hypertrophy of tonsils and adenoids	3	2	1
.1	With tonsillectomy or adenoidectomy	3	2	1
513	Chronic sinusitis	1	1	-
517	Other diseases of upper respiratory tract	12	6	6
518	Empyema	9	7	2
519	Pleurisy	6	4	2
.0	Without mention of effusion or tuberculosis	3	2	1
.2	Other specified forms of effusion, except tuberculous	3	2	1
520	Spontaneous pneumothorax	5	4	1
521	Abscess of lung	8	7	1
522	Pulmonary congestion and hypostasis	138	71	67
523	Pneumoconiosis due to silica and silicates (occupational)	8	8	-
.0	Silicosis	5	5	-
.1	Anthraxosilicosis	-	-	-
.3	Other, including pneumoconiosis unspecified	3	3	-
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	2	-	2
525	Other chronic interstitial pneumonia	112	71	41
526	Bronchiectasis	100	70	30
527	Other diseases of lung and pleural cavity	335	251	84
.0	Pulmonary collapse (1 year and over)	11	5	6

Table 10

CAUSE OF DEATH.

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.

Detailed Int. List No.		Total	Males	Females
.1	Emphysema without mention of bronchitis	217	186	31
.2	Other	107	60	47
IX.	DISEASES OF THE DIGESTIVE SYSTEM	2,391	1,359	1,032
530-539	Diseases of buccal cavity and esophagus	32	16	16
530	Dental caries	-	-	-
.1	With pulp exposure	-	-	-
535	Other diseases of teeth and supporting structures	-	-	-
537	Diseases of salivary glands	3	-	3
538	Other diseases of buccal cavity	2	1	1
539	Diseases of esophagus	27	15	12
.0	Functional disorders of esophagus	2	-	2
.1	Other	25	15	10
540-545	Diseases of stomach and duodenum	443	290	153
540	Ulcer of stomach	185	113	72
.0	Without mention of perforation	131	81	47
.1	With perforation	54	29	25
541	Ulcer of duodenum	209	150	59
.0	Without mention of perforation	135	94	41
.1	With perforation	74	56	18
542	Gastrojejunal ulcer	7	3	4
.0	Without mention of perforation	6	2	4
543	Gastritis and duodenitis	13	9	4
544	Disorders of function of stomach	2	1	1
.1	Disorders of gastric motility	2	1	1
545	Other diseases of stomach and duodenum	27	14	13
550-553	Appendicitis	50	32	18
550	Acute appendicitis	50	32	18
.0	Without mention of peritonitis	47	31	16
.1	With peritonitis	3	1	2
551	Appendicitis, unqualified	-	-	-
553	Other diseases of appendix	-	-	-
560-561	Hernia of abdominal cavity	100	42	58
560	Hernia of abdominal cavity without mention of ob- struction	49	22	27
.0	Inguinal	6	3	3
.2	Umbilical	6	2	4
.3	Ventral (incisional)	5	1	4
.4	Other specified sites	21	12	9
.5	Unspecified site	11	4	7
561	Hernia of abdominal cavity with obstruction	51	20	31
.0	Inguinal	11	6	5
.1	Femoral	8	1	7
.2	Umbilical	6	2	4
.3	Ventral (incisional)	3	2	1
.4	Other specified site	7	3	4
.5	Unspecified site	16	6	10
570-578	Other diseases of intestines and peritoneum	587	284	303
570	Intestinal obstruction without mention of hernia	245	113	132
.0	Intussusception	1	1	-
.1	Paralytic ileus	8	5	3
.2	Mesenteric infarction	118	54	64
.3	Volvulus	26	14	12
.4	Impaction of intestine	8	-	8
.5	Other	84	39	45
571	Gastroenteritis and colitis, except ulcerative, ages 4 weeks and over	54	23	31
.0	Ages between 4 weeks and 2 years	14	6	8
.1	Ages 2 years and over	40	17	23
572	Chronic enteritis and ulcerative colitis	95	39	56
.0	Regional enteritis	1	-	1
.1	Diverticulitis	71	29	42
.2	Ulcerative colitis	23	10	13
575	Abscess of anal and rectal regions	3	2	1
576	Peritonitis	38	23	15
577	Peritoneal adhesion	2	-	2
578	Other diseases of intestines and peritoneum	150	84	66
580-587	Diseases of liver, gall bladder and pancreas	1,179	695	484
580	Acute and subacute yellow atrophy of liver	13	9	4
581	Cirrhosis of liver	863	549	314
.0	Without mention of alcoholism	632	395	237
.1	With alcoholism	231	154	77
582	Suppurative hepatitis and liver abscess	-	-	-
583	Other diseases of liver	21	10	11
584	Cholelithiasis	74	33	41
585	Cholecystitis without mention of calculi	61	23	38
586	Other diseases of gall bladder and biliary ducts.	42	16	26

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
587	Diseases of pancreas	105	55	50
.0	Acute pancreatitis	75	41	34
.1	Chronic pancreatitis	14	7	7
.2	Other diseases of pancreas	10	4	6
.3 ¹	Cystic fibrosis	6	3	3
X.	DISEASES OF THE GENITO-URINARY SYSTEM	942	523	419
590-594	Nephritis and nephrosis	389	201	188
590	Acute nephritis	26	14	12
591	Nephritis with edema, including nephrosis	25	17	8
592	Chronic nephritis	265	135	130
593	Nephritis not specified as acute or chronic	70	33	37
594	Other renal sclerosis	3	2	1
600-609	Other diseases of urinary system	433	215	218
600	Infections of kidney	345	171	174
.0	Pyelitis, pyelocystitis and pyelonephritis	339	167	172
.1	Abscess of kidney and perirenal tissue	5	3	2
.2	Other	1	1	-
601	Hydronephrosis	8	3	5
602	Calculi of kidney and ureter	20	12	8
603	Other diseases of kidney and ureter	19	13	6
604	Calculi of other parts of urinary system	2	1	1
605	Cystitis	9	2	7
606	Other diseases of bladder	6	2	4
608	Stricture of urethra	1	1	-
609	Other diseases of urethra	23	10	13
610-617	Diseases of male genital organs	107	107	-
610	Hyperplasia of prostate	102	102	-
611	Prostatitis	4	4	-
612	Other diseases of prostate	-	-	-
617	Other diseases of male genital organs	1	1	-
620-626	Diseases of breast, ovary, Fallopian tube and para- metrium	6	-	6
624	Salpingitis and oophoritis, unqualified	2	-	2
625	Other diseases of ovary and Fallopian tube	-	-	-
626	Diseases of parametrium and pelvic peritoneum (female)	4	-	4
630-637	Diseases of uterus and other female genital organs	7	-	7
630	Infective disease of uterus, vagina and vulva	1	-	1
.0	Cervicitis	-	-	-
.1	Other infective diseases of uterus	1	-	1
.2	Vaginitis and vulvitis	-	-	-
631	Uterovaginal collapse	1	-	1
633	Other diseases of uterus	5	-	5
634	Disorders of menstruation	-	-	-
635	Menopausal symptoms	-	-	-
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	34	-	34
640-649	Complications of pregnancy	14	-	14
642	Toxemias of pregnancy	2	-	2
.3	Eclampsia of pregnancy	2	-	2
.5	Other	-	-	-
644	Other hemorrhage of pregnancy	1	-	1
648.3	Other complications of pregnancy	11	-	11
650-652	Abortion	6	-	6
650	Abortion without mention of sepsis or toxemia	4	-	4
.0	Spontaneous or unspecified	1	-	1
.2	Induced for other reasons	3	-	3
651	Abortion with sepsis	2	-	2
.3	Induced for other reasons	2	-	2
660	Delivery without complication	2	-	2
.5	Cesarean section	2	-	2
.6	Unspecified type of delivery	-	-	-
670-678	Delivery with specified complication	11	-	11
670	Delivery complicated by placenta praevia or ante- partum hemorrhage	5	-	5
.5	Cesarean section	-	-	-
672	Delivery complicated by other postpartum hemorrhage	1	-	1
.6	Unspecified type of delivery	-	-	-
674	Delivery complicated by disproportion or malposition of foetus	1	-	1
678	Delivery with other complications of childbirth	4	-	4
.6	Unspecified type of delivery	4	-	4

¹Special subdivision used in the Division of Vital Statistics.

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
680-689	Complications of the puerperium	1	-	1
685	Puerperal eclampsia	-	-	-
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE	67	17	50
690-698	Infections of skin and subcutaneous tissue	15	6	9
690	Boil and carbuncle	1	-	1
.1	Of neck	-	-	-
.2	Of trunk	-	-	-
.5	Of buttock	1	-	1
692	Other cellulitis and abscess without mention of lym- phangitis	11	5	6
.0	Of head and neck	1	-	1
.1	Of trunk	5	3	2
.4	Of leg	1	-	1
.5	Of foot, except toes	1	-	1
.6	Of other, multiple and unspecified sites	3	2	1
698	Other local infections of skin and subcutaneous tissue	3	1	2
700-716	Other diseases of skin and subcutaneous tissue	52	11	41
700	Dermatitis	1	1	-
701	Exzema	1	-	1
704	Pemphigus	3	1	2
.1	Other	3	1	2
705	Erythematous conditions	18	4	14
.4	Lupus erythematosus	14	1	13
.5	Other and unqualified	4	3	1
706	Psoriasis and similar disorders	-	-	-
.0	Psoriasis	-	-	-
710	Other hypertrophic and atrophic conditions of skin	13	2	11
.0	Scleroderma and dermatomyositis	13	2	11
715	Chronic ulcer of skin	16	3	13
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	90	36	54
720-727	Arthritis and rheumatism, except rheumatic fever	52	15	37
720	Acute arthritis due to pyogenic organisms	2	1	1
722	Rheumatoid arthritis and allied conditions	30	7	23
.0	Rheumatoid arthritis	-	-	-
.1	Spondylitis ankylopoietica	-	-	-
723	Osteo-arthritis (arthrosis) and allied conditions	8	4	4
.0	Osteo-arthritis (arthrosis)	7	3	4
.1	Spondylitis osteo-arthritis (spondylarthrosis)	1	1	-
725	Arthritis, unspecified	11	2	9
726	Muscular rheumatism	1	-	1
.3	Other muscular rheumatism, fibrositis and myalgia	1	-	1
727	Rheumatism, unspecified	-	-	-
730-738	Osteomyelitis and other diseases of bone and joint	20	8	12
730	Osteomyelitis and periostitis	4	1	3
.2	Unspecified osteomyelitis	4	1	3
731	Osteitis deformans	9	3	6
733	Other diseases of bone	6	3	3
735	Displacement of disc	1	1	-
.0	Of spine	-	-	-
738	Other diseases of joint	-	-	-
740-749	Other diseases of musculoskeletal system	18	13	5
744	Other diseases of muscle, tendon and fascia	18	13	5
.0	Myasthenia gravis	4	2	2
.1	Inborn defect of muscle	12	9	3
.2	Other	2	2	-
745	Curvature of spine	-	-	-
XIV.	CONGENITAL MALFORMATIONS	552	287	265
750-759	Congenital malformations	552	287	265
750	Monstrosity	33	8	25
751	Spina bifida and meningocele	38	9	29
752	Congenital hydrocephalus	41	19	22
753	Other congenital malformations of nervous system and sense organs	9	5	4
.1	Other	9	5	4
754	Congenital malformations of circulatory system	278	155	123
.0	Tetralogy of Fallot	13	6	7
.1	Patent ductus arteriosus (Botalli)	13	2	11
.2	Interventricular septal defect	13	9	4
.3	Interauricular septal defect	11	4	7
.4	Fibroelastosis cordis	11	4	7
.5	Other and unspecified malformations of heart	184	108	76
.6	Coarctation of aorta	5	3	2
.7	Other circulatory malformations	28	19	9

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
755	Cleft palate and harelip	-	-	-
756	Congenital malformations of digestive system	35	20	15
.0	Congenital hypertrophic pyloric stenosis	-	-	-
.1	Imperforate anus	1	-	1
.2	Other	34	20	14
757	Congenital malformations of genito-urinary system	36	22	14
.1	Polycystic disease of kidney	23	13	10
.2	Congenital malformations of external genital organs	2	2	-
.3	Other	11	7	4
758	Congenital malformations of bone and joint	5	1	4
.1	Chondrodystrophy	1	-	1
.2	Congenital malformations of skull	-	-	-
.3	Brittle bones	1	-	1
.5	Congenital abnormalities of lumbosacral region	-	-	-
.6	Other	3	1	2
759	Other and unspecified congenital malformations	77	48	29
.0	Of respiratory system	14	11	3
.2	Of muscle	8	6	2
.3	Other and unspecified	55	31	24
XV.	CERTAIN DISEASES OF EARLY INFANCY	1,577	907	670
760-769	Birth injuries, asphyxia and infections of newborn	690	405	285
760	Intracranial and spinal injury at birth	58	41	17
.0	Without mention of immaturity	27	18	9
.5	With immaturity	31	23	8
761	Other birth injury	114	70	44
.0	Without mention of immaturity	17	11	6
.5	With immaturity	97	59	38
762	Postnatal asphyxia and atelectasis	418	228	190
.0	Without mention of immaturity	131	72	59
.5	With immaturity	287	156	131
763	Pneumonia of newborn	78	50	28
.0	Without mention of immaturity	57	37	20
.5	With immaturity	21	13	8
764	Diarrhea of newborn	5	3	2
.0	Without mention of immaturity	4	3	1
.5	With immaturity	1	-	1
766	Pneumonia neonatorum	2	2	-
.5	With immaturity	-	-	-
768	Other sepsis of newborn	13	10	3
.0	Without mention of immaturity	5	4	1
.5	With immaturity	8	6	2
769	Neonatal disorders arising from maternal toxemia	2	1	1
.1	Attributed to maternal diabetes, without mention of immaturity	1	-	1
.5	Attributed to "toxemia of pregnancy", with im- maturity	1	1	-
.9	Attributed to other or unspecified maternal toxemia, with immaturity	-	-	-
770-776	Other diseases peculiar to early infancy	887	502	385
770	Hemolytic disease of newborn (erythroblastosis)	68	34	34
.0	Erythroblastosis without mention of nervous affec- tion or immaturity	58	31	27
.1	Kernicterus, without mention of immaturity	-	-	-
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	1	1	-
.5	Erythroblastosis, without mention of nervous affec- tion but with immaturity	8	2	6
.6	Kernicterus with immaturity	1	-	1
771	Hemorrhagic disease of newborn	24	14	10
.0	Without mention of immaturity	15	7	8
.5	With immaturity	9	7	2
772	Nutritional maladjustment	4	3	1
.0	Without mention of immaturity	4	3	1
.5	With immaturity	-	-	-
773	Ill-defined diseases peculiar to early infancy	179	97	82
.0	Without mention of immaturity	66	32	34
.5	With immaturity	113	65	48
774	Immaturity with mention of any other subsidiary con- dition	22	11	11
776	Immaturity, unqualified	590	343	247
XVI.	SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS	350	191	159
780-789	Symptoms referable to systems or organs	153	86	67
780	Certain symptoms referable to nervous system and special senses	2	-	2
.0	Coma and stupor	-	-	-
.2	Convulsions	1	-	1
.3	Jacksonian epilepsy	1	-	1
781	Other symptoms referable to nervous system and spe- cial senses	4	1	3

Table 10

CAUSE OF DEATH.

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	Total		
		Total	Males	Females
.8	Encephalopathy	4	1	3
782	Symptoms referable to cardiovascular and lymphatic system	124	74	50
.4	Acute heart failure, undefined	116	71	45
.5	Syncope or collapse	8	3	5
783	Symptoms referable to respiratory system	5	3	2
.0	Epistaxis	—	—	—
.1	Hemoptysis	5	3	2
784	Symptoms referable to upper gastro-intestinal tract	8	2	6
.5	Hematemesis	8	2	6
.7	Hiccough	—	—	—
785	Symptoms referable to abdomen and lower gastro-intestinal system	1	—	1
.3	Ascites	1	—	1
788	Other general symptoms	8	5	3
.0	Dehydration	4	2	2
.8	Pyrexia of unknown origin	1	1	—
.9	Other specified symptoms not classifiable elsewhere	3	2	1
789.4	Hemorrhage of kidney	1	1	—
790-795	Senility and ill-defined diseases	197	105	92
790	Nervousness and debility	9	4	5
.1	Debility and undue fatigue	9	4	5
792	Eremia, unqualified	46	26	20
791	Senility without mention of psychosis	50	14	36
795	Ill-defined and unknown causes of mortality	92	61	31
.0	Other ill-defined conditions	19	13	6
.2	Sudden death (cause unknown)	2	2	—
.3	Found dead (cause unknown)	1	1	—
.4	Died without sign of disease	1	1	—
.5	Other, unknown and unspecified causes	69	44	25
XVII.	ACCIDENTS, POISONINGS AND VIOLENCE	2,832	1,731	1,101
800-802	Railroad accidents	6	5	1
800	Railroad accident involving railroad employee	—	—	—
801	Railroad accident involving passenger	—	—	—
802	Railroad accident involving other and unspecified person	6	5	1
810-825	Motor-vehicle traffic accidents	592	430	162
810	Motor-vehicle traffic accident involving collision with railroad train	6	3	3
812	Motor-vehicle traffic accident to pedestrian	204	148	56
813	Motor-vehicle traffic accident to rider of bicycle	5	5	—
814	Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object	3	3	—
815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	3	3	—
816	Other motor-vehicle traffic accident involving two or more motor vehicles	122	79	43
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	115	93	22
820	Motor-vehicle traffic accident while boarding and alighting	—	—	—
821	Motor-vehicle traffic accident to rider of motorcycle without antecedent collision	—	—	—
822	Motor-vehicle traffic accident involving overturning on highway	10	6	4
823	Motor-vehicle traffic accident involving running off highway	51	43	8
824	Other noncollision motor-vehicle traffic accident	13	8	5
825	Motor-vehicle traffic accident of unspecified nature	60	39	21
830-835	Motor-vehicle nontraffic accident	16	11	5
830	Motor-vehicle nontraffic accident to pedestrian	6	3	3
833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	—	—	—
835	Motor-vehicle nontraffic accident of other and unspecified nature	10	8	2
840-845	Other road-vehicle accidents	3	2	1
841	Other streetcar accident, except collision with motor vehicle	—	—	—
842	Accident to pedestrian by pedal cycle	1	—	1
843	Accident to rider of bicycle not involving collision with motor vehicle	2	2	—
850-858	Water-transport accidents	20	18	2
850	Drowning of occupant of small boat	18	17	1
851	Other water-transport injury by drowning	1	1	—
852	Falls on stairs and ladders in water transport	—	—	—
856	Other specified accidents in water transport	1	—	1

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
858	Water-transport accident of unspecified cause . . .	-	-	-
860-866	Aircraft accidents	19	13	6
860	Accident to personnel in military aircraft	4	4	-
863	Injury to occupant by accident to other specified air- craft	6	2	4
864	Aircraft accident at airfield to person not in aircraft . . .	-	-	-
866	Other and unspecified aircraft accidents	9	7	2
870-888	Accidental poisoning by solid and liquid substances . . .	38	23	15
871	Accidental poisoning by barbituric acid and derivatives . .	11	3	8
872	Accidental poisoning by aspirin and salicylates	3	2	1
874	Accidental poisoning by other analgesic and soporific drugs	6	4	2
880	Accidental poisoning by alcohol	7	6	1
881	Accidental poisoning by petroleum products	-	-	-
882	Accidental poisoning by industrial solvents	3	3	-
883	Accidental poisoning by corrosive aromatics, acids and caustic alkalis	-	-	-
885	Accidental poisoning by lead and its compounds	1	-	1
888	Accidental poisoning by other and unspecified solid and liquid substances	7	5	2
890-895	Accidental poisoning by gases and vapors	13	12	1
890	Accidental poisoning by utility (illuminating) gas	-	-	-
891	Accidental poisoning by motor-vehicle exhaust gas	6	6	-
892	Accidental poisoning by other carbon monoxide gas	6	6	-
894	Accidental poisoning by other specified gases and vapors . .	1	-	1
900-904	Accidental falls	1,041	443	598
900	Fall on stairs	130	79	51
901	Fall from ladders	11	11	-
902	Other falls from one level to another	162	81	81
903	Fall on same level	231	98	133
904	Unspecified falls	507	174	333
910-936	Other accidents	548	400	148
910	Blow from falling or projected object or missile	19	18	1
912	Accident caused by machinery	16	16	-
913	Accident caused by cutting and piercing instruments . . .	-	-	-
914	Accident caused by electric current	12	11	1
916	Accident caused by fire and explosion of combustible material	177	105	72
917	Accident caused by hot substance, corrosive liquid, and steam	18	11	7
919	Accident caused by firearms	17	16	1
921	Inhalation and ingestion of food causing obstruction or suffocation	41	26	15
922	Inhalation and ingestion of other object causing ob- struction or suffocation	5	4	1
923	Foreign body entering other orifice	4	3	1
924	Accidental mechanical suffocation in bed and crib	11	7	4
925	Accidental mechanical suffocation in other and unspeci- fied circumstances	11	9	2
928	Bites of animals	3	2	1
929	Accidental drowning and submersion	134	110	24
931	Excessive heat and insolation	4	3	1
932	Excessive cold	9	8	1
933	Hunger, thirst and exposure	3	1	2
935	Lightning	4	4	-
936	Other and unspecified accidents	60	46	14
940-946	Complications due to nontherapeutic medical and surgical procedures	-	-	-
950-959	Therapeutic misadventure and late complications of therapeutic procedures	14	4	10
950	Therapeutic misadventure in surgical treatment	-	-	-
951	Therapeutic misadventure in infusion or transfusion . . .	3	1	2
953	Therapeutic misadventure in administration of drugs or biologicals	4	-	4
954	Therapeutic misadventure in anesthesia	3	1	2
955	Other and unspecified therapeutic misadventure	4	2	2
960-965	Late effects of injury and poisoning	7	4	3
960	Late effect of motor-vehicle accident	1	1	-
961	Late effect of accidental poisoning	2	-	2
962	Late effect of other accidental injury	2	1	1
964	Late effect of injury purposely inflicted by another per- son (not in war)	1	1	-
965	Late effects of injuries due to war operations	1	1	-

Detailed Int. List No.	Table 10 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY SEX: 1961.		
		Total	Males	Females
970-979	Suicide and self-inflicted injury	442	320	122
970	Suicide and self-inflicted poisoning by analgesic and soporific substances	65	21	44
.2 ¹	Barbituric acid and derivatives	48	18	30
.4	Methyl salicylate	6	1	5
.6	Bromides	5	1	4
.8	Others	6	1	5
.9	Unspecified drugs	-	-	-
971	Suicide and self-inflicted poisoning by other solid and liquid substances	17	8	9
.2 ¹	Phenol compounds	-	-	-
.4	Cresol compounds	-	-	-
.5	Mercury and its compounds	-	-	-
.6	Arsenic and its compounds	1	1	-
.8	Others	16	7	9
972	Suicide and self-inflicted poisoning by gases in domestic use	3	2	1
973	Suicide and self-inflicted poisoning by other gases	58	48	10
.1 ¹	Motor-vehicle exhaust gas	53	43	10
.2	Other motor-exhaust gas	2	2	-
.3	Other carbon monoxide gas	3	3	-
.4	Other gases	-	-	-
974	Suicide and self-inflicted injury by hanging and strangulation	111	93	18
975	Suicide and self-inflicted injury by drowning and submersion	33	27	6
976	Suicide and self-inflicted injury by firearms and explosives	105	95	10
977	Suicide and self-inflicted injury by cutting and piercing instruments	18	12	6
978	Suicide and self-inflicted injury by jumping from high place	24	12	12
979	Suicide and self-inflicted injury by other and unspecified means	8	2	6
980-985	Homicide and injury purposely inflicted by other persons (not in war)	72	45	27
980	Nonaccidental poisoning by another person	-	-	-
981	Assault by firearms and explosives	26	15	11
982	Assault by cutting and piercing instruments	13	10	3
983	Assault by other means	33	20	13
990-999	Injury resulting from operations of war	1	1	-

¹ Special subdivision used in the Division of Vital Statistics.

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1961.												
		Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	55,704	5,103	4,520	4,690	4,569	4,707	4,497	4,530	4,403	4,369	4,719	4,664	4,933
	Male	29,566	2,638	1,961	2,339	2,170	1,755	2,460	2,554	2,457	2,434	2,558	2,561	2,479
	Female	26,138	2,465	2,559	2,351	2,099	2,952	2,037	1,976	1,946	1,935	2,161	2,103	2,454
I.	INFECTIVE AND PARASITIC DISEASES	459	41	49	37	33	42	35	61	42	26	27	36	30
001-019	Tuberculosis, all forms	279	28	25	23	18	19	26	39	23	18	21	22	17
001-008	Tuberculosis of respiratory system	269	25	25	22	18	18	23	39	22	18	21	21	17
010	Tuberculosis of meninges and central nervous system	4	1	-	-	-	-	2	-	-	-	-	1	-
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	-	-	-	-	-	-	-	-	-	-	-	-	-
012.0, 013.0	Tuberculosis of vertebral column	1	-	-	1	-	-	-	-	-	-	-	-	-
012.1-012.3, 013.1-013.3	Tuberculosis of other bones and joints	-	-	-	-	-	-	-	-	-	-	-	-	-
016	Tuberculosis of genito-urinary system	1	-	-	-	-	-	1	-	-	-	-	-	-
014, 015, 017, 018	Tuberculosis of lymphatic system and other organs	1	-	-	-	-	1	-	-	-	-	-	-	-
019	Disseminated tuberculosis	3	2	-	-	-	-	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae	30	3	2	1	3	6	2	4	-	2	3	2	2
020	Congenital syphilis	2	-	-	-	-	-	-	1	-	1	-	-	-
021	Early syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
022	Aneurysm of aorta	13	3	-	-	-	5	2	2	-	-	1	-	-
023	Other cardiovascular syphilis	9	-	1	1	2	1	-	-	-	-	2	2	-
024	Tabes dorsalis	1	-	-	-	-	-	-	-	-	-	-	-	1
025	General paralysis of insane	1	-	-	-	1	-	-	-	-	-	-	-	-
026	Other syphilis of central nervous system	2	-	1	-	-	-	-	1	-	-	-	-	-
027-029	Other syphilis	2	-	-	-	-	-	-	-	-	1	-	-	1
030-035	Gonococcal infection	1	-	-	-	-	-	-	-	1	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
041	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
042	Other Salmonella infections	3	-	-	-	1	-	-	-	1	1	-	-	-
043	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
044	Brucellosis (undulant fever)	2	-	-	-	-	1	-	1	-	-	-	-	-
045-048	Dysentery, all forms	2	-	-	-	-	-	-	2	-	-	-	-	-
049	Food poisoning (infection and intoxication)	-	-	-	-	-	-	-	-	-	-	-	-	-
050	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-
051	Streptococcal sore throat	-	-	-	-	-	-	-	-	-	-	-	-	-
052	Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-
053	Septicemia and pyemia	52	2	6	6	3	4	-	9	9	1	2	7	3
055	Diphtheria	1	-	-	-	1	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	1	6	2	3	2	1	2	1	-	-	-	3
058	Plague	1	-	-	-	-	-	-	1	-	-	-	-	-
059	Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-
061	Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
062	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	1	-	-	-
081	Late effects of acute poliomyelitis	2	-	-	1	-	-	-	1	-	-	-	-	-
082	Acute infectious encephalitis	6	1	-	1	1	1	-	-	1	1	-	-	-
083	Late effects of acute infectious encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
092	Infectious hepatitis	19	2	1	1	-	5	1	-	3	1	1	1	3
094	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Tick-borne typhus	-	-	-	-	-	-	-	-	-	-	-	-	-
100-103	Typhus, etc., and other rickettsial diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
105-108	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Schistosomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-
123	Hvdatid disease	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Filarisis	-	-	-	-	-	-	-	-	-	-	-	-	-
127		-	-	-	-	-	-	-	-	-	-	-	-	-

1For category titles, see table 10.

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM 256 SELECTED CAUSES, BY MONTHS: 1961.												
		Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
129	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-
124, 126, 128, 130, Residual ¹	Other diseases due to hel- minths All other infective and parasitic diseases	1 38	- 4	- 9	- 2	- 3	- 4	1 4	- 2	- 3	- 1	- -	- 4	- 2
II. 140-205	NEOPLASMS Malignant neoplasms, in- cluding neoplasms of lymphatic and hema- topoietic tissues	9,820 9,704	821 813	802 795	791 780	810 803	837 826	827 815	802 792	769 756	866 860	852 841	821 811	822 812
140-148	Malignant neoplasm of buccal cavity and pharynx	288	31	22	21	27	20	21	28	19	25	32	23	19
140	Of lip	10	3	-	-	2	-	-	2	-	-	1	-	2
141	Of tongue	83	13	6	7	3	5	9	7	4	4	11	12	2
142-144	Of other and unspecified parts of buccal cavity	74	6	7	2	7	9	6	6	7	5	7	5	7
145-148	Of pharynx	121	9	9	12	15	6	6	13	8	16	13	6	8
150-156.1, 157-159	Malignant neoplasm of di- gestive organs and peritoneum, not speci- fied as secondary	3,498	299	295	287	273	285	302	298	281	311	292	293	282
150	Of esophagus	178	16	13	13	11	11	17	18	13	16	14	18	18
151	Of stomach	729	59	74	62	61	59	56	59	53	69	59	55	63
152, 153	Of intestine, except rectum	1,306	116	90	108	105	94	122	115	114	120	111	110	101
154	Of rectum	433	43	44	40	36	43	39	24	35	30	37	31	31
155	Of biliary passages and of liver (stated to be primary site)	195	14	22	18	21	20	17	17	15	13	8	21	8
156.1	Of liver not specified as primary or secondary	123	4	4	3	9	9	5	15	11	15	16	15	17
157	Of pancreas	490	44	43	38	26	45	43	45	40	44	43	38	41
158, 159	Of peritoneum and of un- specified digestive or- gans	44	3	5	5	4	4	3	5	-	4	4	5	2
160-164	Malignant neoplasm of re- spiratory system, not specified as secondary	1,453	116	111	110	127	136	116	119	103	130	136	118	131
161	Of larynx	98	7	9	6	7	7	7	9	9	10	7	11	9
162	Of trachea, and of bronchus and lung specified as primary	348	33	19	33	34	36	34	24	29	28	24	34	20
163	Of lung and bronchus, un- specified as primary or secondary	985	73	82	69	85	89	74	85	64	91	103	71	99
160, 164	Of other parts of respira- tory system	22	3	1	2	1	4	1	1	1	1	2	2	3
170	Malignant neoplasm of breast	923	61	79	68	78	65	87	70	79	85	85	76	90
171-179	Malignant neoplasm of genital organs	1,261	115	107	112	104	114	102	107	93	103	95	117	92
171	Of cervix uteri	224	31	16	14	20	13	20	22	14	14	15	23	22
172-174	Of other and unspecified parts of uterus	220	11	22	22	21	13	20	24	16	23	13	17	18
175	Of ovary, Fallopian tube, and broad ligament	302	33	25	26	23	34	24	23	20	20	26	27	21
176	Of other and unspecified female genital organs	26	2	3	-	2	5	3	2	-	1	3	3	2
177	Of prostate	466	38	40	47	36	46	33	34	40	42	37	44	29
178, 179	Of testis, and of other and unspecified male geni- tal organs	23	-	1	3	2	3	2	2	3	3	1	3	-
180, 181	Malignant neoplasm of uri- nary organs	468	48	36	40	42	41	36	39	34	38	36	32	46
180	Of kidney	182	20	10	17	13	18	17	10	13	18	18	11	17
181	Of bladder and other uri- nary organs	286	28	26	23	29	23	19	29	21	20	18	21	29
156.2, 165, 190-199	Malignant neoplasm of other and unspecified sites	981	73	87	92	78	86	76	81	70	88	91	81	78
190, 191	Of skin	116	6	8	13	17	8	7	11	7	14	8	9	8
192	Of eye	7	2	-	-	-	-	-	1	-	-	-	1	-

¹For category numbers, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM 256 SELECTED CAUSES, BY MONTHS: 1961.

CAUSE OF DEATH.

MONTHS.

Detailed Int. List No.		Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
193	Of brain and other parts of nervous system . . .	254	24	17	19	20	23	10	26	22	12	31	24	26
194	Of thyroid gland . . .	37	3	1	4	2	5	4	3	4	5	2	1	3
196	Of bone(including jaw bone)	67	7	5	5	6	8	5	5	3	6	8	5	4
197	Of connective tissue . . .	31	4	2	2	2	2	3	3	3	3	2	1	4
195, 198.0-8	Of other specified sites, not stated to be secondary . . .	82	6	5	7	5	14	7	7	14	5	5	3	4
156.2, 165, 198.9, 199.2	Of unspecified sites . . .	387	21	49	39	26	26	40	25	17	43	35	37	29
204	Leukemia and aleukemia . . .	397	34	29	25	38	26	37	33	36	44	29	30	36
200-203, 205	Lymphosarcoma, etc. ¹ . . .	434	36	29	25	36	52	38	17	41	36	45	41	38
200	Lymphosarcoma and reticulosarcoma . . .	160	12	13	7	17	15	13	8	17	12	14	11	21
201	Hodgkin's disease . . .	124	11	6	5	11	14	16	6	10	14	17	10	4
202, 203, 205	Other neoplasms of lymphatic and hematopoietic tissues . . .	150	13	10	13	8	23	9	3	14	10	14	20	13
210-239	Benign neoplasms and neoplasms of unspecified nature . . .	116	8	7	10	8	11	12	10	13	6	11	10	10
214-217	Benign neoplasms of female genital organs . . .	4	-	-	-	1	-	1	-	1	-	-	-	1
223	Benign neoplasm of brain and other parts of nervous system . . .	25	1	3	1	2	1	1	5	2	5	2	-	2
210-213, 218-222, 224-229	Other benign neoplasms . . .	25	2	-	1	3	1	2	3	5	1	3	2	2
233-235	Neoplasm of unspecified nature of female genital organs . . .	1	-	-	-	-	-	-	-	-	-	-	-	1
237	Neoplasm of unspecified nature of brain, etc. ¹ . . .	41	2	3	5	-	7	6	1	1	-	5	8	3
230-232, 236, 238, 239	Other neoplasms of unspecified nature . . .	20	3	1	3	2	2	2	1	4	-	1	-	1
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES . . .	1,172	112	101	99	94	102	102	92	77	103	107	86	97
241	Asthma . . .	160	23	10	11	18	13	12	15	12	11	13	8	14
250, 251	Nontoxic goiter . . .	1	-	-	-	-	1	-	-	-	-	-	-	-
252	Thyrototoxicosis with or without goiter . . .	2	-	-	-	-	1	1	-	-	-	-	-	-
253, 254	Myxedema, cretinism, and other diseases of thyroid gland . . .	9	1	2	-	-	1	2	1	-	-	1	1	-
260	Diabetes mellitus . . .	930	82	86	82	69	79	82	67	57	84	91	75	76
273	Diseases of thymus gland . . .	2	-	-	-	-	-	1	-	1	-	-	-	-
274	Diseases of adrenal glands . . .	4	-	-	-	-	1	-	-	1	1	-	-	1
281	Pellagra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
280, 282-286	All other avitaminoses and nutritional deficiency states . . .	36	3	3	4	4	4	1	4	3	2	1	2	5
Residual ¹	Other allergic, endocrine, and metabolic diseases . . .	28	3	-	2	3	2	3	5	3	5	1	-	1
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS . . .	128	17	4	12	15	11	13	9	12	14	6	8	7
290-293	Anemias . . .	74	9	2	9	12	6	6	8	7	8	2	2	3
290	Pernicious and other hyperchromic anemias . . .	21	3	-	5	3	2	1	3	2	1	-	1	-
291-293	Anemias of other and unspecified type . . .	53	6	2	4	9	4	5	5	5	7	2	1	3
296	Purpura and other hemorrhagic conditions . . .	19	2	-	2	2	3	2	-	3	1	1	3	-
294, 295, 297-299	All other diseases of blood and blood-forming organs . . .	35	6	2	1	1	2	5	1	2	5	3	3	4

¹ For category titles and numbers, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM 256 SELECTED CAUSES, BY MONTHS: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	MONTHS.												
		Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
V.	MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS	129	12	14	14	6	7	11	13	10	10	8	13	11
304	Senile psychosis	5	-	-	-	-	-	1	1	2	-	-	-	1
307	Alcoholic psychosis	19	2	2	1	2	1	-	-	1	1	-	-	-
300-303, 305, 306, 308, 309	Other psychoses	11	-	2	2	1	1	1	-	-	2	-	1	1
322	Alcoholism	91	9	10	8	3	4	8	12	6	4	7	12	8
325	Mental deficiency	7	-	-	1	-	1	1	-	-	2	1	-	1
310-321, 323, 324, 326	Psychoneuroses and other disorders of personality	5	1	-	2	-	-	-	-	1	1	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6,472	602	551	611	501	551	492	527	518	493	558	532	533
330-334	Vascular lesions affecting central nervous system	6,026	556	513	580	472	516	464	482	490	457	512	489	495
330	Subarachnoid hemorrhage	188	24	9	15	6	17	15	20	18	19	20	15	10
331	Cerebral hemorrhage	3,234	273	230	393	294	287	241	250	271	237	274	259	283
332	Cerebral embolism and thrombosis	2,059	199	197	184	141	177	147	161	164	159	187	163	180
333, 334	Other vascular lesions affecting central nervous system	545	60	47	76	31	35	61	51	37	42	31	52	22
340	Meningitis, except meningococcal and tuberculous	74	6	12	6	6	7	5	6	2	7	5	7	5
345	Multiple sclerosis	32	6	2	5	5	2	3	8	3	5	7	4	2
350	Paralysis agitans	112	17	11	6	8	11	6	13	5	5	8	10	12
351	Cerebral spastic infantile paralysis	6	-	1	1	-	1	1	1	-	1	-	-	-
353	Epilepsy	76	8	2	8	3	4	5	6	7	10	8	6	9
370-379	Inflammatory diseases of eye	1	-	1	-	-	-	-	-	-	-	-	-	-
385	Cataract	-	-	-	-	-	-	-	-	-	-	-	-	-
387	Glaucoma	-	-	-	-	-	-	-	-	-	-	-	-	-
391-393	Otitis media and mastoiditis	5	1	-	-	-	-	-	-	1	1	1	1	-
Residual ¹	Other diseases of nervous system and sense organs	120	8	9	8	7	10	8	11	10	7	17	15	10
VII.	DISEASES OF THE CIRCULATORY SYSTEM	25,571	2,417	2,025	2,129	2,163	2,160	2,055	2,004	2,029	1,915	2,148	2,111	2,415
400-402	Rheumatic fever	22	-	2	1	-	1	3	2	2	-	3	2	6
410-413	Diseases of heart	23,271	2,228	1,840	1,945	1,996	1,970	1,866	1,832	1,853	1,714	1,928	1,885	2,214
410-416	Chronic rheumatic heart disease	370	72	66	54	64	45	58	66	53	53	42	43	54
410	Diseases of mitral valve	214	19	18	16	26	14	19	35	22	11	11	7	18
411	Diseases of aortic valve specified as rheumatic	80	13	8	7	8	5	7	7	2	4	7	6	6
412	Diseases of tricuspid valve	-	-	-	-	-	-	-	-	-	-	-	-	-
413, 414	Diseases of pulmonary valve, etc., specified as rheumatic	11	-	2	-	1	-	-	1	1	3	1	2	-
415, 416	Other diseases of heart specified as rheumatic	365	40	38	31	29	26	32	25	28	35	23	28	30
420	Arteriosclerotic heart disease, including coronary disease	18,905	1,788	1,441	1,610	1,630	1,601	1,513	1,511	1,482	1,389	1,560	1,525	1,850
420.0	Arteriosclerotic heart disease so described	7,598	721	638	685	684	631	573	583	569	525	564	613	812
420.1	Heart disease specified as involving coronary arteries	11,285	1,064	803	925	946	966	943	926	909	862	902	912	1,037
420.2	Angina pectoris without mention of coronary disease	22	3	-	-	-	4	2	2	4	2	4	-	1
421	Chronic endocarditis not specified as rheumatic	132	12	3	11	4	16	14	11	12	14	15	11	9
421.0	Of mitral valve, specified as nonrheumatic	13	4	1	1	1	-	-	-	1	1	2	2	-
421.1	Of aortic valve, not specified as rheumatic	62	5	-	3	2	7	7	7	7	9	8	4	3

¹ For category titles and numbers, see table 10.

Table II

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM 256 SELECTED CAUSES, BY MONTHS: 1961.

CAUSE OF DEATH.

MONTHS.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
421.2-421.4	Of other valves, not specified as rheumatic	57	3	2	7	1	9	7	4	4	4	5	5	6
422	Other myocardial degeneration	1,116	121	102	75	90	87	90	71	108	80	109	92	91
422.1	With arteriosclerosis	781	88	75	54	64	62	64	42	74	58	74	67	59
422.0, 422.2	Without mention of arteriosclerosis	335	33	27	21	26	25	26	29	34	22	35	25	32
430-434	Other diseases of heart	829	81	74	67	66	61	71	64	62	53	72	81	77
430	Acute and subacute endocarditis	51	5	2	5	4	4	6	4	2	2	5	7	5
431	Acute myocarditis not specified as rheumatic	21	2	-	1	4	3	5	2	1	-	2	1	-
432	Acute pericarditis specified as nonrheumatic	1	-	1	-	-	-	-	-	-	-	-	-	-
433	Functional disease of heart	100	5	10	8	8	15	9	5	7	6	6	9	12
434	Other and unspecified diseases of heart	656	69	61	53	50	39	51	53	52	45	59	64	60
440-443	Hypertension with heart disease	1,619	154	154	128	142	160	115	109	136	125	130	133	133
442	Hypertensive heart disease with arteriolar nephrosclerosis	210	13	33	18	26	22	11	12	23	12	17	17	6
440, 441, 443	Essential hypertension with heart disease, etc. ¹	1,409	141	121	110	116	138	104	97	113	113	113	116	127
444-447	Hypertension without mention of heart	338	30	30	23	27	46	39	22	22	23	17	32	27
446	Hypertension with arteriolar nephrosclerosis, etc. ¹	216	21	13	16	20	30	23	17	14	13	11	18	20
444, 445, 447	Essential hypertension, other hypertensive disease, etc. ¹	122	9	17	7	7	16	16	5	8	10	6	14	7
450-456	Diseases of arteries	1,545	122	127	127	115	102	122	125	121	141	157	157	129
450	General arteriosclerosis	1,192	96	99	92	90	72	89	102	93	107	120	124	108
451	Aortic aneurysm specified as nonsyphilitic, etc. ¹	272	19	21	30	21	22	23	17	21	22	30	27	19
455	Gangrene of unspecified cause	9	1	-	1	-	-	3	2	-	1	1	-	-
452-454, 456	Other arterial diseases	72	6	7	4	4	8	7	4	7	11	6	6	2
460-468	Diseases of veins and other diseases of circulatory system	395	37	26	33	25	41	25	23	31	37	43	35	39
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	3,118	366	284	277	235	247	213	235	232	201	245	318	265
470-475	Acute upper respiratory infections	12	2	-	-	2	2	-	-	-	-	2	2	2
480-483	Influenza	12	-	-	1	2	2	2	-	-	-	-	3	2
490-493	Pneumonia, except pneumonia of newborn	2,205	285	214	198	173	176	137	151	155	135	158	226	197
490	Lobar pneumonia	271	36	30	18	19	29	16	12	20	18	22	23	28
491	Bronchopneumonia	1,434	192	141	135	105	104	92	96	100	87	104	159	119
492	Primary atypical pneumonia	205	27	14	14	24	13	11	16	15	11	15	23	22
493	Pneumonia, other and unspecified	295	30	29	31	25	30	18	27	20	19	17	21	28
500	Acute bronchitis	41	9	9	7	4	2	-	1	2	1	1	3	2
501, 502	Bronchitis, chronic and unqualified	107	11	8	4	4	6	14	16	6	9	12	11	6
510	Hypertrophy of tonsils and adenoids	3	-	1	-	1	1	-	-	-	-	-	-	-
518, 521	Empyema and abscess of lung	17	-	1	2	1	2	3	1	-	-	2	3	2
519	Pleurisy	6	1	-	-	-	-	-	2	-	1	-	-	2
Residual ¹	All other respiratory diseases	715	58	51	65	48	56	57	64	69	55	70	70	52
IX.	DISEASES OF THE DIGESTIVE SYSTEM	2,392	204	187	206	199	211	180	207	181	203	214	194	206
530-535	Diseases of teeth and supporting structures	-	-	-	-	-	-	-	-	-	-	-	-	-
540	Ulcer of stomach	185	17	17	13	15	16	14	18	14	14	20	15	12
541	Ulcer of duodenum	209	12	23	18	21	23	12	17	13	22	12	18	18
543	Gastritis and duodenitis	13	1	-	-	2	1	-	2	2	-	-	-	5
550-553	Appendicitis	50	3	6	4	4	2	4	3	4	2	8	9	1

¹ For category title and numbers, see table 10

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM 256 SELECTED CAUSES, BY MONTHS: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	Total.	MONTHS.											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
560, 561, 570	Hernia and intestinal obstruction	345	40	19	37	30	37	22	23	27	35	31	18	26
571, 572	Gastro-enteritis and colitis, except diarrhea of newborn	149	15	11	13	12	9	12	19	10	13	14	13	8
581	Cirrhosis of liver	863	72	68	73	71	73	68	75	69	69	80	71	74
581.0	Without mention of alcoholism	632	44	54	51	56	60	52	54	52	54	56	46	53
581.1	With alcoholism	231	28	14	22	15	13	16	21	17	15	24	25	21
584, 585	Cholelithiasis and cholecystitis	135	12	12	10	4	16	11	10	7	16	10	14	13
Residual ¹	Other diseases of digestive system	443	32	31	38	40	34	37	40	35	32	39	36	49
X.	DISEASES OF THE GENITO-URINARY SYSTEM	942	67	68	60	74	80	79	98	76	84	92	76	88
590-594	Nephritis and nephrosis	389	23	33	24	35	35	32	34	27	38	39	28	41
590	Acute nephritis	26	2	1	1	4	1	1	8	1	1	4	1	1
591	Nephritis with edema, including nephrosis	25	-	3	4	3	1	-	3	-	2	4	1	4
592-594	Chronic and unspecified nephritis and other renal sclerosis	338	21	29	19	28	33	31	23	26	35	31	26	36
600	Infections of kidney	345	31	22	22	23	25	29	48	23	24	39	31	28
602, 604	Calculi of urinary system	22	1	1	1	-	2	3	5	3	3	-	3	-
601, 603, 605-609	Other diseases of urinary system	66	3	7	3	3	9	6	7	7	6	6	3	6
610	Hyperplasia of prostate	102	8	5	9	9	7	7	3	16	11	5	11	11
611-617	Other diseases of male genital organs	5	-	-	1	-	1	1	-	-	1	-	-	1
620, 621	Diseases of breast	-	-	-	-	-	-	-	-	-	-	-	-	-
622-637	Diseases of female genital organs	13	1	-	-	4	1	1	1	-	1	3	-	1
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	34	-	4	2	2	7	3	6	1	3	1	2	3
640, 641, 681, 682, 684	Sepsis of pregnancy, childbirth and puerperium	1	-	-	-	-	1	-	-	-	-	-	-	-
642, 685, 686	Toxemias of pregnancy and puerperium, etc. ¹	2	-	-	-	1	-	-	1	-	-	-	-	-
643, 644, 670-672	Hemorrhage of pregnancy and childbirth	7	-	-	-	-	3	-	2	-	1	-	1	-
645	Ectopic pregnancy	1	-	-	-	-	-	-	-	-	-	-	1	-
650	Abortion without mention of sepsis or toxemia	4	-	1	-	-	2	-	1	-	-	-	-	-
651	Abortion with sepsis	2	-	-	1	-	1	-	-	-	-	-	-	-
652	Abortion with toxemia, without mention of sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual ¹	Other complications of pregnancy, childbirth and puerperium	17	-	3	1	1	-	3	2	1	2	1	-	3
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE	67	7	10	7	4	5	3	2	6	6	4	5	8
690-698	Infections of skin and subcutaneous tissue	15	3	2	3	1	-	-	-	1	1	1	1	2
700-716	Other diseases of skin and subcutaneous tissue	52	4	8	4	3	5	3	2	5	5	3	4	6
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	90	10	9	7	9	9	11	7	5	6	3	8	6
720-725	Arthritis and spondylitis	51	8	3	5	6	4	5	6	3	5	-	3	3
726, 727	Muscular rheumatism and rheumatism, unspecified	1	-	-	-	-	-	-	-	-	-	-	1	-
730	Osteomyelitis and periostitis	4	-	1	-	1	1	-	1	-	-	-	-	-
737, 745-749	Ankylosis and acquired musculoskeletal deformities	-	-	-	-	-	-	-	-	-	-	-	-	-

¹For category titles and numbers, see table 10

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM 256 SELECTED CAUSES, BY MONTHS: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	MONTHS.												
		Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
731-736, 738-744	Other diseases of musculoskeletal system . . .	34	2	5	2	2	4	6	-	2	1	3	4	3
XIV.	CONGENITAL MALFORMATIONS	552	61	43	42	50	45	54	43	44	36	48	50	36
751	Spina bifida and meningocele	38	11	3	3	1	3	5	1	-	3	5	3	-
752, 753	Congenital hydrocephalus, etc. ¹	50	4	4	2	5	8	2	5	5	1	4	7	3
754	Congenital malformations of circulatory system	278	32	22	24	27	22	23	21	24	19	19	25	20
750, 755-759	Other congenital malformations . . .	186	14	14	13	17	12	24	16	15	12	20	15	13
XV.	CERTAIN DISEASES OF EARLY INFANCY	1,577	138	130	128	112	139	120	155	129	152	125	124	125
760, 761	Birth injuries	172	14	16	17	11	17	11	16	16	12	12	14	16
762	Postnatal asphyxia and atelectasis . . .	418	43	31	40	26	32	35	42	26	36	31	39	37
763-768	Infections of newborn	98	10	6	13	12	7	5	6	14	7	4	10	4
770	Hemolytic disease of newborn (erythroblastosis)	68	8	5	7	6	6	2	7	7	7	5	2	6
769, 771, 772	All other defined diseases of early infancy	30	1	8	1	1	2	2	4	1	4	1	4	1
773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	791	62	64	50	56	75	65	80	65	86	72	55	61
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	353	25	25	14	22	28	30	23	28	24	33	34	39
794	Senility without mention of psychosis	50	3	3	3	1	7	7	5	6	2	6	4	3
780-793, 795	Symptoms, ill-defined and unknown causes . . .	330	23	22	31	21	21	23	18	22	24	27	30	36
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE	2,831	202	214	232	239	226	260	246	244	223	248	246	242
800-962	Accidents	2,315	155	171	189	192	191	219	203	201	185	213	199	197
800-802	Railroad accidents . . .	6	2	-	1	1	-	1	1	-	-	-	-	-
810-835	Motor-vehicle accidents . . .	608	33	41	39	55	46	41	45	57	54	64	74	59
810-825	Motor-vehicle traffic accidents	592	32	41	39	53	44	40	41	55	51	63	74	59
810	Motor-vehicle traffic accident with railroad train	6	2	-	-	-	-	-	-	-	-	2	2	-
812	Motor-vehicle traffic accident to pedestrian . . .	294	17	22	13	19	10	10	14	13	20	22	21	23
811, 813-819	Other motor-vehicle traffic accidents, etc. ¹	248	12	6	17	19	17	18	15	32	18	23	44	27
820-824	Motor-vehicle noncollision traffic accidents	74	1	7	6	11	8	6	8	5	8	11	-	3
825	Motor-vehicle traffic accident of unspecified nature	60	-	6	3	4	9	6	4	5	5	5	7	6
830-835	Motor-vehicle nontraffic accidents	16	1	-	-	2	2	1	4	2	3	1	-	-
840-845	Other road-vehicle accidents	3	-	-	-	-	-	1	-	-	1	-	1	-
850-858	Water-transport accidents	20	-	1	-	1	4	-	4	4	1	-	2	3
860-866	Aircraft accidents	10	-	5	1	1	-	3	-	-	-	9	-	-
870-888	Accidental poisoning by solid and liquid substances	38	1	2	4	4	5	-	2	3	4	3	1	9
890-895	Accidental poisoning by gases and vapors . . .	13	2	1	-	1	2	-	-	-	1	4	2	-
900-904	Accidental falls	1,041	75	79	88	89	89	118	86	88	78	95	81	75
900-902	Fall from one level to another	303	18	24	24	31	27	36	24	29	25	32	14	19
903	Fall on same level . . .	231	28	21	31	14	16	15	16	21	18	19	9	23
904	Unspecified falls	507	29	34	33	44	46	67	46	38	35	44	58	33
910	Blow from falling object . . .	19	-	1	1	2	4	4	-	2	3	-	1	1

¹ For category titles, see table 10.

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM 256 SELECTED CAUSES, BY MONTHS: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	MONTHS.												
		Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
912	Accident caused by machinery	12	-	-	2	1	-	1	-	-	3	1	1	3
914	Accident caused by electric current	8	-	2	-	1	-	1	2	-	1	1	-	-
916	Accident caused by fire and explosion, etc. ¹	177	26	20	25	18	13	5	14	8	4	11	14	19
917, 918	Accident caused by hot substance, etc. ¹	18	1	1	2	1	1	1	3	1	2	-	1	1
919	Accident caused by fire-arms	17	2	2	2	1	-	-	1	1	-	-	3	5
921, 922	Inhalation and ingestion of food or other object	46	4	5	5	4	2	3	1	3	5	6	5	3
929	Accidental drowning	134	-	1	7	5	16	22	26	23	11	7	6	10
931	Excessive heat and insolation	4	-	-	2	-	-	-	-	-	1	1	-	-
940-959	Complications due to non-therapeutic medical and surgical procedures, therapeutic misadventure, etc. ¹	14	1	1	1	1	1	-	3	-	-	3	3	-
Residual ¹	All other accidents	118	8	9	9	6	8	15	15	11	16	8	4	9
963, 970-979	Suicide	442	41	37	35	39	29	40	41	37	32	29	43	36
970-973	Suicide by poisoning	145	10	9	12	13	14	13	11	14	12	10	16	9
974	Suicide by hanging and strangulation	111	14	16	10	9	8	10	11	5	5	5	8	10
976	Suicide by firearms and explosives	105	12	9	7	7	3	9	9	9	9	9	13	9
963, 975, 977-979	Suicide by all other means	83	8	3	6	10	4	8	10	9	6	5	6	8
964, 980-985	Homicide	73	2	6	8	8	6	10	2	6	6	6	4	9
981	Assault by firearms and explosives	26	2	1	3	4	4	2	1	3	-	2	2	2
982	Assault by cutting and piercing instruments	13	-	2	2	2	-	1	-	-	2	2	-	2
964, 980, 983, 984	Assault by other means	34	-	3	3	2	2	7	1	3	1	2	2	5
985	Injury by intervention of police	-	-	-	-	-	-	-	-	-	-	-	-	-
985	Execution	-	-	-	-	-	-	-	-	-	-	-	-	-
965, 990-999	Injury resulting from operations of war	1	1	-	-	-	-	-	-	-	-	-	-	-

¹ For category titles and numbers, see table 10.

[illegible]

AGE OF DECEDENTS (YEARS).

[illegible]

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
100-103, 105-108	Typhus, etc. ¹ and other rickettsial diseases	T M F	1 1 1	-	-	-	-	-	-	-	-	-
110-117	Malaria	T M F	1 1 1	-	-	-	-	-	-	-	-	-
123	Schistosomiasis	T M F	1 1 1	-	-	-	-	-	-	-	-	-
125	Hydatid disease	T M F	1 1 1	-	-	-	-	-	-	-	-	-
127	Filariasis	T M F	1 1 1	-	-	-	-	-	-	-	-	-
129	Ankylostomiasis	T M F	1 1 1	-	-	-	-	-	-	-	-	-
124,126, 128,130	Other diseases due to helminths	T M F	1 1 1	-	-	-	-	-	-	-	-	-
Resid- ual ¹	All other infective and parasitic diseases	T M F	34 14 20	3 2 1	1 1 1	1 1 1	1 1 1	-	1 1 1	1 1 1	-	-
II.	NEOPLASMS	T M F	9,820 5,155 4,665	15 7 8	10 5 5	12 7 5	8 4 4	18 9 9	46 23 23	38 25 13	22 13 9	34 22 12
140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	T M F	9,704 5,101 4,603	12 5 7	10 5 5	12 7 5	8 4 4	18 9 9	44 23 21	36 23 13	18 11 7	32 20 12
140-148	Malignant neoplasm of buccal cavity and pharynx	T M F	289 236 53	-	-	-	-	-	-	-	-	-
140	Of lip	T M F	10 7 3	-	-	-	-	-	-	-	-	-
141	Of tongue	T M F	83 65 18	-	-	-	-	-	-	-	-	-
142-144	Of other and unspecified parts of buccal cavity	T M F	74 62 12	-	-	-	-	-	-	-	-	-
145-148	Of pharynx	T M F	122 102 20	-	-	-	-	-	-	-	-	-
150- 156.1, 157-159 150	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	T M F	3,498 1,807 1,691	-	-	-	-	-	2 - 2	-	-	4 1 3
	Of esophagus	T M F	178 137 41	-	-	-	-	-	-	-	-	-
151	Of stomach	T M F	729 433 296	-	-	-	-	-	-	-	-	1 1 -
152,153	Of intestine, except rectum	T M F	1,306 581 725	-	-	-	-	-	-	-	-	3 1 3
154	Of rectum	T M F	433 239 194	-	-	-	-	-	-	-	-	-
155	Of biliary passages and of liver (stated to be primary site)	T M F	195 76 119	-	-	-	-	-	2 - 2	-	-	-
156.1	Of liver not specified whether primary or secondary	T M F	123 62 61	-	-	-	-	-	-	-	-	-
157	Of pancreas	T M F	490 262 228	-	-	-	-	-	-	-	-	-
158,159	Of peritoneum and of unspecified digestive organs	T M F	44 17 27	-	-	-	-	-	-	-	-	-
160-164	Malignant neoplasm of respiratory system, not specified as secondary	T M F	1,453 1,247 206	-	1 1 1	-	-	-	-	-	-	2 2 -

¹For category titles and numbers, see table 10.

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
161	Of larynx	T M F	98 91 7	-	-	-	-	-	-	-	-	-
162	Of bronchus and trachea, and of lung specified as primary . . .	T M F	348 312 36	-	-	-	-	-	-	-	-	1 1
163	Of lung unspecified as primary or secondary	T M F	985 834 151	-	-	-	-	-	-	-	-	1 1
160, 164	Of other parts of respiratory system	T M F	22 10 12	-	1	-	-	-	-	-	-	-
170	Malignant neoplasm of breast . . .	T M F	923 14 909	-	-	-	-	-	-	-	-	-
171-179	Malignant neoplasm of genital organs	T M F	1,261 489 772	-	1	-	-	-	-	-	2	2
171	Of cervix uteri	T M F	224 - 224	-	-	-	-	-	-	-	2	1
172-174	Of other and unspecified parts of uterus	T M F	224 220 -	-	-	-	-	-	-	-	-	-
175	Of ovary, Fallopian tube, and broad ligament	T M F	220 302 -	-	-	-	-	-	-	-	2	1
176	Of other and unspecified female genital organs	T M F	302 26 -	-	-	-	-	-	-	-	2	1
177	Of prostate	T M F	26 466 466	-	-	-	-	-	-	-	-	-
178, 179	Of testis, and of other and unspeci- fied male genital organs . . .	T M F	23 23 -	-	1 1	-	-	-	-	-	-	1 1
180, 181	Malignant neoplasm of urinary organs	T M F	468 330 138	-	-	-	-	1	3	1	-	1 1
180	Of kidney	T M F	128 128 54	-	-	-	-	1	3	1	-	1 1
181	Of bladder and other urinary organs	T M F	286 202 84	-	-	-	-	1	2	1	-	-
156.2, 165, 190-199	Malignant neoplasm of other and un- specified sites	T M F	981 501 480	3 2 1	5 2 3	4 1 3	2 1 1	8 6 2	16 8 8	15 7 8	7 4 1	4 1 3
190, 191	Of skin	T M F	116 62 54	-	-	-	-	-	-	-	1	1
192	Of eye	T M F	7 6 1	-	-	-	-	-	-	1	-	-
193	Of brain and other parts of nervous system	T M F	254 147 107	3 2 1	4 2 2	4 1 3	-	7 5 2	13 8 5	6 3 3	3 2 1	2 - 2
194	Of thyroid gland	T M F	37 10 27	-	-	-	-	-	-	-	-	-
196	Of bone (including jaw bone) . . .	T M F	67 35 32	-	1	-	-	-	2	4	1	-
197	Of connective tissue	T M F	31 18 13	-	-	-	1	-	-	2	1	-
195, 198.0-8 199.1	Of other specified sites, not stated to be secondary	T M F	82 41 41	-	-	-	1	-	-	1	1	-
156.2, 165, 198.9, 199.2 204	Of unspecified sites	T M F	387 182 205	-	-	-	-	1	1	2	1	1
	Leukemia and aleukemia	T M F	397 228 169	4 1 3	3 2 1	6 5 1	6 3 3	8 2 6	19 11 8	16 12 4	7 6 1	8 6 2

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.		
161	-	-	1	2	5	6	20	12	16	13	14	6	3	-	-	-	-	
162	-	-	1	2	4	6	17	12	14	13	14	5	3	-	-	-	-	
163	-	-	4	7	21	26	50	70	62	51	37	16	2	1	-	-	-	
160, 164	-	-	4	7	18	24	43	69	55	45	32	12	1	1	-	-	-	
170	-	2	8	26	40	88	135	170	197	148	107	37	21	3	1	1	1	
171-179	-	6	18	25	78	118	156	177	123	91	26	12	1	1	1	1	1	
171	-	2	8	26	40	88	135	170	197	148	107	37	21	3	1	1	1	
172-174	-	2	8	26	40	88	135	170	197	148	107	37	21	3	1	1	1	
175	-	2	8	26	40	88	135	170	197	148	107	37	21	3	1	1	1	
176	3	8	26	58	79	116	85	97	106	110	87	83	46	14	4	1	-	
177	3	8	26	57	78	115	84	94	105	109	86	81	46	12	4	1	-	
178, 179	11	9	21	46	72	79	101	133	196	187	169	123	75	24	3	2	-	
180, 181	4	2	1	2	1	6	21	29	78	98	102	78	45	16	2	-	-	
180	4	2	1	2	1	6	21	29	78	98	102	78	45	16	2	-	-	
181	4	2	1	2	1	6	21	29	78	98	102	78	45	16	2	-	-	
156.2	-	5	16	26	31	30	13	19	28	19	15	8	10	8	1	2	-	
165.	-	5	16	26	31	30	13	19	28	19	15	8	10	8	1	2	-	
190-199	-	1	1	5	9	12	26	38	36	35	21	20	10	4	1	1	-	
190, 191	-	1	1	3	13	31	29	38	43	31	29	13	7	4	1	1	-	
192	3	1	3	13	31	29	38	43	31	29	13	7	4	1	1	1	-	
193	-	-	-	-	-	2	3	4	3	4	2	4	3	-	-	-	-	
194	-	-	-	-	-	2	3	4	3	4	2	4	3	-	-	-	-	
195.	-	-	-	-	-	2	3	4	3	4	2	4	3	-	-	-	-	
196	-	-	-	-	-	2	3	4	3	4	2	4	3	-	-	-	-	
197	-	-	-	-	-	2	3	4	3	4	2	4	3	-	-	-	-	
198.0-.8,	4	2	1	2	1	-	1	1	1	2	2	2	-	-	-	-	-	
199.1	4	2	1	2	1	-	1	1	1	2	2	2	-	-	-	-	-	
199.2	4	2	1	2	1	-	1	1	1	2	2	2	-	-	-	-	-	
204	3	1	3	13	31	29	38	43	31	29	13	7	4	1	1	1	-	
195.	12	20	26	48	50	72	89	107	134	139	107	61	32	16	2	1	1	
198.0-.8,	9	12	15	29	23	38	51	55	66	65	56	26	15	4	1	-	-	
199.1	3	8	11	19	27	34	58	52	68	70	51	35	17	12	1	1	1	
199.2	3	7	4	9	5	7	9	9	11	21	15	6	3	4	2	-	-	
196	2	2	2	6	5	5	3	3	7	13	7	3	3	4	1	-	-	
197	1	5	2	1	4	1	4	6	4	8	8	3	-	4	1	-	-	
198.0-.8,	-	-	-	-	-	1	1	1	1	1	1	1	-	1	-	-	-	
199.1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
199.2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
204	5	9	9	20	15	26	34	36	32	17	8	1	-	-	-	-	-	
195.	3	6	5	13	9	14	18	21	21	13	4	1	-	-	-	-	-	
198.0-.8,	2	3	4	10	12	16	15	11	11	4	6	4	-	-	-	-	-	
199.1	-	-	-	-	3	2	3	2	1	6	6	4	-	-	-	-	-	
199.2	-	-	-	-	2	3	4	2	6	5	4	3	-	-	-	-	-	
204	2	2	2	2	2	2	4	8	6	10	6	6	6	-	-	1	1	
195.	1	1	1	1	1	1	4	3	2	9	4	2	2	-	-	-	-	
198.0-.8,	-	-	-	-	-	2	2	5	4	1	2	4	4	-	-	1	1	
199.1	-	-	-	-	-	1	1	2	1	5	1	2	1	-	-	-	-	
199.2	-	-	-	-	-	1	1	2	1	3	3	1	-	-	-	-	-	
204	2	5	8	17	11	22	22	30	55	41	50	37	15	2	2	1	-	
195.	2	3	4	10	6	10	12	21	27	25	30	22	6	1	-	1	-	
198.0-.8,	-	2	4	7	5	12	10	9	28	16	20	15	9	1	2	-	-	

Table 12

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

CAUSE OF DEATH.

AGE OF DECEDENTS (YEARS).

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	Total.	AGE OF DECEDENTS (YEARS).									
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
200-203, 205	Lymphosarcoma, etc. ¹	T	434	3	-	1	-	1	4	4	2	11	
		M	249	2	-	1	-	1	3	4	1	8	
		F	185	1	-	-	-	-	1	-	1	3	
200	Lymphosarcoma and reticulosarcoma	T	160	-	-	-	-	1	3	2	-	2	
		M	91	-	-	-	-	1	1	1	-	2	
		F	69	-	-	-	-	-	-	-	-	-	
201	Hodgkin's disease	T	124	-	-	-	-	1	1	2	2	9	
		M	76	-	-	-	-	-	1	2	1	6	
		F	48	-	-	-	-	-	-	-	1	3	
202, 203, 205	Other neoplasms of lymphatic and hematopoietic tissues	T	150	3	-	1	-	-	-	-	-	-	
		M	82	2	-	1	-	-	-	-	-	-	
		F	68	1	-	-	-	-	-	-	-	-	
210-239	Benign neoplasms and neoplasms of unspecified nature	T	116	3	-	-	-	-	2	2	4	2	
		M	54	2	-	-	-	-	-	2	2	2	
		F	62	1	-	-	-	-	2	-	2	-	
214-217	Benign neoplasms of female genital organs	T	4	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	4	-	-	-	-	-	-	-	-	-	
223	Benign neoplasm of brain and other parts of nervous system	T	25	-	-	-	-	-	1	-	2	1	
		M	11	-	-	-	-	-	-	-	1	1	
		F	14	-	-	-	-	-	1	-	1	-	
210-213, 218-222, 224-229 233-235	Other benign neoplasms	T	25	2	-	-	-	-	-	-	-	-	
		M	15	1	-	-	-	-	-	-	-	-	
		F	10	1	-	-	-	-	-	-	-	-	
	Neoplasm of unspecified nature of female genital organs	T	1	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
237	Neoplasm of unspecified nature of brain, etc. ¹	T	41	-	-	-	-	-	1	-	2	1	
		M	17	-	-	-	-	-	-	2	1	1	
		F	24	-	-	-	-	-	1	-	1	-	
230-232, 236, 238, 239	Other neoplasms of unspecified nature	T	20	1	-	-	-	-	-	-	-	-	
		M	11	1	-	-	-	-	-	-	-	-	
		F	9	-	-	-	-	-	-	-	-	-	
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES	T	1,172	2	1	2	-	1	-	3	4	5	
		M	488	1	1	-	-	1	-	1	-	3	
		F	684	1	1	1	-	-	-	2	4	2	
241	Asthma	T	160	-	-	1	-	-	-	1	4	1	
		M	96	-	-	1	-	-	-	-	-	-	
		F	64	-	-	-	-	-	-	-	4	1	
250, 251	Nontoxic goiter	T	1	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
252	Thyrotoxicosis with or without goiter	T	2	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
253, 254	Myxedema, cretinism and other diseases of thyroid gland	T	9	-	-	-	-	-	-	-	-	-	
		M	488	-	-	-	-	-	-	-	-	-	
		F	9	-	-	-	-	-	-	-	-	-	
260	Diabetes mellitus	T	930	1	1	-	-	-	-	1	-	4	
		M	357	-	-	-	-	-	-	-	-	3	
		F	573	1	1	-	-	-	-	1	-	1	
273	Diseases of thymus gland.	T	2	1	-	1	-	-	-	-	-	-	
		M	1	1	-	-	-	-	-	-	-	-	
		F	1	-	-	1	-	-	-	-	-	-	
274	Diseases of adrenal glands	T	4	-	-	-	-	-	-	-	-	-	
		M	4	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
281	Pellagra	T	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
280, 282-286	All other avitaminoses and nutritional deficiency states	T	36	-	-	-	-	-	-	-	-	-	
		M	15	-	-	-	-	-	-	-	-	-	
		F	21	-	-	-	-	-	-	-	-	-	
Residual ¹	Other allergic, endocrine and metabolic diseases	T	28	-	-	-	-	1	-	1	-	-	
		M	14	-	-	-	-	1	-	-	-	-	
		F	14	-	-	-	-	-	-	1	-	-	
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	128	2	-	1	-	-	2	2	1	-	
		M	53	2	-	-	-	-	2	1	1	-	
		F	75	-	-	1	-	-	-	1	-	-	
290-293	Anemias	T	74	1	-	1	-	-	1	2	1	-	
		M	31	1	-	-	-	-	1	1	1	-	
		F	43	-	-	1	-	-	-	1	-	-	
290	Pernicious and other hyperchromic anemias	T	21	-	-	-	-	-	-	-	-	-	
		M	6	-	-	-	-	-	-	-	-	-	
		F	15	-	-	-	-	-	-	-	-	-	

¹ For category titles and numbers, see table 10.

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
200-203, 205	11	9	17	22	25	36	50	56	61	44	47	18	8	3	1	-	-
200	7	6	11	13	16	22	22	34	34	22	28	10	3	1	-	-	-
	4	3	6	9	9	14	28	22	27	22	19	8	5	2	1	-	-
	-	3	4	7	13	14	15	27	24	14	18	9	2	1	1	-	-
	-	-	1	3	6	7	8	17	16	3	8	7	5	-	-	-	-
	-	2	1	1	6	6	7	10	8	11	10	2	2	1	1	-	-
201	9	6	12	7	3	11	13	9	16	10	8	4	1	1	-	-	-
	5	5	5	5	3	7	5	9	7	6	5	1	1	-	-	-	-
	4	1	5	2	-	4	8	-	9	4	3	3	-	1	-	-	-
202, 203, 205	2	-	1	8	9	11	22	20	21	20	21	5	5	1	-	-	-
	2	-	1	2	6	7	9	8	11	13	15	2	2	1	1	-	-
	-	-	-	6	3	4	13	12	10	7	6	3	3	-	-	-	-
210-239	1	1	5	13	11	12	12	16	4	7	12	5	5	2	3	-	-
	-	2	-	6	6	7	3	4	9	2	5	3	1	1	-	-	-
	1	4	1	3	7	4	9	6	1	2	5	3	1	3	-	-	-
214-217	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
223	-	4	-	2	5	2	2	2	2	1	1	-	-	-	-	-	-
	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-
	-	4	-	1	2	-	2	1	1	1	-	-	-	-	-	-	-
210-213, 218-222, 224-229 233-235	-	1	-	1	1	5	1	5	3	1	1	2	1	-	-	-	-
	-	-	-	-	1	4	-	2	2	-	1	2	1	-	-	-	-
	-	-	-	1	1	1	1	3	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237	1	1	1	6	4	6	3	8	1	2	1	-	-	1	-	-	-
	-	1	-	1	2	1	1	3	1	1	1	-	-	-	-	-	-
	1	-	-	4	3	4	2	5	-	1	1	1	1	1	2	-	-
230-232, 236, 238, 239 III.	-	-	-	-	-	-	1	-	1	1	4	3	-	-	-	-	-
	15	19	21	23	32	56	84	118	169	205	194	136	61	15	6	-	-
	4	10	10	13	18	30	46	62	67	81	66	50	20	4	-	-	-
	11	9	11	10	14	26	38	56	102	124	128	86	41	11	6	-	-
241	3	4	5	3	6	14	19	21	26	19	19	5	7	1	1	-	-
	-	-	2	2	4	7	12	15	15	15	4	3	-	-	-	-	-
	3	4	3	1	2	7	7	6	11	4	4	1	4	1	1	-	-
250, 251	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
252	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
253, 254	-	-	-	-	-	-	1	1	3	2	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-	-	-
260	11	13	15	14	22	36	57	92	131	176	165	122	52	12	5	-	-
	3	10	7	10	12	21	30	44	47	64	47	40	17	2	-	-	-
273	8	3	8	4	10	15	27	48	84	112	118	82	35	10	5	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280, 282-286	-	2	-	2	2	2	2	2	1	6	6	7	2	-	-	-	-
	-	-	-	-	2	1	1	2	-	1	2	5	-	2	-	-	-
Residual ¹	-	2	-	2	2	2	2	5	2	1	5	4	2	-	-	-	-
	-	-	1	1	4	2	5	2	8	1	1	-	-	-	-	-	-
	-	-	1	1	1	1	3	1	5	-	1	-	-	-	-	-	-
IV.	2	3	3	2	7	11	5	11	23	18	14	7	12	4	-	-	-
	1	1	2	-	2	7	4	5	8	7	4	4	2	-	-	-	-
290-293	-	1	1	-	5	4	1	6	15	11	10	3	10	4	-	-	-
	-	-	-	-	5	7	1	5	13	13	5	6	8	3	-	-	-
	-	1	-	-	3	2	1	2	4	6	2	3	1	-	-	-	-
290	-	-	-	-	-	1	-	-	1	4	7	3	7	3	-	-	-
	-	-	-	-	-	1	-	-	1	2	3	3	5	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	2	1	1	2	-	-	-

¹For category titles and numbers, see table 10.

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

AGE OF DECEDENTS (YEARS).																	
Detailed Int. List No.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
291-293	-	1	1	-	5	6	1	4	9	11	2	3	3	1	-	-	-
296	-	1	1	-	2	4	1	2	3	6	1	1	2	1	-	-	-
294, 295, 297-299	2	1	1	-	1	2	3	4	6	5	3	1	3	1	-	-	-
V.	2	4	9	14	20	23	20	5	7	4	5	2	5	-	1	-	-
304	-	3	2	4	4	5	7	2	2	2	4	2	4	-	1	-	-
307	1	-	2	1	2	1	2	-	1	-	-	1	3	-	1	-	-
330-330, 305, 306, 308, 309, 322	1	3	7	10	17	22	14	4	5	3	3	1	1	1	-	-	-
325	1	1	6	7	14	17	11	3	4	2	1	-	1	-	-	-	-
310-321, 323, 324, 326	-	1	-	1	1	-	1	-	-	-	2	-	-	-	-	-	-
VI.	20	41	40	94	100	182	266	421	704	976	1,161	1,119	790	348	65	12	-
330-334	12	24	25	53	52	77	156	229	346	458	496	421	292	113	12	4	-
330	8	17	15	41	48	105	110	192	358	518	665	698	498	235	53	8	-
331	10	29	21	64	78	162	234	386	663	932	1,112	1,087	775	344	64	12	-
332	5	18	14	34	38	70	137	207	321	438	468	404	285	112	12	4	-
333	5	11	7	30	40	92	97	179	342	494	644	683	490	232	52	8	-
334	7	11	6	22	24	20	16	13	12	20	17	3	2	3	-	-	-
335	3	7	5	9	9	8	9	5	6	6	1	1	1	1	-	-	-
336	4	4	1	13	12	12	7	4	7	14	11	2	2	2	-	-	-
337	2	15	11	30	45	101	154	243	382	513	588	557	373	162	28	5	-
338	2	9	7	18	22	43	88	132	180	239	252	203	131	47	7	3	-
339	-	6	4	12	23	58	66	111	202	274	336	354	242	115	21	2	-
340	1	1	2	10	9	29	49	103	213	328	424	416	305	137	25	5	-
341	-	-	6	4	4	14	32	50	104	159	167	155	123	48	6	1	-
342	1	2	2	5	15	17	53	109	169	257	261	182	89	20	4	4	-
343, 344	1	2	2	2	3	12	15	27	56	71	83	111	95	42	11	2	-
345	1	2	2	1	3	5	8	16	32	34	43	45	31	16	11	2	-
346	1	2	1	1	3	7	7	11	24	37	40	66	64	26	-	-	-
347	-	-	-	-	-	3	5	6	9	-	5	5	1	-	-	-	-
348	-	-	-	-	-	3	3	3	7	-	1	4	-	-	-	-	-
349	1	2	4	11	6	7	4	9	3	2	3	1	1	-	-	-	-
350	1	2	2	5	2	2	1	6	2	2	1	-	-	-	-	-	-
351	-	-	-	-	-	5	3	3	1	-	2	-	-	-	-	-	-
352	1	-	-	-	-	2	4	8	14	27	27	18	10	5	-	-	-
353	1	-	-	-	-	1	2	6	8	12	16	10	5	-	-	-	-
354	1	-	-	-	-	2	2	2	6	15	11	8	5	1	-	-	-
355	7	6	11	12	7	1	5	4	2	2	5	2	-	-	-	-	-
356	5	4	7	9	5	-	5	3	1	1	1	4	-	-	-	-	-
357	2	2	4	3	2	1	1	1	1	1	1	1	-	-	-	-	-
370-379	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
387	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391-393	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-

For category titles and numbers, see table 10.

Detailed Int. List No.	Table 12	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM										
				Total.	AGE OF DECEDENTS (YEARS).									
					Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
Residual ¹		Other diseases of nervous system and sense organs	T M F	118 61 57	10 3 7	8 5 3	1 1 3	1 1 3	- - 2	4 2 2	2 1 1	1 1 1	- - -	- - -
VII.		DISEASES OF THE CIRCULATORY SYSTEM	T M F	25,571 13,763 11,808	22 11 11	3 1 3	3 1 2	3 1 2	2 1 2	5 1 4	7 2 5	11 3 8	17 8 9	- - -
400-402		Rheumatic fever	T M F	22 12 10	- - -	- - -	- - -	- - -	- - -	- - -	2 1 2	1 1 1	- - -	- - -
410-443		Diseases of heart	T M F	23,270 12,712 10,558	20 9 11	3 - 3	3 1 2	2 1 1	2 2 4	5 1 4	4 2 2	9 3 1	16 8 8	- - -
410-416		Chronic rheumatic heart disease	T M F	670 270 400	- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	1 1 1	6 3 3	- - -
410		Diseases of mitral valve	T M F	214 75 139	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	- - -
411		Diseases of aortic valve specified as rheumatic	T M F	80 48 32	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	1 1 1	- - -
412		Diseases of tricuspid valve	T M F	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
413, 414		Diseases of pulmonary valve, etc., ¹ specified as rheumatic	T M F	11 8 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
415, 416		Other diseases of heart specified as rheumatic	T M F	365 139 226	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	4 1 3	- - -
420		Arteriosclerotic heart disease, including coronary disease	T M F	18,903 10,797 8,106	4 2 2	1 - 1	3 1 2	- - -	- - -	2 - 2	- - -	1 - 1	3 2 1	- - -
.0		Arteriosclerotic heart disease so described	T M F	7,598 3,618 3,980	2 1 1	- - -	2 - 2	- - -	- - -	2 - 2	- - -	- - -	- - -	- - -
.1		Heart disease specified as involving coronary arteries	T M F	11,283 7,167 4,116	2 1 1	1 - 1	- 1 -	- - -	- - -	- - -	- - -	1 - 1	3 2 1	- - -
.2		Angina pectoris without mention of coronary disease	T M F	22 12 10	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
421		Chronic endocarditis not specified as rheumatic	T M F	132 75 57	2 - 2	- - -	- - -	- - -	- - -	- - -	2 1 1	- - -	- - -	- - -
.0		Of mitral valve, specified as non-rheumatic	T M F	13 5 8	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
.1		Of aortic valve, not specified as rheumatic	T M F	62 38 24	- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	- - -	- - -	- - -
.2-.4		Of other valves, not specified as rheumatic	T M F	57 32 25	2 - 2	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -
422		Other myocardial degeneration	T M F	1,116 506 610	2 1 1	- - -	- - -	- - -	1 1 1	1 - 1	- - -	- - -	1 1 1	- - -
.1		With arteriosclerosis	T M F	781 336 445	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
.0, .2		Without mention of arteriosclerosis	T M F	335 170 165	2 1 1	- - -	- - -	- - -	1 1 1	1 - 1	- - -	- - -	1 1 1	- - -
430-434		Other diseases of heart	T M F	828 451 377	8 4 4	2 - 2	- - 1	2 1 1	1 1 1	2 1 1	1 1 1	7 5 2	6 2 4	- - -
430		Acute and subacute endocarditis	T M F	51 33 18	1 1 -	1 - 1	- - -	- - -	- - -	- - -	- - -	2 1 1	- - -	- - -
431		Acute myocarditis not specified as rheumatic	T M F	21 13 8	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
432		Acute pericarditis specified as non-rheumatic	T M F	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

¹For category titles and numbers, see table 10.

		AGE OF DECEDENTS (YEARS).																			
Detailed Int. List No.		25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.			
Residual	1	2	3	4	9	7	10	8	12	13	8	7	3	3	1	-	-				
VII.	1	1	1	4	7	4	7	4	6	5	2	2	2	2	1	-	-				
	18	77	175	347	629	1,069	1,613	2,330	3,289	3,933	4,058	3,675	2,684	1,244	310	47					
400-402	10	53	137	260	484	799	1,176	1,585	1,997	2,099	1,999	1,600	1,006	421	88	12					
	8	24	38	87	145	270	437	742	1,292	1,834	2,059	2,075	1,678	823	222	35					
410-443	17	69	159	333	598	1,020	1,532	2,196	3,054	3,631	3,675	3,282	2,333	1,023	243	41					
	10	49	127	255	463	766	1,125	1,535	1,857	1,945	1,818	1,439	882	362	67	12					
410-416	7	20	32	78	135	254	407	691	1,197	1,686	1,857	1,843	1,451	661	176	29					
	3	22	23	49	50	82	92	95	71	71	48	24	21	9	2	-					
	2	12	13	27	19	36	39	37	21	30	19	3	6	1	1	-					
410	1	10	10	22	31	46	53	58	50	41	29	21	15	8	1	-					
	-	6	10	16	19	26	26	32	27	16	16	3	11	5	-	-					
	-	5	7	7	3	8	11	11	6	8	5	-	3	-	-	-					
411	-	1	3	9	16	18	15	21	18	11	3	8	5	-	-	-					
	1	4	2	5	7	14	5	12	8	8	5	4	3	-	-	-					
	1	1	1	5	5	10	3	7	5	3	2	1	2	-	-	-					
412	-	3	1	-	2	4	2	5	3	5	3	3	1	-	-	-					
413, 414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	-	1	-	2	-	1	2	2	-	1	1	-	1	-	-	-					
	-	1	-	2	-	1	1	1	-	1	1	-	1	-	-	-					
415, 416	2	11	11	26	24	41	59	49	36	46	26	17	6	4	2	-					
	1	5	5	13	11	17	24	18	10	18	11	2	1	1	1	-					
	1	6	6	13	13	24	35	31	26	28	15	5	3	1	-	-					
420	1	28	113	244	479	827	1,262	1,828	3,047	2,968	2,635	1,832	824	195	33	-					
	1	22	99	209	401	662	971	1,303	1,637	1,706	1,520	1,185	716	299	51	10					
	-	6	14	35	78	165	291	525	936	1,341	1,448	1,450	1,116	525	144	23					
.0	-	2	5	28	50	90	202	419	734	1,194	1,443	1,503	1,180	570	151	21</					

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM										
			Total.	AGE OF DECEDENTS (YEARS).									
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
433	Functional disease of heart . . .	T	100	1	1	-	2	-	-	-	2	4	
		M	47	-	-	-	-	-	-	-	1	1	
		F	53	1	1	-	1	-	-	-	1	3	
434	Other and unspecified diseases of heart . . .	T	655	6	-	-	-	1	2	1	3	2	
		M	358	3	-	-	-	1	1	1	3	1	
		F	297	3	-	-	-	-	1	-	-	1	
440-443	Hypertension with heart disease . . .	T	1,621	4	-	-	-	-	-	-	-	-	
		M	618	2	-	-	-	-	-	-	-	-	
		F	1,003	2	-	-	-	-	-	-	-	-	
442	Hypertensive heart disease with arteriolar nephrosclerosis . . .	T	210	1	-	-	-	-	-	-	-	-	
		M	88	-	-	-	-	-	-	-	-	-	
		F	122	1	-	-	-	-	-	-	-	-	
440, 441, 443	Essential hypertension with heart disease, etc. ¹ . . .	T	1,411	3	-	-	-	-	-	-	-	-	
		M	530	2	-	-	-	-	-	-	-	-	
		F	881	1	-	-	-	-	-	-	-	-	
444-447	Hypertension without mention of heart . . .	T	338	-	-	-	-	-	-	-	-	-	
		M	156	-	-	-	-	-	-	-	-	-	
		F	182	-	-	-	-	-	-	-	-	-	
446	Hypertension with arteriolar nephrosclerosis, etc. ¹ . . .	T	216	-	-	-	-	-	-	-	-	-	
		M	104	-	-	-	-	-	-	-	-	-	
		F	112	-	-	-	-	-	-	-	-	-	
444, 445, 447	Essential hypertension, other hypertensive disease, etc. ¹ . . .	T	122	-	-	-	-	-	-	-	-	-	
		M	52	-	-	-	-	-	-	-	-	-	
		F	70	-	-	-	-	-	-	-	-	-	
450-456	Diseases of arteries . . .	T	1,546	1	-	-	-	-	-	-	1	1	
		M	707	1	-	-	-	-	-	-	1	-	
		F	839	-	-	-	-	-	-	-	-	1	
450	General arteriosclerosis . . .	T	1,193	1	-	-	-	-	-	-	-	-	
		M	467	1	-	-	-	-	-	-	-	-	
		F	726	-	-	-	-	-	-	-	-	-	
451	Aortic aneurysm specified as non-syphilitic, etc. ¹ . . .	T	272	-	-	-	-	-	-	-	-	-	
		M	196	-	-	-	-	-	-	-	-	-	
		F	76	-	-	-	-	-	-	-	-	-	
455	Gangrene of unspecified cause . . .	T	9	-	-	-	-	-	-	-	-	-	
		M	7	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	-	-	
452-454, 456	Other arterial diseases . . .	T	72	-	-	-	-	-	-	-	1	1	
		M	37	-	-	-	-	-	-	-	1	-	
		F	35	-	-	-	-	-	-	-	-	-	
460-468	Diseases of veins and other diseases of circulatory system . . .	T	395	1	-	-	1	-	-	1	-	-	
		M	176	1	-	-	-	-	-	-	-	-	
		F	219	-	-	-	1	-	-	1	-	-	
VIII.	DISEASES OF THE RESPIRATORY SYSTEM . . .	T	3,118	295	33	21	18	5	29	9	12	12	
		M	1,821	174	17	12	10	3	14	5	5	9	
		F	1,297	121	16	9	8	2	15	4	7	3	
470-475	Acute upper respiratory infections . . .	T	12	5	2	-	-	-	1	-	-	-	
		M	6	1	2	-	-	-	1	-	-	-	
		F	6	4	-	-	-	-	-	-	-	-	
480-483	Influenza . . .	T	12	-	-	-	-	1	-	-	-	-	
		M	6	-	-	-	-	1	-	-	-	-	
		F	6	-	-	-	-	-	-	-	-	-	
490-493	Pneumonia, except pneumonia of newborn . . .	T	2,205	224	24	10	13	3	23	8	9	10	
		M	1,208	138	12	8	7	2	12	5	4	9	
		F	997	86	12	8	6	1	11	3	5	1	
490	Lobar pneumonia . . .	T	271	7	3	1	-	-	3	-	-	-	
		M	154	6	1	-	-	-	-	-	2	1	
		F	117	1	2	1	-	-	3	-	-	-	
491	Bronchopneumonia . . .	T	1,434	82	8	6	7	2	13	7	5	5	
		M	768	46	4	3	5	1	6	5	1	4	
		F	666	36	4	3	2	1	7	2	4	1	
492	Primary atypical pneumonia . . .	T	205	100	9	5	5	-	3	-	1	-	
		M	119	63	4	2	2	-	3	-	1	-	
		F	86	37	5	3	3	-	-	-	-	-	
493	Pneumonia, other and unspecified . . .	T	295	35	4	4	1	1	4	1	1	4	
		M	167	23	3	3	-	1	3	-	-	4	
		F	128	12	1	1	1	-	1	1	1	-	
500	Acute bronchitis . . .	T	41	4	1	1	1	-	2	-	1	-	
		M	21	2	-	1	-	-	-	-	-	-	
		F	20	2	1	-	1	-	2	-	1	-	
501, 502	Bronchitis, chronic and unqualified . . .	T	107	3	-	1	-	-	-	-	-	-	
		M	78	2	-	-	-	-	-	-	-	-	
		F	29	1	-	1	-	-	-	-	-	-	
510	Hypertrophy of tonsils and adenoids . . .	T	3	-	-	1	-	-	2	-	-	-	
		M	2	-	-	1	-	-	1	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	

¹ For category titles, see table 10.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																		100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.					
433	1	3	1	3	1	4	3	6	12	15	16	13	7	3	1	1	-			
	1	3	1	2	1	1	3	4	8	8	8	1	3	1	1	1	-			
434	4	9	6	11	20	32	48	51	94	93	95	89	61	22	5	-	-			
	1	5	4	5	14	20	33	36	49	53	48	40	27	11	3	-	-			
	4	4	2	6	6	12	15	15	45	40	47	49	34	11	2	-	-			
440-443	3	3	9	17	25	53	70	136	213	259	327	243	181	64	12	2	-			
	3	3	7	7	13	31	41	74	88	83	119	85	40	14	3	-	-			
	-	-	2	10	12	22	29	62	125	176	208	158	141	50	9	2	-			
442	-	-	3	2	1	5	7	12	23	30	38	37	39	10	2	-	-			
	-	-	2	1	1	5	3	5	10	15	17	19	9	2	-	-	-			
	-	-	1	1	1	1	1	4	13	15	21	18	30	8	2	-	-			
440, 441, 443	3	3	6	15	24	48	63	124	190	229	289	206	142	54	10	2	-			
	3	3	5	6	13	31	38	69	78	68	102	66	31	12	3	-	-			
444-447	-	-	1	9	11	17	25	55	112	161	187	140	111	42	7	2	-			
	-	-	4	1	12	13	16	40	55	62	62	46	20	4	-	-	-			
	-	-	2	1	2	3	7	8	20	25	24	28	21	7	2	-	-			
	-	-	2	1	3	9	6	8	20	30	38	34	25	13	2	-	-			
446	-	-	1	1	-	8	7	9	22	33	43	42	33	14	3	-	-			
	-	-	1	1	-	6	5	4	9	13	19	21	18	5	2	-	-			
444, 445, 447	-	-	-	-	-	2	2	5	13	20	24	21	15	9	1	-	-			
	-	-	1	-	2	4	6	7	18	22	19	20	13	6	1	-	-			
	-	-	2	-	2	3	2	4	11	12	5	7	3	2	-	-	-			
450-456	1	2	4	2	15	19	39	72	124	178	263	281	191	63	6	-	-			
	1	1	2	1	14	14	28	50	83	101	129	113	100	50	19	-	-			
450	-	-	2	1	1	5	11	22	41	77	134	170	181	141	44	6	-			
	-	-	1	-	-	7	13	40	60	116	204	244	262	179	60	6	-			
	-	-	1	-	-	5	9	26	32	54	88	94	93	47	17	-	-			
451	-	-	-	-	-	2	4	14	28	62	116	150	169	132	43	6	-			
	1	1	1	7	7	15	25	56	51	52	32	15	7	1	2	-	-			
	1	-	1	7	6	11	22	47	39	38	16	5	1	2	-	-	-			
455	-	-	-	-	-	1	4	3	9	12	14	16	10	6	-	-	-			
	-	-	-	-	-	1	2	-	1	1	1	1	1	1	1	-	-			
	-	-	-	-	-	1	2</													

Detailed Int. List No.	Table 12	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM									
				Total.	AGE OF DECEDENTS (YEARS).								
					Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
518, 521	Empyema and abscess of lung . . .	M 14 F 3	17	2	1	-	-	-	-	-	-	-	-
519	Pleurisy	T 6 M 4 F 2	12	-	1	-	-	-	-	-	-	-	-
Residual ¹	All other respiratory diseases . . .	T 715 M 482 F 233	1,430	57	5	2	4	1	1	1	2	2	2
IX.	DISEASES OF THE DIGESTIVE SYSTEM	T 2,391 M 1,359 F 1,032	4,782	39	9	3	1	-	12	6	10	9	8
530-535	Diseases of teeth and supporting structures	T - M - F -	-	-	-	-	-	-	-	-	-	-	-
540	Ulcer of stomach	T 185 M 113 F 72	370	1	-	-	-	-	-	-	-	-	-
541	Ulcer of duodenum	T 209 M 159 F 59	427	1	-	-	-	-	-	-	-	-	-
543	Gastritis and duodenitis	T 13 M 9 F 4	26	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis	T 50 M 32 F 18	100	-	-	-	-	-	-	3	3	2	2
560, 561, 570	Hernia and intestinal obstruction . . .	T 345 M 155 F 190	690	22	1	1	-	-	2	2	2	2	2
571, 572	Gastro-enteritis and colitis, except diarrhea of newborn	T 149 M 62 F 87	298	7	8	1	1	-	1	-	-	1	-
581	Cirrhosis of liver	T 863 M 549 F 314	1,726	4	4	-	-	-	-	-	-	-	2
.0	Without mention of alcoholism	T 632 M 395 F 237	1,264	-	-	-	-	-	-	-	-	-	1
.1	With alcoholism	T 231 M 154 F 77	462	-	-	-	-	-	-	-	-	-	1
584, 585	Cholelithiasis and cholecystitis	T 135 M 56 F 79	270	-	-	-	-	-	-	-	-	-	-
Residual ¹	Other diseases of digestive system . . .	T 442 M 233 F 209	884	8	1	-	-	-	7	3	5	3	3
X.	DISEASES OF THE GENITO-URINARY SYSTEM	T 942 M 523 F 419	1,884	5	-	-	2	1	2	8	6	13	5
590-594	Nephritis and nephrosis	T 389 M 201 F 188	778	4	-	-	2	1	2	8	6	9	3
590	Acute nephritis	T 26 M 14 F 12	52	1	-	-	-	-	1	1	1	1	-
591	Nephritis with edema, including nephrosis	T 25 M 17 F 8	50	-	-	-	1	-	-	-	1	-	-
592-594	Chronic and unspecified nephritis and other renal sclerosis	T 338 M 170 F 168	676	3	-	-	1	1	1	7	4	9	3
600	Infections of kidney	T 345 M 171 F 174	690	2	-	-	-	-	-	-	-	-	2
602, 604	Calculi of urinary system	T 22 M 13 F 9	44	-	-	-	-	-	-	-	-	-	-
601, 603, 605-609	Other diseases of urinary system . . .	T 66 M 31 F 35	132	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	T 102 M 102	204	-	-	-	-	-	-	-	-	-	-

¹For category numbers, see table 10.

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
513, 521	-	-	1	1	-	-	2	3	3	1	2	-	1	-	-	-	-
519	-	-	1	1	-	-	1	3	3	1	1	-	1	-	-	-	-
Residual ¹	3	9	8	10	21	31	52	82	104	98	88	63	49	16	4	2	-
IX.	1	6	5	9	9	19	44	61	84	76	63	33	28	6	-	-	-
	2	3	3	1	12	12	8	21	20	22	25	30	21	10	4	2	-
	14	31	69	101	187	199	228	240	291	300	270	193	127	36	13	3	-
	9	14	37	61	110	133	152	164	190	159	134	84	44	12	5	1	-
	5	17	32	40	77	66	76	76	101	141	136	109	83	24	8	2	-
530-535	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540	2	1	4	4	8	11	12	16	27	27	32	23	12	3	2	-	-
	2	-	1	3	4	6	8	12	18	18	22	13	6	-	-	-	-
541	-	1	3	1	4	5	4	4	9	9	10	10	6	3	2	-	-
	2	-	1	7	6	14	20	23	27	39	25	21	10	5	2	1	-
	2	1	6	6	6	12	14	21	21	28	19	14	1	2	2	-	-
543	-	-	1	1	1	1	1	1	2	1	1	1	2	-	-	1	-
	-	-	1	1	1	1	1	-	1	-	1	-	1	-	-	-	-
	-	-	1	1	1	1	1	-	1	-	1	-	1	-	-	-	-
550-553	-	3	2	1	1	-	7	2	7	5	4	5	2	1	-	-	-
	-	3	-	-	1	-	4	2	5	3	3	4	2	-	-	-	-
	-	-	2	1	-	-	3	-	2	2	1	1	-	1	-	-	-
560, 561, 570	1	1	4	3	14	6	23	25	38	46	55	48	37	12	2	-	-
	1	-	3	1	6	4	12	17	17	23	23	16	9	4	-	-	-
	-	1	1	2	8	2	11	8	21	23	32	32	28	8	2	-	-
571, 572	1	2	3	1	5	12	10	6	22	19	14	24	11	2	-	-	-
	-	-	3	-	2	8	4	3	14	6	2	7	3	1	-	-	-
581	1	2	-	1	3	4	6	3	8	13	12	17	8	-	-	-	-
	7	16	36	75	112	119	113	112	109	77	54	20	10	-	1	-	-
	4	9	16	44	61	76	83	80	81	48	31	10	5	-	-	-	-
.0	3	7	20	31	51	43	30	32	28	29	23	10	5	-	1	-	-
	5	13	23	49	76	85	84	77	80	63	48	17	10	-	-	-	-
	3	8	9	28	38	55	61	52	60	41	27	7	5	-	-	-	-
.1	2	5	14	21	38	30	23	25	20	22	21	10	5	-	-	-	-
	2	3	13	26	36	34	29	35	29	14	6	3	-	-	1	-	-
	1	1	7	16	23	21	22	28	21	7	4	3	-	-	-	-	-
	1	2	6	10	13	13	7	7	8	7	2	-	-	-	1	-	-
584, 585	-	1	-	2	4	2	3	13	17	26	26	13	21	6	1	-	-
	-	-	-	2	-	2	1	4	9	8	10	6	11	3	-	-	-
Residual ¹	1	7	18	7	36	34	39	38	42	60	59	38	22	7	5	2	-
	-	2	12	4	29	24	25	25	24	25	23	14	6	2	3	1	-
X.	1	5	6	3	7	10	14	13	18	35	36	24	16	5	2	1	-
	16	16	25	24	33	44	41	69	100	146	143	133	77	29	4	2	-
	10	4	13	14	20	23	22	38	50	84	84	73	50	15	3	-	-
	6	12	12	10	13	21	19	31	50	62	59	60	27	14	1	-	-
590-594	14	7	16	14	15	23	21	30	39	50	40	48	28	11	-	1	-
	10	1	11	10	13	11	13	15	23	23	16	22	13	4	-	-	-
	4	6	5	4	2	12	8	15	16	27	24	26	15	7	-	1	-
590	1	-	2	-	-	3	5	3	-	4	4	-	1	-	-	-	-
	1	-	1	-	-	1	2	2	-	3	2	-	-	-	-	-	-
	-	-	1	-	-	2	3	1	-	1	2	-	1	-	-	-	-
591	-	-	-	1	1	2	2	2	1	4	4	3	2	-	-	-	-
	-	-	-	1	1	1	2	1	1	3	2	2	1	-	-	-	-
	-	-	-	-	-	1	-	1	-	1	2	1	1	-	-	-	-
592-594	13	7	14	13	14	18	14	25	38	42	32	45	25	11	-	1	-
	9	1	10	9	12	9	9	12	22	17	12	20	12	4	-	-	-
	4	6	4	4	2	9	5	13	16	25	20	25	13	7	-	1	-
600	2	5	6	9	15	17	16	24	43	60	61	50	19	9	2	1	-
	-	3	2	4	7	8	6	11	15	33	32	26	13	6	1	-	-
602, 604	2	2	4	5	8	9	10	13	28	27	29	24	6	3	1	1	-
	-	-	-	-	-	1	2	4	4	1	2	5	2	-	-	-	-
	-	-	-	-	-	1	2	2	2	2	2	3	1	-	-	-	-
	-	-	-	-	-	-	-	2	2	1	-	2	1	-	-	-	-
601, 603, 605-609	-	1	1	-	1	1	2	2	7	10	15	11	12	2	-	-	-
	-	-	-	-	-	1	1	1	4	3	10	4	7	-	-	-	-
	-	1	1	-	1	-	1	1	3	7	5	7	5	2	-	-	-
610	-	-	-	-	-	1	-	8	5	25	24	17	16	4	2	-	-
	-	-	-	-	-	1	-	8	5	25	24	17	16	4	2	-	-

¹ For category numbers, see table 10.

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM										
			Total.	AGE OF DECEDENTS (YEARS).									
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
611-617	Other diseases of male genital organs	T	5	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-	-
620, 621	Diseases of breast	F	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-
622-637	Diseases of female genital organs	M	13	1	-	-	-	-	-	-	-	-	-
		F	13	1	-	-	-	-	-	-	-	-	-
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	T	34	-	-	-	-	-	-	1	-	-	3
		M	-	-	-	-	-	-	-	-	-	-	-
640, 641, 681, 682, 684	Sepsis of pregnancy, childbirth and puerperium	F	34	-	-	-	-	-	-	1	-	-	3
		T	1	-	-	-	-	-	-	-	-	-	-
642, 685, 686	Toxemias of pregnancy and puerperium, etc. ¹	M	2	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-
643, 644, 670-672	Hemorrhage of pregnancy and childbirth	T	7	-	-	-	-	-	-	1	-	1	-
		M	-	-	-	-	-	-	-	-	-	-	-
645	Ectopic pregnancy	F	7	-	-	-	-	-	-	1	-	1	-
		T	1	-	-	-	-	-	-	-	-	-	-
650	Abortion without mention of sepsis or toxemia	M	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-
651	Abortion with sepsis	T	4	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-
652	Abortion with toxemia, without mention of sepsis	F	2	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-
Residual ¹	Other complications of pregnancy, childbirth and puerperium	M	17	-	-	-	-	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-
XII.	DISEASES OF THE SKIN AND CELLULAR TISSUE	T	17	5	-	-	-	-	1	-	-	-	2
		M	17	3	-	-	-	-	1	-	-	-	-
690-698	Infections of skin and subcutaneous tissue	F	50	2	-	-	-	-	-	-	-	-	2
		T	15	1	-	-	-	-	-	-	-	-	-
700-716	Other diseases of skin and subcutaneous tissue	M	6	-	-	-	-	-	-	-	-	-	-
		F	9	1	-	-	-	-	-	-	-	-	-
		T	52	4	-	-	-	-	1	-	-	2	-
		M	11	3	-	-	-	-	1	-	-	-	-
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	F	41	1	-	-	-	-	-	-	4	2	-
		T	90	2	-	-	-	-	1	-	-	1	-
720-725	Arthritis and spondylitis	M	35	1	-	-	-	-	-	-	3	1	-
		F	55	1	-	-	-	-	1	-	1	-	-
726, 727	Muscular rheumatism and rheumatism, unspecified	T	51	-	-	-	-	-	1	-	1	-	-
		M	14	-	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	1	-	1	-	-
730	Osteomyelitis and periostitis	T	1	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-
737, 745-749	Ankylosis and acquired musculoskeletal deformities	F	1	-	-	-	-	-	-	-	-	-	-
		T	4	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-
731-736, 738-744	All other diseases of musculoskeletal system	T	34	2	-	-	-	-	-	-	3	1	-
		M	20	1	-	-	-	-	-	-	3	1	-
		F	14	1	-	-	-	-	-	-	-	-	-
XIV.	CONGENITAL MALFORMATIONS	T	552	395	25	13	7	5	16	18	9	6	-
		M	287	201	16	7	4	2	10	9	5	4	-
751	Spina bifida and meningocele	F	265	194	9	6	3	3	6	9	4	2	-
		T	38	34	2	-	1	-	-	1	-	-	-
		M	9	8	1	-	-	-	-	-	-	-	-
752, 753	Congenital hydrocephalus, etc. ¹	F	29	26	1	-	1	-	-	1	-	-	-
		T	50	29	7	2	1	2	5	1	1	-	-
		M	24	9	6	1	1	1	4	-	1	-	-
754	Congenital malformations of circulatory system	F	26	20	1	1	-	1	1	1	-	-	-
		T	278	202	12	8	4	3	7	13	5	3	-
		M	155	121	8	3	2	1	2	7	3	1	-
		F	123	81	4	5	2	2	5	6	2	2	-

¹ For category titles and numbers, see table 10.

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	
611-617	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-
620, 621	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
622-637	-	3	2	1	1	-	-	-	1	-	1	1	-	2	-	-
XI.	6	3	2	1	1	-	-	-	1	-	1	1	-	2	-	9
640, 641, 681, 682, 684	6	5	8	2	-	-	-	-	-	-	-	-	-	-	-	9
642, 685, 686	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
643, 644, 670-672	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	3
645	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
650	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
651	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
652	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual ¹	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	6
XII.	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	6
690-698	1	1	4	3	2	5	5	8	5	3	5	7	6	-	2	-
700-716	1	1	4	3	2	1	2	2	1	1	1	2	2	2	2	-
XIII.	1	1	4	3	2	3	3	6	4	3	4	5	4	-	2	-
720-725	1	1	1	1	1	1	1	1	1	2	-	2	2	1	-	-
726, 727	1	1	1	1	1	1	1	1	1	2	1	1	1	2	1	-
730	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-
737, 745-749	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-
731- 736, 738-744	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-
XIV.	4	5	3	8	12	6	2	5	5	3	2	2	1	-	-	-
751	2	3	2	6	9	3	1	1	1	1	1	1	1	-	-	-
752, 753	2	2	2	2	3	3	1	4	4	2	2	2	2	-	-	-
754	3	1	2	5	3	1	2	1	2	-	-	1	-	-	-	-
	1	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-
	2	1	2	2	1	1	1	1	2	-	-	1	-	-	-	-

¹ For category titles and numbers, see table 10.

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLEBIRTHS) FROM										
			Total.	AGE OF DECEDENTS (YEARS).									
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
750.	Other congenital malformations	T	186	130	4	3	1	-	4	3	3	3	
755-759		M	99	63	1	3	1	-	4	2	1	3	
		F	87	67	3	-	-	-	-	1	2	-	
XV.	CERTAIN DISEASES OF EARLY INFANCY	T	1,577	1,571	2	1	-	1	1	1	-	-	
		M	907	904	2	-	-	-	-	1	-	-	
		F	670	667	1	1	-	1	1	-	-	-	
760, 761	Birth injuries	T	172	170	1	-	-	-	1	-	-	-	
		M	111	110	1	-	-	-	-	-	-	-	
		F	61	60	-	-	-	-	1	-	-	-	
762	Postnatal asphyxia and atelectasis	T	418	418	-	-	-	-	-	-	-	-	
		M	228	228	-	-	-	-	-	-	-	-	
		F	190	190	-	-	-	-	-	-	-	-	
763-768	Infections of newborn	T	98	98	-	-	-	-	-	-	-	-	
		M	65	65	-	-	-	-	-	-	-	-	
		F	33	33	-	-	-	-	-	-	-	-	
770	Hemolytic disease of newborn (erythroblastosis)	T	68	68	-	-	-	-	-	-	-	-	
		M	34	34	-	-	-	-	-	-	-	-	
		F	34	34	-	-	-	-	-	-	-	-	
769, 771, 772	All other defined diseases of early infancy	T	30	28	-	-	-	1	-	1	-	-	
		M	18	17	-	-	-	-	-	1	-	-	
		F	12	11	-	-	-	1	-	-	-	-	
773-776	Ill-defined diseases peculiar to early infancy and immaturity unqualified	T	791	789	1	1	-	-	-	-	-	-	
		M	451	450	1	-	-	-	-	-	-	-	
		F	340	339	-	1	-	-	-	-	-	-	
XVI.	SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS	T	350	8	2	4	2	1	1	2	4	4	
		M	191	7	2	2	2	1	-	1	3	4	
		F	159	1	-	2	-	-	1	1	1	-	
794	Senility without mention of psychosis	T	50	-	-	-	-	-	-	-	-	-	
		M	14	-	-	-	-	-	-	-	-	-	
		F	36	-	-	-	-	-	-	-	-	-	
780-793, 795	Symptoms, ill-defined and unknown causes	T	300	8	2	4	2	1	1	2	4	4	
		M	177	7	2	2	2	1	-	1	3	4	
		F	123	1	-	2	-	-	1	1	1	-	
XVII.	ACCIDENTS, POISONINGS AND VIOLENCE	T	2,832	52	25	27	21	28	68	67	122	161	
		M	1,731	29	19	15	16	17	46	58	97	133	
		F	1,101	23	6	12	5	11	22	9	25	28	
800-962	ACCIDENTS	T	2,315	52	24	26	20	27	67	62	103	137	
		M	1,363	29	18	15	15	16	45	53	84	114	
		F	952	23	6	11	5	11	22	9	19	23	
800-802	Railroad accidents	T	6	-	1	1	-	-	-	1	-	1	
		M	5	-	1	1	-	-	-	1	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
810-835	Motor-vehicle accidents	T	607	7	2	11	6	11	23	23	69	90	
		M	441	3	2	8	4	6	15	18	53	76	
		F	166	4	-	3	2	5	8	5	16	14	
810-825	Motor-vehicle traffic accidents	T	592	6	2	10	6	11	23	22	68	88	
		M	430	3	2	8	4	6	15	17	53	75	
		F	162	3	-	2	2	5	8	5	15	13	
810	Motor-vehicle traffic accident with railroad train	T	6	-	-	-	-	-	-	1	-	-	
		M	3	-	-	-	-	-	-	1	-	-	
		F	3	-	-	-	-	-	-	-	-	-	
812	Motor-vehicle traffic accident to pedestrian	T	204	1	1	8	6	10	18	10	6	10	
		M	148	-	1	7	4	5	13	7	4	7	
		F	56	1	-	1	2	5	5	3	2	3	
811, 813-819	Other motor-vehicle traffic accidents, etc. ¹	T	248	3	-	-	-	-	4	9	34	53	
		M	183	2	-	-	-	-	2	8	27	46	
		F	65	1	-	-	-	-	2	1	7	7	
820-824	Motor-vehicle noncollision traffic accidents	T	74	-	1	2	-	1	1	2	20	14	
		M	57	-	1	1	-	1	-	1	16	13	
		F	17	-	-	-	-	-	-	-	4	1	
825	Motor-vehicle traffic accident of unspecified nature	T	60	2	-	-	-	-	1	1	8	11	
		M	39	1	-	-	-	-	-	-	6	9	
		F	21	1	-	-	-	-	-	-	2	2	
830-835	Motor-vehicle nontraffic accidents	T	15	1	-	1	-	-	-	1	1	2	
		M	11	-	-	-	-	-	-	1	-	1	
		F	4	1	-	1	-	-	-	-	1	1	
840-845	Other road-vehicle accidents	T	3	-	-	-	-	-	-	2	-	-	
		M	2	-	-	-	-	-	-	2	-	-	
		F	1	-	-	-	-	-	-	-	-	-	
850-858	Water-transport accidents	T	20	-	-	-	-	-	-	-	1	4	
		M	18	-	-	-	-	-	-	-	1	3	
		F	2	-	-	-	-	-	-	-	-	1	
860-866	Aircraft accidents	T	19	-	2	-	-	-	-	-	2	3	
		M	13	-	2	-	-	-	-	-	1	2	
		F	6	-	-	-	-	-	-	-	1	1	

¹ For category titles see table 10.

Detailed Int. List No.	AGE OF PREDECESSORS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.		
750.	1	4	1	2	8	5	-	4	3	3	2	1	1	-	-	-
755-759	1	3	1	2	7	3	-	1	1	1	-	-	1	-	-	-
XV.	-	1	-	-	1	2	-	3	2	2	-	1	-	-	-	-
760, 761	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769, 771, 772	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773-776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	3	5	10	14	10	13	16	23	31	42	47	40	28	27	8	2
784	1	3	7	10	7	9	11	13	25	20	17	21	10	8	5	1
780-793, 795	2	2	3	4	3	4	5	10	6	22	30	19	18	19	4	1
XVII.	-	-	1	-	-	-	-	-	-	5	2	7	14	16	5	1
800-962	-	-	1	-	-	-	-	-	-	1	4	2	5	11	3	1
800-802	3	5	9	14	10	13	16	23	31	37	45	33	14	11	4	1
810-835	1	3	7	10	7	9	11	13	25	19	17	16	8	3	4	1
810-825	2	2	2	4	3	4	5	10	6	18	28	17	6	8	-	-
820-824	97	89	119	125	153	142	171	165	192	209	206	257	195	105	26	5
825	74	62	83	93	104	110	127	113	118	111	94	94	68	31	10	1
830-835	23	27	36	27	49	32	44	52	74	98	112	163	127	74	18	4
840-845	72	49	67	84	99	97	111	130	149	184	184	245	190	103	25	5
850-858	57	39	49	69	69	72	82	88	88	91	79	85	65	29	9	1
860-866	15	10	18	15	30	25	29	42	61	93	105	160	125	74	16	4
870-875	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
880-885	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
890-895	34	22	24	29	24	27	33	41	49	36	22	18	4	1	-	1
900-905	28	17	17	23	17	19	22	29	24	28	16	11	3	1	-	1
910-915	6	5	7	6	7	8	11	12	25	8	6	7	1	-	-	-
920-925	34	21	24	29	23	24	32	40	48	36	21	18	4	1	-	1
930-935	28	16	17	23	16	16	21	28	23	28	15	11	3	1	-	1
940-945	6	5	7	6	7	8	11	12	25	8	6	7	1	-	-	-
950-955	-	-	1	-	1	-	-	-	-	-	2	1	-	-	-	-
960-965	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
970-975	2	5	1	4	6	9	14	21	26	17	1					

Table 12

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

CAUSE OF DEATH.

AGE OF DECEDENTS (YEARS).

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	Total.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
870-888	Accidental poisoning by solid and liquid substances . . .	T M F	38 23 15	- - -	1 - 1	- - -	- - -	- - -	1 - 1	- - -	- - -	1 - 1
890-895	Accidental poisoning by gases and vapors . . .	T M F	13 12 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
900-904	Accidental falls . . .	T M F	1,041 443 598	5 3 2	3 1 2	1 1 1	2 1 1	1 1 1	5 5 2	2 2 2	5 5 4	8 7 1
900-902	Fall from one level to another . .	T M F	303 171 132	3 2 1	3 1 2	- - -	2 1 1	1 1 -	5 5 -	2 2 -	4 4 1	6 5 1
903	Fall on same level . . .	T M F	231 98 133	- - -	2 - -	- - -	1 - -	- - -	- - -	- - -	1 1 -	- - -
904	Unspecified falls . . .	T M F	507 174 333	2 1 1	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	2 2 -
910	Blow from falling object . . .	T M F	19 18 1	- - -	- - -	1 1 -	- - -	1 1 -	1 1 -	1 1 -	1 1 -	2 2 -
912	Accident caused by machinery . .	T M F	12 12 -	- - -	- - -	- - -	- - -	- - -	- - -	2 2 -	- - -	2 2 -
914	Accident caused by electric current .	T M F	8 7 1	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	1 1 -	- - -
916	Accident caused by fire and explosion, etc. ¹ . . .	T M F	177 105 72	5 2 3	3 1 2	4 1 3	4 3 1	6 4 2	19 10 9	3 2 1	- - -	4 2 2
917, 918	Accident caused by hot substance, etc. ¹ . . .	T M F	18 11 7	1 - 1	1 1 1	1 - -	- - -	- - -	- - -	- - -	- - -	1 1 1
919	Accident caused by firearms . . .	T M F	17 16 1	- - -	1 - -	1 - -	- - -	1 1 -	- - -	4 4 -	2 2 -	3 3 -
921, 922	Inhalation and ingestion of food or other object . . .	T M F	46 30 16	14 8 6	4 4 -	- - -	2 2 -	2 1 1	- - -	- - -	- - -	3 3 1
929	Accidental drowning . . .	T M F	134 110 24	- - -	4 4 -	3 2 1	5 4 1	4 2 2	16 12 4	18 16 2	17 15 2	8 8 -
931	Excessive heat and insolation . .	T M F	4 3 1	- - -	- - -	1 1 -	1 1 -	- - -	- - -	- - -	1 1 -	- - -
940-959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc. ¹ .	T M F	14 4 10	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Residual ¹	All other accidents . . .	T M F	119 90 29	19 13 6	2 2 -	2 2 -	- - -	- - -	2 2 -	6 5 1	4 4 2	7 5 2
963, 970-979	Suicide . . .	T M F	442 320 122	- - -	- - -	- - -	- - -	- - -	- - -	3 3 -	15 11 4	19 16 3
970-973	Suicide by poisoning . . .	T M F	143 79 64	- - -	- - -	- - -	- - -	- - -	- - -	- - -	4 2 2	7 5 3
974	Suicide by hanging and strangulation . . .	T M F	111 93 18	- - -	- - -	- - -	- - -	- - -	- - -	3 3 -	1 1 -	3 3 -
976	Suicide by firearms and explosives .	T M F	105 95 10	- - -	- - -	- - -	- - -	- - -	- - -	- - -	9 8 1	8 7 1
963, 975, 977-979	Suicide by all other means . . .	T M F	83 53 30	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	1 1 -	1 1 -
964, 980-985	Homicide . . .	T M F	73 46 27	- - -	1 - 1	1 - 1	1 1 1	1 1 1	1 1 2	2 2 2	4 2 2	5 3 3
981	Assault by firearms and explosives .	T M F	26 15 11	- - -	1 1 -	- - -	- - -	- - -	- - -	1 1 -	- - -	4 2 2
982	Assault by cutting and piercing instruments . . .	T M F	13 10 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 2 -	- - -

¹For category titles and numbers, see table 10.

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.		
870-888	2	2	5	5	6	5	5	-	2	1	2	-	-	-	-	-	-	
	2	2	4	1	3	4	2	-	2	1	1	-	-	-	-	-	-	
890-895	-	-	1	1	1	1	2	2	-	-	-	-	-	-	-	-	-	
	2	2	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	
	2	2	-	-	2	-	2	1	-	2	-	-	-	-	-	-	-	
900-904	3	4	11	18	25	30	40	49	69	115	137	211	172	96	25	4	-	
	3	3	6	16	18	22	31	34	40	47	48	64	52	25	9	-	-	
	-	1	5	2	7	8	9	15	29	68	89	147	120	71	16	4	-	
900-902	2	3	6	9	17	15	20	24	22	36	29	46	23	20	2	3	-	
	2	2	3	8	12	12	17	21	15	19	12	14	7	6	-	-	-	
	-	1	3	1	5	3	3	3	7	17	17	32	16	14	2	3	-	
903	-	-	-	-	3	5	8	13	14	31	36	49	49	18	3	1	-	
	-	-	-	-	2	4	8	7	7	13	12	22	15	4	3	-	-	
	-	-	-	-	1	1	1	6	6	18	24	27	34	14	-	1	-	
904	1	1	5	9	5	10	12	12	33	48	72	116	100	58	20	-	-	
	1	1	3	8	4	6	6	6	18	15	24	28	30	15	6	-	-	
	-	-	2	1	1	4	6	6	15	33	48	88	70	43	14	-	-	
910	1	-	2	3	2	1	-	2	-	-	-	1	-	-	-	-	-	
	1	-	2	3	2	1	-	2	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
912	-	1	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	
	-	1	-	-	3	1	1	2	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
914	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
916	8	5	13	5	9	16	10	15	7	11	12	6	8	4	-	-	-	
	3	3	9	4	4	11	9	7	5	8	8	4	5	3	-	-	-	
	5	2	4	1	5	5	1	8	2	6	4	2	3	1	-	-	-	
917, 918	1	-	-	-	-	-	-	-	4	1	3	-	1	-	-	-	-	
	1	-	-	-	2	-	-	3	1	1	-	-	1	-	-	-	-	
	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	
919	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
921, 922	1	1	-	-	-	1	2	1	4	3	3	4	-	1	-	-	-	
	1	1	-	-	-	-	1	1	3	-	3	4	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
929	11	4	4	7	8	2	7	2	5	3	4	-	1	-	-	-	1	
	10	3	3	6	5	2	6	1	5	3	2	-	1	-	-	-	-	
	1	1	1	1	3	1	1	1	-	-	2	-	-	-	-	-	-	
931	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
940-959	-	1	-	2	2	1	2	-	2	2	-	-	1	-	-	-	-	
	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	
	-	1	-	1	1	1	1	-	2	2	-	-	-	-	-	-	-	
Residual ¹	3	3	1	10	10	9	7	8	9	5	4	4	3	1	-	-	-	
	3	3	1	10	7	8	5	5	7	3	1	2	2	-	-	-	-	
	-	-	-	-	3	1	2	3	2	2	3	2	1	-	-	-	-	
963,	22	29	42	36	53	37	54	32	40	20	21	11	5	2	1	-	-	
970-979	16	17	28	26	35	30	41	23	23	17	14	9	3	2	1	-	-	
	6	12	14	10	18	7	13	9	12	3	7	2	2	-	-	-	-	
970-973	10	13	17	19	23	9	13	11	8	4	3	-	2	-	-	-	-	
	6	6	8	13	11	6	7	7	2	4	1	-	1	-	-	-	-	
	4	7	9	6	12	3	6	4	6	-	2	-	1	-	-	-	-	
974	3	6	7	10	8	10	16	7	17	7	7	4	1	-	1	-	-	
	3	5	6	7	5	9	14	6	15	7	4	3	1	-	1	-	-	
	-	1	1	3	3	1	2	1	2	-	3	1	-	-	-	-	-	
976	7	4	13	3	14	9	14	5	4	2	6	4	1	2	-	-	-	
	6	4	12	2	14	9	11	5	4	2	5	4	-	2	-	-	-	
	1	-	1	1	-	-	3	-	-	-	1	-	1	-	-	-	-	
963, 975,	2	6	5	4	8	9	11	9	11	7	5	3	1	-	-	-	-	
977-979	1	2	2	4	5	6	9	5	7	4	4	2	1	-	-	-	-	
	1	4	3	-	3	3	2	4	4	3	1	1	-	-	-	-	-	
964,	3	11	10	5	1	8	6	2	3	4	1	1	-	-	-	-	2	
980-985	1	6	6	3	-	8	4	1	2	2	1	-	-	-	-	-	1	
	2	5	4	2	1	-	2	1	1	2	-	1	-	-	-	-	-	
981	1	2	7	3	1	3	3	-	-	-	-	-	-	-	-	-	-	
	-	-	4	2	-	3	2	-	-	-	-	-	-	-	-	-	-	
	1	2	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	
982	-	4	1	1	-	1	1	2	1	-	-	-	-	-	-	-	-	
	-	3	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

¹ For category titles and numbers, see table 10.

256 SELECTED CAUSES, BY AGE AND SEX: 1961.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
984.	2	5	2	1	-	4	2	-	2	4	1	1	-	-	-	-	2
980, 983	1	3	1	1	-	4	1	-	1	2	1	1	-	-	-	-	1
984	1	2	1	-	-	-	1	-	1	2	-	1	-	-	-	-	-
985	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965,	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
990-999	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-

Abbreviated Int. List No.	Table 13 CAUSE OF DEATH ¹	DEATHS FROM IMPORTANT CAUSES BY PLACE OF OCCURRENCE AND BY PLACE OF RESIDENCE: 1961.			
		Total deaths occurring in State.	Deaths of nonresidents occurring in State.	Deaths of residents occurring out of State.	Total deaths of residents.
	All Causes²	58,125	1,502	919	55,704
(1)	Tuberculosis of the respiratory system (1-8)	280	9	2	269
(2)	All other forms of tuberculosis (10-19)	11	1	-	10
(3)	Syphilis (20-29)	30	-	-	30
(4)	Typhoid fever (40)	1	-	1	-
(6)	Dysentery, all forms (45-48)	2	-	-	2
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-
(8)	Diphtheria (55)	1	-	-	1
(9)	Whooping cough (56)	-	-	-	-
(10)	Meningococcal infections (57)	22	1	-	21
(12)	Acute poliomyelitis (80)	1	-	-	1
(14)	Measles (85)	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-
(17)	Infectious hepatitis (92)	19	-	-	19
(17)	All other diseases classified as infective and parasitic (residual)	116	6	4	106
(18)	Malignant neoplasms (140-205)	10,136	316	116	9,704
(19)	Benign and unspecified neoplasms (210-239)	131	11	4	116
(20)	Diabetes mellitus (260)	960	20	10	930
(21)	Anemias (290-293)	86	11	1	74
(22)	Vascular lesions affecting central nervous system (330-334)	6,210	85	99	6,026
(23)	Nonmeningococcal meningitis (340)	77	3	-	74
(24)	Rheumatic fever (400-402)	22	-	-	22
(25)	Chronic rheumatic heart disease (410-416)	730	52	8	670
(26)	Arteriosclerotic heart disease, including coronary disease (420)	19,624	385	334	18,905
(26)	Degenerative heart disease (421, 422)	1,292	19	25	1,248
(27)	Other diseases of heart (430-434)	853	15	9	829
(28)	Hypertension with heart disease (440-443)	1,665	26	20	1,619
(29)	Hypertension without mention of heart (444-447)	348	7	3	338
(30)	Influenza (480-483)	14	2	-	12
(31)	Pneumonia (490-493)	2,260	37	18	2,205
(32)	Bronchitis (500-502)	116	5	4	107
(33)	Ulcer of stomach and duodenum (540, 541)	420	16	10	394
(34)	Appendicitis (550-553)	52	1	1	50
(35)	Intestinal obstruction and hernia (560, 561, 570)	361	13	3	345
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	157	8	-	149
(37)	Cirrhosis of the liver (581)	892	17	12	863
(38)	Nephritis and nephrosis (590-594)	417	20	8	389
(39)	Hyperplasia of prostate (610)	103	1	-	102
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	19	2	-	17
(41)	Congenital malformations (750-759)	616	55	9	552
(42)	Birth injuries, postnatal asphyxia and ate- lectasis (760-762)	612	18	4	590
(43)	Infections of the newborn (763-768)	102	2	2	98
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	858	28	9	821
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	405	6	49	350
(46)	Arteriosclerosis (450)	1,209	10	7	1,192
(46)	All other diseases (residual)	3,819	138	59	3,622
(47)	Motor-vehicle accidents (810-835)	706	65	33	608
(48)	Railroad accidents and injuries (800-802)	9	-	3	6
(48)	Air-transport accidents (860-866)	67	40	8	19
(48)	Burns (fire, explosion, scalds, conflagra- tion, etc.) (transport accidents excepted) (915-917)	199	4	-	195
(48)	Accidental drowning (850, 851, 929)	169	8	8	153
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	1,065	14	10	1,041
(48)	All other accidents	324	10	20	294
(49)	Suicide and self-inflicted injury (963, 970- 979)	460	12	6	442
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	77	3	-	74

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

Table 14

DEATHS FROM

CAUSE OF DEATH.¹

Abbreviated Int. List No.	THE STATE.	BARNSTABLE COUNTY.	Barnstable.	Bourne.	Brewster.	Chatham.	Dennis.	Eastham.	Falmouth.	Harwich.
	55,704	807	165	81	21	45	65	15	130	71
(1) All Causes. ²	268	-	-	-	-	-	-	-	-	-
(2) Tuberculosis of the respiratory system (1-8)	13	-	-	-	-	-	-	-	-	-
(3) All other forms of tuberculosis (10-19)	23	-	-	-	-	-	-	-	-	-
(4) Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(5) Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6) Dysentery, all forms (45-48)	1	-	-	-	-	-	-	-	-	-
(7) Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8) Diphtheria (55)	1	-	-	-	-	-	-	-	-	-
(9) Whooping cough (56)	2	-	-	-	-	-	-	-	-	-
(10) Meningococcal infections (57)	14	-	-	-	-	-	-	-	-	-
(12) Acute poliomyelitis (80)	1	-	-	-	-	-	-	-	-	-
(14) Measles (85)	-	-	-	-	-	-	-	-	-	-
(16) Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17) Infectious hepatitis (92)	16	1	1	-	-	-	-	-	-	-
(17) All other diseases classified as infective and parasitic (residual)	93	3	2	-	-	-	-	-	-	-
(18) Malignant neoplasms (140-205)	9,715	132	27	10	4	3	12	4	22	13
(19) Benign and unspecified neoplasms (210-239)	126	-	-	-	-	-	-	-	-	-
(20) Diabetes mellitus (260)	851	8	3	2	-	-	-	-	2	-
(21) Anemias (290-293)	88	2	-	-	-	-	1	-	-	-
(22) Vascular lesions affecting central nervous system (330-334)	5,976	101	23	9	2	5	5	-	19	8
(23) Nonmeningococcal meningitis (340)	74	-	-	-	-	-	-	-	-	-
(24) Rheumatic fever (400-402)	26	-	-	-	-	-	-	-	-	-
(25) Chronic rheumatic heart disease (410-416)	652	6	-	-	-	1	1	-	1	-
(26) Arteriosclerotic heart disease, including coronary disease (420)	18,947	293	56	23	5	17	31	4	50	31
(26) Degenerative heart disease (421, 422)	1,209	10	1	2	-	1	-	-	1	-
(27) Other diseases of heart (430-434)	782	5	2	1	-	-	-	-	-	-
(28) Hypertension with heart disease (440-443)	1,561	19	3	5	1	-	2	-	3	1
(29) Hypertension without mention of heart (444-447)	372	16	5	3	1	-	-	-	-	1
(30) Influenza (480-483)	9	-	-	-	-	-	-	-	-	-
(31) Pneumonia (490-493)	2,145	21	9	-	3	1	1	-	2	-
(32) Bronchitis (500-502)	185	3	1	-	-	-	-	-	-	-
(33) Ulcer of stomach and duodenum (540, 541)	410	3	2	-	-	-	-	-	-	-
(34) Appendicitis (550-553)	49	4	-	-	-	-	-	1	1	1
(35) Intestinal obstruction and hernia (560, 561, 570)	337	2	1	-	-	-	-	-	-	-
(36) Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	154	5	1	2	-	1	-	-	1	-
(37) Cirrhosis of the liver (581)	866	11	1	1	-	1	1	-	2	-
(38) Nephritis and nephrosis (590-594)	378	4	-	-	-	1	-	-	-	2
(39) Hyperplasia of prostate (610)	100	-	-	-	-	-	-	-	-	-
(40) Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	131	1	1	-	-	-	-	-	-	-
(41) Congenital malformations (730-759)	548	9	-	-	-	-	2	1	4	1
(42) Birth injuries, postnatal asphyxia and atelectasis (760-762)	561	9	1	2	-	1	-	-	1	2
(43) Infections of the newborn (763-768)	94	1	-	-	-	-	-	-	1	-
(44) Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	827	12	1	6	-	1	-	-	3	-
(45) Senility without mention of psychosis, ill-defined and unknown causes (780-795)	341	7	-	2	-	-	-	-	2	1
(46) Arteriosclerosis (450)	1,233	18	3	3	1	1	2	-	2	2
(46) All other diseases (residual)	3,676	68	11	8	2	8	4	3	10	5
(47) Motor-vehicle accidents (810-835)	579	8	2	1	-	1	-	-	1	1
(48) Railroad accidents and injuries (800-802)	5	-	-	-	-	-	-	-	-	-
(48) Air-transport accidents (860-866)	36	-	-	-	-	-	-	-	-	-
(48) Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	265	2	1	-	-	-	-	-	-	1
(48) Accidental drowning (850, 851, 929)	147	4	-	1	-	-	1	-	-	-
(48) Accidental falls (transport accidents excepted) (900-904)	985	7	3	-	-	2	1	-	1	-
(48) All other accidents	324	-	-	-	-	-	-	-	-	-
(49) Suicide and self-inflicted injury (963, 970-979)	420	8	3	-	1	-	1	1	1	-
(50) Homicide and operations of war (964, 965, 980-985, 990-999)	68	4	1	-	1	-	-	1	-	1

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

Abbreviated Incl. List No.	Mashpee.	Orleans.	Provincetown.	Sandwich.	Truro.	Wellfleet.	Yarmouth.	Berkshire County.	Adams.	Alford.	Becket.	Cheshire.	Clarksburg.	Dalton.	Egremont.	Florida.	Great Barrington.	Hancock.	Hinsdale.
(1)	5	23	44	25	13	27	77	1,627	148	2	11	26	17	66	14	2	91	5	11
(2)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
(3)	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-	-
(18)	1	3	8	5	5	4	11	303	27	1	3	6	4	13	3	-	12	1	-
(19)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
(20)	-	-	1	-	-	-	-	32	4	-	-	-	-	1	-	-	2	-	-
(21)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	1	1	9	6	2	-	11	195	14	1	2	3	3	8	1	-	8	-	-
(23)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
(25)	-	-	1	-	-	1	1	12	1	-	-	-	1	1	-	-	1	-	-
(26)	1	13	14	5	1	11	31	573	61	-	3	11	5	23	6	-	33	2	-
(26)	1	-	2	-	-	-	2	26	1	-	-	-	-	-	-	-	3	-	-
(27)	-	-	1	-	1	-	-	20	2	-	-	1	2	1	-	1	1	-	-
(28)	-	1	1	1	-	1	-	43	1	-	1	-	-	2	-	-	6	-	-
(29)	-	-	2	-	-	2	2	10	1	-	-	-	-	-	-	-	1	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	-	-	-	2	-	-	3	47	-	-	1	-	-	4	2	-	1	-	-
(32)	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(33)	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	1	-	-
(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	-	-	-	-	-	1	8	1	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-
(37)	-	1	1	-	-	1	2	25	2	-	-	1	-	-	-	-	1		

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		Lanesborough.	Lee.	Lenox.	Monterey.	Mount Washington.	New Ashford.	New Marlborough.	NORTH ADAMS.	Otis.	Peru.
	All Causes. ²	25	56	41	6	2	-	9	269	6	-
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	4	16	8	3	-	-	3	51	1	-
(19)	Benign and unspecified neoplasms (210-239)	1	-	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	2	-	-	-	-	1	11	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	2	6	5	-	-	-	-	36	2	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	2	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	-	-	-	2	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	10	15	12	1	1	-	3	116	1	-
(26)	Degenerative heart disease (421, 422)	-	2	1	-	-	-	-	2	1	-
(27)	Other diseases of heart (430-434)	1	1	1	-	-	-	-	2	-	-
(28)	Hypertension with heart disease (440-443)	-	4	-	-	-	-	1	5	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	2	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	2	3	3	-	-	-	-	2	-	-
(32)	Bronchitis (500-502)	-	-	1	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	1	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	2	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	1	-	2	-	-	-	-	4	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	-	-	-	-	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	1	-	2	-	-	-	-	1	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	-	-	-	-	-	1	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	2	-	-	-	-	-	1	-	-
(45)	Senility without mention of psychosis, illi- defined and unknown causes (780-795)	-	-	-	-	1	-	-	2	-	-
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	-	10	-	-
(46)	All other diseases (residual)	-	1	1	1	-	-	-	11	-	-
(47)	Motor-vehicle accidents (810-835)	-	1	-	-	-	-	-	5	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	-	-	-	-	-	-	-	-	-	-
(48)	All other accidents	-	-	1	1	-	-	-	1	-	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	-	1	1	-	-	-	1	2	-	-
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	1	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	PITTSFIELD.	Richmond.	Sandisfield.	Savoy.	Sheffield.	Stockbridge.	Tyringham.	Washington.	West Stockbridge.	Williamstown.	Windsor.	BRISTOL COUNTY.	Acushnet.	ATTLEBORO.	Berkley.	Dartmouth.	Dighton.	Easton.	Fairhaven.
(1)	647	8	11	2	35	21	1	4	11	77	3	4,535	47	303	16	162	25	94	168
(2)	2	-	-	-	-	-	-	-	-	-	-	24	-	3	-	1	-	2	-
(3)	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(17)	1	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-
(17)	2	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-
(18)	114	2	1	-	8	7	1	1	1	11	-	784	11	62	4	25	5	11	30
(19)	1	-	-	-	-	-	-	-	-	-	-	8	-	1	-	-	-	-	1
(20)	7	-	1	-	1	-	-	-	-	2	-	116	-	5	1	8	-	2	5
(21)	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	2	1
(22)	77	1	1	-	6	1	-	-	1	15	-	607	7	37	1	24	3	4	22
(23)	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
(24)	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-
(25)	5	-	-	-	-	1	-	-	-	-	-	51	-	4	1	3	1	-	2
(26)	213	2	4	-	8	5	-	2	4	26	3	1,489	11	95	5	46	10	26	52
(26)	12	-	-	-	3	-	-	-	-	-	-	97	-	2	-	1	-	8	9
(27)	5	-	1	-	-	-	-	-	1	-	-	82	-	5	-	6	-	1	3
(28)	19	-	-	-	-	1	-	-	1	1	-	185	2	11	3	6	2	8	3
(29)	5	-	-	-	1	-	-	-	-	-	-	39	1	1	-	1	-	-	5
(30)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(31)	24	1	-	1	-	-	-	-	-	1	-	122	2	11	-	1	-	1	3
(32)	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	1
(33)	1	-	-	-	-	-	-	-	-	-	-	29	-	1	-	-	-	-	2
(34)	-	-	-	-	-	-	-	-	-	-	-	8	1	2	-	1	-	-	-
(35)	5	-	-	-	-	-	-	-	-	-	-	26	-	2	-	2	-	1	-
(36)	2	-	-	-	-	-	-	-	-	-	-	18	-	2	-	1	-	1	-
(37)	11	-	-	-	-	-	-	1	1	-	-	58	2	5	-	2	-	2	4
(38)	3	-	-	-	-	-	-	-	-	-	-	34	-	2	1	-	-	-	5
(39)	1	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-
(40)	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-
(41)	5	-	-	-	-	-	-	-	-	-	-	43	-	3	-	-	-	1	-
(42)	11	-	1	-	1	-	-	-	-	1	-	41	-	4	-	-	-	-	1
(43)	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-
(44)	17	-	-	-	-	1	-	-	1	2	-	63	-	4	-	5	1	4	1
(45)	8	-	-	-	2	-	-	-	-	-	-	18	-	1	-	-	-	-	-
(46)	5	-	1	-	-	1	-	-	-	1	-	78	-	7	-	-	-	1	4
(46)	41	-	-	1	-	1	-	-	-	6	-	274	7	18	-	19	1	6	-
(47)	16	-	1	-	-	1	-	-	-	-	-	42	-	5	-	6	-	5	-
(48)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	8	-	21	-	-	-	-	-	-	-
(48)	1	-	-	-	-	-	-	-	-	-	-	11	-	1	-	-	-	1	1
(48)	3	-	-	-	-	-	-	-	-	-	-	15	-	-	-	1	-	-	2
(48)	12	-	-	-	2	1	-	-	-	1	-	27	-	2	-	-	-	3	2
(48)	4	2	-	-	2	2	-	-	1	-	-	36	-	1	-	1	-	-	8
(49)	8	-	-	-	1	-	-	-	-	1	-	38	-	1	-	2	-	2	1
(50)	1	-	-	-	-	-	-	-	-	-	-	10	-	2	-	-	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		FALL RIVER.	Freetown.	Mansfield.	NEW BEDFORD.	North Attleborough.	Norton.	Raynham.	Rehoboth.	Seekonk.	Somerset.
	All Causes. ²	1,169	28	86	1,326	158	53	23	70	77	88
(1)	Tuberculosis of the respiratory system (1-8)	7	-	-	6	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(5)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	1	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	1	-	-	1	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	2	-	1	4	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	195	2	16	222	30	11	6	6	13	18
(19)	Benign and unspecified neoplasms (210-239)	4	1	-	1	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	33	-	2	38	2	2	-	2	2	1
(21)	Anemias (290-293)	2	-	-	5	-	1	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	154	6	11	191	22	9	5	8	11	14
(23)	Nonmeningococcal meningitis (340)	2	-	1	-	-	-	-	-	1	-
(24)	Rheumatic fever (400-402)	1	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	11	-	1	11	2	-	-	3	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	413	7	24	418	51	15	7	20	27	31
(26)	Degenerative heart disease (421, 422)	21	-	2	37	2	-	-	-	1	1
(27)	Other diseases of heart (430-434)	22	1	-	30	-	-	-	-	-	2
(28)	Hypertension with heart disease (440-443)	51	5	4	50	5	1	-	3	4	4
(29)	Hypertension without mention of heart (444-447)	12	-	-	10	-	-	-	-	-	1
(30)	Influenza (480-483)	-	-	-	1	-	-	-	-	-	-
(31)	Pneumonia (490-493)	26	3	3	35	9	2	1	2	1	1
(32)	Bronchitis (500-502)	2	-	-	2	1	1	-	-	3	-
(33)	Ulcer of stomach and duodenum (540, 541)	9	-	-	11	-	1	-	-	-	1
(34)	Appendicitis (550-553)	2	-	-	2	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	7	-	-	10	-	-	-	-	1	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	6	-	-	5	1	-	-	1	-	-
(37)	Cirrhosis of the liver (581)	13	-	-	17	-	-	-	5	1	1
(38)	Nephritis and nephrosis (590-594)	13	1	2	2	-	-	-	2	-	-
(39)	Hyperplasia of prostate (610)	2	-	-	2	-	-	-	-	1	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	1	-	-	-	-	-	-	-	-	1
(41)	Congenital malformations (750-759)	14	-	1	11	1	1	-	5	1	3
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	12	-	2	10	4	-	-	1	1	-
(43)	Infections of the newborn (763-768)	-	-	-	2	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	16	-	1	11	2	3	1	6	1	1
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	1	-	-	13	-	-	-	-	-	-
(46)	Arteriosclerosis (450)	20	1	1	31	4	1	-	1	-	-
(46)	All other diseases (residual)	71	-	8	85	12	2	1	3	4	3
(47)	Motor-vehicle accidents (810-835)	-	1	2	9	4	2	1	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	1	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	2	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	3	-	1	-	1	-	1	-	1	-
(48)	Accidental drowning (850, 851, 929)	3	-	-	6	-	1	-	-	-	-
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	4	-	1	6	1	-	-	-	1	-
(48)	All other accidents.	6	-	-	13	1	-	-	2	-	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	6	-	-	-	-	-	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	2	10	2	-	-	-	2	4

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Swansea.	TAUNTON.	Westport.	DUKES COUNTY.	Chilmark.	Edgartown.	Gay Head.	Gosnold.	Oak Bluffs.	Tisbury.	West Tisbury.	Essex COUNTY.	Amesbury.	Andover.	BEVERLY.	Boxford.	Danvers.	Essex.	Georgetown.
(1)	90	470	82	111	6	28	2	2	29	37	7	6,515	117	136	376	17	186	21	40
(2)	1	4	-	-	-	-	-	-	-	-	-	30	-	1	2	-	1	-	-
(3)	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
(17)	-	-	-	2	2	-	-	-	-	-	-	20	1	-	1	-	-	-	-
(18)	28	78	11	11	5	-	-	-	3	3	-	1,153	19	26	71	2	28	1	8
(19)	-	-	-	6	-	-	-	-	-	6	-	15	-	1	1	-	1	1	1
(20)	3	9	1	2	-	-	-	-	1	1	-	114	1	-	8	-	3	-	-
(21)	-	-	-	1	-	-	-	-	-	1	-	7	-	-	1	-	-	-	-
(22)	14	54	10	2	-	2	-	-	-	-	-	740	18	14	38	3	27	2	4
(23)	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
(25)	-	11	-	4	-	2	-	-	1	1	-	69	1	2	5	-	3	-	-
(26)	26	175	30	45	2	6	2	1	15	16	3	2,124	29	46	137	5	69	6	15
(26)	3	7	3	1	-	1	-	-	-	-	-	165	3	3	10	-	2	5	1
(27)	-	7	5	1	-	-	-	1	-	-	-	123	-	3	7	-	6	1	1
(28)	-	23	-	2	-	-	-	-	-	2	-	177	2	2	2	-	3	2	1
(29)	2	6	-	-	-	-	-	-	-	-	-	43	4	2	-	-	-	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
(31)	2	16	3	3	-	1	-	-	1	-	1	201	6	2	19	1	6	-	-
(32)	-	2	-	-	-	-	-	-	-	-	-	8	-	-	1	-	-	-	-
(33)	2	2	1	1	-	-	-	-	1	-	-	36	1	-	3	-	-	-	1
(34)	-	-	-	-	-	-	-	-	-	-	-	9	-	-	1	-	-	-	-
(35)	-	3	-	-	-	-	-	-	-	-	-	31	-	-	2	-	1	-	-
(36)	-	1	-	-	-	-	-	-	-	-	-	21	-	1	3	1	1	1	-
(37)	-	6	-	1	-	1	-	-	-	-	-	87	1	1	3	-	1	-	-
(38)	1	3	2	-	-	-	-	-	-	-	-	57	3	3	3	-	2	-	-
(39)	-	1	-	-	-	-	-	-	-	-	-	9	-	-	1	-	-	-	-
(40)	-	-	1	1	-	-	-	-	-	1	-	3	-	-	1	1	-	-	-
(41)	1	-	1	-	-	-	-	-	-	-	-	65	2	2	-	-	3	-	-
(42)	-	5	1	-	-	-	-	-	-	-	-	75	2	2	2	1	3	-	-
(43)	-	-	-	1	-	-	-	-	-	1	-	14	-	1	2	-	-	-	-
(44)	1	5	-	-	-	-	-	-	-	-	-	92	1	3	6	-	2	-	1
(45)	-	3	-	-	-	-	-	-	-	-	-	45	-	1	5	1	1	-	3
(46)	-	5	-	9	-	5	-	-	-	3	1	208	12	7	5	1	6	-	-
(46)	3	24	7	11	-	3	-	-	7	-	1	389	3	4	25	-	2	1	-
(47)	-	6	1	2	-	1	-	-	-	1	-	59	-	3	-	-	7	-	2
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	1	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-
(48)	-	1	1	1	-	1	-	-	-	-	-	19	-	1	2	-	2	1	-
(48)	1	4	-	-	-	-	-	-	-	-	-	167	6	3	3	1	2	-	1
(48)	-	4	-	1	1	-	-	-	-	-	-	32	-	-	2	-	-	-	-
(49)	2	3	1	2	1	-	-	-	-	1	-	49	1	2	3	-	2	-	-
(50)	-	1	1	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		GLOUCESTER.	GROVELAND.	HAMILTON.	HAVERHILL.	IPSWICH.	LAWRENCE.	LYNN.	LYNNFIELD.	MANCHESTER.	MARLBOROUGH.
	All Causes. ²	291	34	37	586	108	939	1,249	49	47	201
(1)	Tuberculosis of the respiratory system (1-8)	2	1	-	1	1	5	5	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	1	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(5)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(6)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	2	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	2	-	2	8	-	-	-
(18)	Malignant neoplasms (140-205)	47	7	12	110	15	168	209	8	12	37
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	1	-	1	6	-	-	2
(20)	Diabetes mellitus (260)	3	-	3	14	1	18	28	1	-	3
(21)	Anemias (290-293)	-	-	-	1	-	1	2	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	21	4	1	81	19	123	150	4	1	19
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	2	-	-	1
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	4	1	-	8	-	13	16	1	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	83	6	9	181	41	333	364	-	15	59
(26)	Degenerative heart disease (421, 422)	18	2	2	10	6	10	25	19	1	-
(27)	Other diseases of heart (430-434)	2	-	2	6	3	8	40	-	1	3
(28)	Hypertension with heart disease (440-443)	11	-	1	26	1	17	42	-	2	9
(29)	Hypertension without mention of heart (444-447)	4	1	-	7	1	6	5	-	-	1
(30)	Influenza (480-483)	1	-	-	-	-	-	1	-	-	1
(31)	Pneumonia (490-493)	8	2	1	9	5	23	46	-	3	4
(32)	Bronchitis (500-502)	-	-	-	-	-	-	2	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	1	-	-	2	1	8	8	-	-	4
(34)	Appendicitis (550-553)	-	1	-	1	-	2	2	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	4	-	1	3	-	8	2	-	-	2
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	-	-	2	-	3	2	-	-	-
(37)	Cirrhosis of the liver (581)	1	-	-	9	-	18	26	-	-	2
(38)	Nephritis and nephrosis (590-594)	8	-	-	8	-	4	8	1	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	2	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-75C)	6	-	-	8	1	6	13	-	-	3
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	7	-	1	9	-	9	7	-	-	3
(43)	Infections of the newborn (763-768)	1	-	-	2	-	3	4	-	-	1
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	-	7	2	13	20	1	2	3
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	2	1	-	3	1	8	6	-	-	1
(46)	Arteriosclerosis (450)	25	-	-	11	3	37	24	2	3	7
(46)	All other diseases (residual)	16	6	3	25	4	43	98	4	6	14
(47)	Motor-vehicle accidents (810-835)	1	-	-	6	1	9	10	1	-	1
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	1	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	1	-	-	-	-	-	13	-	-	-
(48)	Accidental drowning (850, 851, 929)	4	-	-	1	-	-	4	-	-	1
(48)	Accidental falls (transport accidents excepted) (900-904)	4	-	-	25	-	21	35	3	1	10
(48)	All other accidents.	2	2	-	2	2	5	-	1	-	2
(49)	Suicide and self-inflicted injury (963, 970-979)	2	-	-	4	-	9	9	2	-	4
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	1	-	1	2	1	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Merrimac.	Methuen.	Middleton.	Nahant.	Newbury.	NEWBURYPORT.	North Andover.	PEABODY.	Rockport.	Rowley.	SALEM.	Salisbury.	Saugus.	Swampscott.	Topsfield.	Wenham.	West Newbury.	FRANKLIN COUNTY.	Ashfield.
(1)	38	287	32	26	28	215	112	318	61	27	528	32	164	148	20	27	18	616	10
(2)	-	1	-	-	-	1	-	2	1	-	3	1	1	1	-	-	-	2	-
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
(17)	-	1	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	1	-
(18)	5	53	4	3	4	38	19	54	17	6	90	6	34	28	1	6	5	118	1
(19)	-	3	1	-	1	3	1	4	1	2	1	-	3	2	-	-	2	2	-
(20)	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	12	1	-
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	6	38	4	2	3	17	16	37	6	3	43	5	17	11	1	-	2	78	-
(23)	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	-	2	-	-	1	1	-	2	1	-	6	-	1	-	-	-	-	4	-
(26)	17	97	15	7	10	88	48	111	18	9	184	9	44	43	12	12	2	192	3
(26)	-	12	-	3	-	5	-	2	6	-	8	2	4	4	-	-	2	14	2
(27)	-	5	1	2	-	-	1	6	-	2	12	-	1	10	-	-	-	13	-
(28)	1	1	-	2	1	1	2	9	3	-	17	2	12	3	-	1	1	20	-
(29)	-	3	-	-	-	2	-	-	-	-	4	1	-	1	1	-	-	2	-
(30)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	1	8	1	1	1	3	2	13	-	1	21	-	4	7	2	-	1	22	-
(32)	-	1	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
(33)	1	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	1	6	-
(34)	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
(35)	-	1	1	-	-	3	-	2	-	-	-	-	-	1	-	-	-	3	1
(36)	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	-
(37)	1	2	1	1	-	2	1	4	1	-	8	-	2	1	-	-	1	11	-
(38)	-	1	-	-	-	-	-	3	3	-	6	-	3	-	-	-	1	6	-
(39)	-	1	-	-	-	-	-	3	-	-	1	-	-	1	-	-	-	1	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(41)	1	2	-	-	-	3	1	3	-	-	5	-	3	2	-	1	-	5	-
(42)	2	7	1	-	-	2	2	4	1	-	5	-	1	4	-	-	-	3	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(44)	-	-	-	1	-	5	-	9	-	1	8	-	5	1	-	-	-	6	-
(45)	-	-	1	-	1	3	1	1	1	-	1	-	1	-	1	1	-	5	-
(46)	-	11	1	-	-	13	2	9	1	1	14	2	3	5	2	1	-	16	-
(46)	2	20	-	2	2	10	8	14	1	-	43	2	11	12	-	3	2	33	1
(47)	-	4	-	-	-	3	1	8	-	-	2	-	2	-	-	-	-	7	-
(48)	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	3	-	1	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-
(48)	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
(48)	-	5	-	1	-	6	6	7	-	-	17	1	2	7	-	1	-	10	-
(48)	1	1	1	-	-	-	-	2	-	-	3	1	2	1	-	-	-	8	-
(49)	-	1	-	-	-	1	-	1	-	2	2	-	2	2	-	-	-	7	1
(50)	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		Bernardston.	Buckland.	Charlemont.	Colrain.	Conway.	Deerfield.	Erving.	Gill.	Greenfield.	Hawley.
	All Causes. ²	10	12	10	11	16	35	10	7	178	1
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	2	6	1	3	3	8	4	2	24	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	1	-	1	-	-	-	-
(20)	Diabetes mellitus (260)	-	-	-	-	1	-	1	-	4	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	3	-	-	1	5	2	3	1	23	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	1	-	-	-	-	1	-	-	2	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	4	1	2	4	-	12	1	4	61	-
(26)	Degenerative heart disease (421, 422)	-	-	1	-	-	2	-	-	2	-
(27)	Other diseases of heart (430-434)	-	-	-	2	-	-	-	-	8	-
(28)	Hypertension with heart disease (440-443)	-	-	1	-	-	-	-	-	10	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	2	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	-	-	1	1	1	-	-	-	4	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	1	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	1	-	-	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	-	1	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	1	-
(37)	Cirrhosis of the liver (581)	-	-	1	-	-	1	-	-	3	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	-	1	-	-	2	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	1	-	-	-	3	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	-	-	-	-	-	1	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	-	-	-	-	-	3	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	3	-
(46)	Arteriosclerosis (450)	-	-	-	-	-	1	-	-	7	-
(46)	All other diseases (residual)	-	2	-	-	1	1	1	-	9	-
(47)	Motor-vehicle accidents (810-835)	-	1	-	-	-	-	-	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	1	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	1	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	-	-	-	2	-
(48)	All other accidents	-	1	-	-	1	1	2	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	-	-	2	-
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Heath.	Leverett.	Leyden.	Monroe.	Montague.	New Salem.	Northfield.	Orange.	Rowe.	Shelburne.	Shutesbury.	Sunderland.	Warwick.	Wendell.	Whately.	HAMPDEN COUNTY.	Agawam.	Blandford.	Brimfield.
(1)	4	5	4	2	92	9	26	106	2	32	4	7	3	9	11	4,429	116	6	11
(2)	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	25	-	-	-
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	1	1	-	21	2	4	22	-	8	2	1	1	2	-	8	-	-	-
(19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	740	14	2	3
(20)	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	10	-	-	-
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71	2	-	-
(22)	-	1	-	-	10	1	6	12	-	3	-	-	-	2	1	4	-	-	-
(23)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	501	11	1	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
(26)	1	2	2	-	33	1	6	38	-	8	-	2	-	3	4	50	-	-	-
(26)	-	1	-	-	-	1	1	1	1	3	-	-	-	-	-	1,518	45	-	4
(27)	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	73	6	-	-
(28)	-	-	-	-	1	-	1	2	-	3	-	-	1	-	1	42	1	-	-
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	145	5	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	-	-	-
(31)	-	-	-	1	2	1	3	5	-	-	-	-	-	2	1	1	6	-	-
(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198	-	-	-
(33)	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	51	-	-	-
(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	-	-	-
(35)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-
(36)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	28	-	-	-
(37)	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-	9	-	-	1
(38)	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	65	4	-	-
(39)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	33	-	-	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-
(41)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
(42)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	55	8	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49	-	-	1
(44)	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-
(45)	1	-	-	-	1	-	-	4	-	-	-	-	-	-	-	69	-	-	-
(46)	-	-	-	-	3	-	-	6	-	-	-	-	-	-	-	84	1	1	-
(46)	1	-	1	-	1	-	2	4	-	-	2	-	-	-	2	243	7	2	-
(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(48)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	69	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-
(48)	-	-	-	-	1	-	1	2	-	-	-	-	-	-	2	34	2	-	-
(48)	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-	35	1	-	-
(49)	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	45	1	-	-
(50)	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	4	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		Chester.	CHICOPEE.	East Longmeadow.	Granville.	Hampden.	Holland.	Holyoke.	Longmeadow.	Ludlow.	Monson.
	All Causes. ²	21	465	67	8	9	11	714	111	85	50
(1)	Tuberculosis of the respiratory system (1-8)	5	2	-	-	-	-	2	1	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	2	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	3	-	2	-
(18)	Malignant neoplasms (140-205)	-	83	13	1	-	1	110	19	13	7
(19)	Benign and unspecified neoplasms (210-239)	-	1	-	-	-	-	1	-	-	-
(20)	Diabetes mellitus (260)	-	14	-	-	-	1	9	2	2	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	1	-
(22)	Vascular lesions affecting central nervous system (330-334)	4	42	9	-	2	2	83	10	13	10
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	1	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	5	-	-	-	-	11	1	2	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	6	169	24	2	3	5	288	39	29	14
(26)	Degenerative heart disease (421, 422)	-	3	1	2	-	-	12	3	2	-
(27)	Other diseases of heart (430-434)	2	3	1	-	1	1	7	-	-	1
(28)	Hypertension with heart disease (440-443)	-	12	4	-	-	-	17	5	3	2
(29)	Hypertension without mention of heart (444-447)	-	5	-	1	-	-	-	1	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	12	3	1	1	-	30	4	1	3
(32)	Bronchitis (500-502)	1	-	-	-	-	-	3	1	1	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	4	-	-	-	-	6	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	1	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	3	-	-	-	-	5	2	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	-	1	-	1	-	-	-
(37)	Cirrhosis of the liver (581)	-	7	1	-	-	-	11	1	-	2
(38)	Nephritis and nephrosis (590-594)	-	2	-	-	-	-	4	1	1	-
(39)	Hyperplasia of prostate (610)	-	1	-	-	-	-	2	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	13	1	-	-	-	8	1	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	10	1	-	-	-	-	-	1	1
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	12	-	-	-	-	9	1	-	-
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	-	-	1	-	-	-	3	-	2	-
(46)	Arteriosclerosis (450)	-	7	-	-	1	-	13	3	1	1
(46)	All other diseases (residual)	1	27	3	-	-	1	45	5	7	4
(47)	Motor-vehicle accidents (810-835)	-	7	1	-	-	-	5	5	1	1
(48)	Railroad accidents and injuries (800-802)	-	1	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	2	1	-	-	-	2	1	1	-
(48)	Accidental drowning (850, 851, 929)	1	-	-	1	-	-	-	-	-	1
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	-	4	2	-	-	-	8	2	2	2
(48)	All other accidents	-	4	-	-	-	-	3	-	-	1
(49)	Suicide and self-inflicted injury (963, 970- 979)	-	3	1	-	-	-	9	3	-	-
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	1	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Montgomery.	Palmer.	Russell.	Southwick.	SPRINGFIELD.	Tolland.	Wales.	West Springfield.	WESTFIELD.	Wilbraham.	HAMPSHIRE COUNTY.	Amherst.	Belchertown.	Chesterfield.	Cummington.	Easthampton.	Goshen.	Granby.	Hadley.
(1)	3	129	17	40	2,031	2	3	197	272	61	979	94	33	5	6	124	4	20	25
(2)	-	1	-	-	8	-	-	3	3	-	-	-	-	-	-	-	-	-	-
(3)	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
(18)	2	22	3	5	348	1	1	30	54	8	155	15	4	-	-	20	1	2	4
(19)	-	-	-	-	4	-	-	-	3	-	4	-	-	-	-	1	-	1	-
(20)	-	2	1	-	30	-	-	5	2	1	24	-	1	-	-	6	-	-	1
(21)	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(22)	-	12	3	2	228	-	-	20	45	4	123	11	5	1	1	10	-	2	2
(23)	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	-	-	-	-	24	-	-	2	3	-	11	3	1	-	-	1	-	-	-
(26)	1	36	5	14	668	-	-	75	71	20	301	24	10	-	3	44	-	6	12
(26)	-	1	-	-	34	-	-	1	1	-	30	14	1	1	-	-	-	-	-
(27)	-	-	-	-	23	-	-	-	2	-	2	2	-	-	-	5	-	1	1
(28)	-	10	-	5	60	-	1	4	15	2	22	3	1	1	-	2	-	-	-
(29)	-	1	-	-	17	-	-	-	3	1	8	1	-	-	-	-	-	-	-
(30)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	-	7	1	3	103	-	-	10	12	-	57	1	1	1	-	6	-	-	-
(32)	-	-	-	-	43	-	-	-	1	-	3	-	-	-	-	-	-	-	-
(33)	-	-	-	-	20	-	1	1	1	2	7	-	-	-	-	1	-	-	-
(34)	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1
(35)	-	1	-	1	14	-	-	-	2	-	7	-	-	1	-	1	1	-	-
(36)	-	-	-	-	5	-	-	-	-	-	9	-	-	-	-	1	-	-	-
(37)	-	1	-	-	28	-	-	3	4	3	9	-	1	-	-	-	-	-	1
(38)	-	3	-	-	16	-	-	2	3	1	11	-	1	-	-	1	-	-	-
(39)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(41)	-	-	-	-	20	-	-	1	3	-	12	2	-	-	-	2	-	1	-
(42)	-	1	-	1	27	-	-	1	4	1	16	2	-	-	-	2	-	-	1
(43)	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
(44)	-	4	-	3	27	-	-	8	3	1	9	1	1	-	-	1	-	1	-
(45)	-	1	-	-	10	-	-	1	3	1	16	3	-	-	1	1	-	2	-
(46)	-	4	1	1	38	1	-	5	6	1	19	-	-	-	1	6	-	1	-
(46)	-	10	1	3	96	-	-	14	11	6	37	8	1	-	-	8	-	2	1
(47)	-	3	1	-	16	-	-	3	5	1	13	2	1	-	-	1	-	1	1
(48)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	3	-	-	56	-	-	2	-	-	7	1	1	-	-	-	-	-	-
(48)	-	1	-	-	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-
(48)	-	3	-	-	-	-	-	2	6	1	18	-	2	-	-	2	1	-	-
(48)	-	-	-	-	23	-	-	-	2	1	10	1	1	-	-	-	1	-	-
(49)	-	2	1	-	18	-	-	3	3	1	6	-	-	-	-	-	-	-	-
(50)	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		Hatfield.	Huntington.	Middlefield.	NORTHAMPTON.	Pelham.	Plainfield.	South Hadley.	Southampton.	Ware.	Westhampton.
	All Causes. ²	25	20	1	307	10	3	122	27	109	3
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	1	1	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	1	-	1	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	2	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	4	3	-	47	1	-	22	3	24	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	1	-	1	-
(20)	Diabetes mellitus (260)	4	-	-	5	-	-	2	-	5	-
(21)	Anemias (290-293)	-	-	-	1	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	2	5	-	47	3	1	13	3	10	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	1	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	3	-	-	1	-	1	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	5	4	1	103	3	-	43	10	24	-
(26)	Degenerative heart disease (421, 422)	1	1	-	10	-	-	-	-	2	-
(27)	Other diseases of heart (430-434)	1	-	-	6	1	-	-	1	5	-
(28)	Hypertension with heart disease (440-443)	1	-	-	6	-	-	3	3	2	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	3	-	-	1	-	3	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	-	1	-	24	1	1	9	1	6	-
(32)	Bronchitis (500-502)	-	-	-	1	-	-	1	-	1	-
(33)	Ulcer of stomach and duodenum (540, 541)	1	1	-	2	-	-	1	-	1	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	1	-	-	1	-	1	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	3	-	-	2	-	3	-
(37)	Cirrhosis of the liver (581)	-	-	-	4	-	-	2	-	1	-
(38)	Nephritis and nephrosis (590-594)	1	-	-	3	-	-	1	-	2	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	2	-	-	1	2	1	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	6	-	-	2	-	3	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	2	-	-	1	-	1	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	2	-	1	-	-	1	1	1	-
(46)	Arteriosclerosis (450)	1	1	-	6	-	-	1	-	1	-
(46)	All other diseases (residual)	-	-	-	6	1	-	4	-	2	1
(47)	Motor-vehicle accidents (810-835)	2	1	-	1	-	-	1	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	1	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	1	-	-	2	-	-	1	-	1	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	6	-	-	3	-	2	1
(48)	All other accidents	-	1	-	1	-	1	2	1	1	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	3	-	-	1	1	1	-
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Williamsburg.	Worthington.	MIDDLESEX COUNTY.	Acton.	Arlington.	Ashby.	Ashland.	Ayer.	Bedford.	Belmont.	Billerica.	Boxborough.	Burlington.	CAMBRIDGE.	Carlisle.	Chelmsford.	Concord.	Dracut.	Dunstable.
(1)	32	9	12,219	73	546	28	52	48	50	309	125	6	60	1,235	5	160	89	94	11
(2)	-	-	27	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-
(3)	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(4)	-	-	7	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-
(6)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(17)	-	-	30	-	2	-	1	-	-	2	1	-	-	3	-	1	-	-	-
(18)	3	2	2,228	13	87	5	8	8	10	65	26	-	14	212	1	23	19	20	4
(19)	-	-	30	-	1	-	-	-	-	2	1	-	-	3	-	1	-	-	-
(20)	-	-	204	-	8	2	1	-	-	4	2	-	2	21	-	4	2	3	-
(21)	-	-	20	-	2	-	-	-	-	-	-	-	-	4	-	-	-	-	-
(22)	6	-	1,188	2	63	3	3	7	7	27	13	-	5	120	1	18	16	17	1
(23)	-	-	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(24)	-	-	9	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-
(25)	-	1	133	-	7	-	-	-	-	3	1	-	1	22	-	-	1	-	-
(26)	6	3	4,212	32	162	7	15	14	12	116	41	5	15	389	2	51	26	27	2
(26)	-	-	238	1	8	1	1	-	-	6	2	-	1	20	-	3	2	3	-
(27)	-	-	98	-	6	1	1	1	-	4	1	-	1	17	-	2	1	1	-
(28)	-	-	305	1	11	1	-	-	4	7	3	-	1	41	-	5	3	3	1
(29)	-	-	95	1	1	-	-	1	-	1	1	-	-	1	-	2	1	2	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	4	1	444	3	15	1	-	2	2	12	5	-	2	53	-	7	5	7	-
(32)	-	-	30	-	2	-	-	-	-	1	-	-	-	8	-	-	-	-	-
(33)	-	-	108	-	5	-	-	-	1	1	1	-	1	16	-	3	1	-	-
(34)	-	-	9	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(35)	1	-	77	1	6	-	-	-	-	1	-	-	-	8	-	-	-	-	-
(36)	-	-	24	-	2	-	1	-	-	-	1	-	-	2	-	2	-	-	-
(37)	-	-	186	-	10	-	1	-	1	4	2	-	1	24	-	5	2	1	-
(38)	2	-	68	1	3	-	-	-	-	-	-	-	-	9	-	-	-	-	-
(39)	-	-	21	1	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
(40)	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	1	-	117	2	4	-	3	-	1	1	1	-	-	5	-	2	-	-	-
(42)	-	-	121	-	6	-	1	3	1	2	-	-	-	7	-	1	-	-	1
(43)	1	-	27	-	1	-	-	-	1	1	1	-	-	4	-	1	-	-	-
(44)	1	-	198	4	2	-	3	3	3	1	1	1	2	22	-	-	1	-	1
(45)	1	1	58	1	6	1	-	-	-	-	-	-	-	5	-	1	-	-	-
(46)	-	1	293	3	17	-	-	-	1	7	3	-	2	28	-	-	-	-	-
(46)	3	-	907	5	81	3	8	4	3	22	7	-	3	106	1	12	5	7	1
(47)	2	-	131	-	6	1	1	1	2	2	1	-	3	14	-	1	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	53	-	1	-	-	-	-	1	1	-	1	5	-	2	1	2	-
(48)	-	-	30	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	301	1	13	1	1	2	-	12	5	-	2	37	-	7	2	1	-
(48)	-	-	60	-	-	-	-	-	1	3	1	-	-	10	-	3	-	-	-
(49)	-	-	81	1	3	1	2	1	-	-	1	-	1	7	-	1	-	-	-
(50)	-	-	7	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		EVERETT.	Framingham.	Groton.	Holliston.	Hopkinton.	Hudson.	Lexington.	Lincoln.	Littleton.	LOWELL.
	All Causes. ²	460	384	31	55	44	113	160	19	26	1,222
(1)	Tuberculosis of the respiratory system (1-8)	1	-	-	-	-	-	-	-	-	3
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	1	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(5)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	1	-	-	-	-	-	-	-	-	1
(17)	All other diseases classified as infective and parasitic (residual)	2	1	-	-	1	-	1	-	-	6
(18)	Malignant neoplasms (140-205)	104	84	9	11	7	23	25	2	2	182
(19)	Benign and unspecified neoplasms (210-239)	1	1	-	-	-	-	-	-	-	4
(20)	Diabetes mellitus (260)	7	7	-	-	-	5	7	-	-	17
(21)	Anemias (290-293)	1	1	-	-	-	1	2	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	43	37	-	4	2	1	3	2	-	124
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	3
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	5	3	-	-	-	-	3	1	-	8
(26)	Arteriosclerotic heart disease, including coronary disease (420)	151	123	9	18	15	43	51	3	8	493
(26)	Degenerative heart disease (421, 422)	5	2	-	5	4	2	5	1	-	28
(27)	Other diseases of heart (430-434)	-	-	-	-	-	-	-	-	-	9
(28)	Hypertension with heart disease (440-443)	21	18	-	2	1	3	5	1	-	-
(29)	Hypertension without mention of heart (444-447)	-	1	-	-	-	-	-	-	-	43
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	13	11	2	1	1	2	3	1	1	48
(32)	Bronchitis (500-502)	1	1	-	-	-	-	-	-	-	2
(33)	Ulcer of stomach and duodenum (540, 541)	3	2	-	1	-	-	1	-	-	14
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	1
(35)	Intestinal obstruction and hernia (560, 561, 570)	4	2	-	1	1	1	2	-	-	9
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	6
(37)	Cirrhosis of the liver (581)	7	5	1	1	1	3	5	1	-	9
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	-	-	-	-	-	9
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	3
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	1	-	-	1	2	1	-	-	13
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	-	-	-	-	-	-	6
(43)	Infections of the newborn (763-768)	-	1	-	-	1	1	1	-	1	4
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	2	-	-	-	-	-	-	1	20
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	-	5
(46)	Arteriosclerosis (450)	13	11	2	3	4	13	19	3	1	32
(46)	All other diseases (residual)	63	57	3	2	1	4	8	4	1	52
(47)	Motor-vehicle accidents (810-835)	5	3	1	1	1	2	1	-	1	6
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(45)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	9
(48)	Accidental drowning (850, 851, 929)	1	1	1	-	1	3	5	-	2	3
(48)	Accidental falls (transport accidents excepted) (900-904)	7	9	3	5	2	4	7	-	3	30
(48)	All other accidents	-	-	-	-	-	-	5	-	5	8
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	-	-	-	12
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	-	-	-	-	-	-	1

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	MALDEN.	MARLBOROUGH.	Maynard.	MEDFORD.	MELROSE.	Natick.	NEWTON.	North Reading.	Pepperell.	Reading.	Sherborn.	Shirley.	SOMERVILLE.	Stoneham.	Stow.	Sudbury.	Tewksbury.	Townsend.	Tyngsborough.
(1)	699	217	96	693	326	216	928	50	43	158	17	31	1,107	152	23	49	91	37	27
(2)	2	1	-	1	-	-	1	-	-	-	-	-	6	-	-	-	-	-	-
(3)	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	1	-	-	3	-	-	-	-	-	2	-	-	-	-	-	-
(18)	136	33	16	127	61	36	190	8	5	29	3	4	199	31	3	6	12	14	7
(19)	2	-	-	2	1	1	4	-	-	1	-	-	2	1	-	-	-	-	-
(20)	15	7	3	10	6	4	11	1	1	3	1	1	14	2	-	2	1	-	1
(21)	-	1	1	1	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-
(22)	82	19	8	81	44	34	103	3	3	1	-	1	96	1	3	4	6	4	2
(23)	1	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-
(24)	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(25)	5	2	1	9	4	2	10	2	1	3	-	-	12	4	-	1	2	-	-
(26)	247	84	28	273	118	69	324	13	9	62	5	7	358	63	13	15	30	7	12
(26)	13	3	5	20	11	7	11	4	1	2	-	-	50	1	-	-	-	-	-
(27)	7	2	1	4	3	1	12	3	2	1	-	1	14	-	-	-	-	-	-
(28)	25	3	2	11	6	4	21	1	-	3	1	1	30	3	-	1	2	3	1
(29)	2	3	3	3	1	1	4	1	1	-	-	-	4	-	-	-	-	2	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	33	6	6	23	11	6	33	2	1	3	1	1	47	3	1	2	4	1	1
(32)	1	1	1	2	1	1	3	-	-	-	-	-	6	-	-	-	-	-	-
(33)	7	2	1	5	3	2	7	1	1	2	-	1	10	1	-	-	-	-	1
(34)	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-
(35)	4	-	1	4	2	1	6	1	1	1	-	-	8	1	-	-	1	-	-
(36)	1	-	-	3	2	1	-	-	-	-	-	-	3	-	-	-	-	-	-
(37)	11	3	3	3	1	3	8	1	1	3	-	1	21	2	-	1	2	1	-
(38)	1	1	-	9	4	2	3	-	-	1	-	-	9	1	1	-	1	-	-
(39)	2	2	1	1	-	-	3	1	-	1	-	1	-	1	-	-	-	-	-
(40)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	5	2	1	8	5	3	7	1	1	1	-	1	9	1	2	2	5	-	-
(42)	7	3	1	7	4	3	7	-	-	3	-	1	15	2	-	1	3	-	-
(43)	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
(44)	9	14	3	8	3	2	13	1	1	11	2	1	16	12	-	2	1	-	-
(45)	4	-	-	2	1	1	11	1	-	-	-	-	9	2	-	-	-	-	-
(46)	10	3	1	10	5	4	21	3	1	2	-	-	28	1	-	1	2	1	-
(46)	39	16	7	31	17	15	59	2	6	13	4	5	68	15	-	4	9	3	2
(47)	3	1	1	7	-	3	11	-	-	1	-	-	15	2	-	4	7	1	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	1	1	1	2	-	1	1	-	1	2	1	-	-	-	-	-
(48)	1	1	-	2	1	1	2	-	1	2	-	1	3	1	-	-	-	-	-
(48)	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-
(48)	16	3	1	14	7	4	15	-	2	3	-	-	32	-	-	-	-	-	-
(48)	4	-	-	3	1	1	4	-	-	1	-	-	5	-	-	1	1	-	-
(49)	2	1	-	4	2	1	12	-	1	3	-	1	7	-	-	-	-	-	-
(50)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		Wakefield.	WALTHAM.	Watertown.	Wayland.	Westford.	Weston.	Wilmington.	Winchester.	WOBURN.	NANTUCKET COUNTY.
	All Causes. ²	214	487	392	97	44	57	100	210	253	47
(1)	Tuberculosis of the respiratory system (1-8)	-	4	1	-	-	-	-	-	3	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	1	-	2	-	-	-	-	1	-	-
(18)	Malignant neoplasms (140-205)	45	88	73	17	9	9	25	43	35	-
(19)	Benign and unspecified neoplasms (210-239)	-	1	1	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	3	8	6	2	1	1	1	3	4	2
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	1	-
(22)	Vascular lesions affecting central nervous system (330-334)	23	52	38	6	2	4	3	24	22	11
(23)	Nonmeningococcal meningitis (340)	-	3	2	1	-	-	-	-	-	-
(24)	Rheumatic fever (400-405)	-	1	1	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	1	4	3	1	1	1	2	3	4	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	74	166	145	29	21	21	28	75	86	14
(26)	Degenerative heart disease (421, 422)	6	3	1	-	-	-	-	-	-	1
(27)	Other diseases of heart (430-434)	-	1	1	-	-	-	-	-	-	1
(28)	Hypertension with heart disease (440-443)	5	8	6	10	2	1	2	9	12	-
(29)	Hypertension without mention of heart (444-447)	2	3	1	-	-	1	-	3	5	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	1
(31)	Pneumonia (490-493)	11	18	15	3	1	1	3	3	7	2
(32)	Bronchitis (500-502)	-	1	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	5	4	1	-	1	1	-	2	1
(34)	Appendicitis (550-553)	1	-	1	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	2	1	1	1	1	2	1	1	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	8	10	7	2	-	1	2	1	6	-
(38)	Nephritis and nephrosis (590-594)	2	3	2	1	-	-	1	1	3	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	1	1	1	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	5	4	3	-	1	1	5	7	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	11	10	3	1	1	3	2	5	-
(43)	Infections of the newborn (763-768)	1	3	2	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	7	5	2	-	2	3	3	6	-
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	2	2	1	-	-	-	1	-	2	-
(46)	Arteriosclerosis (450)	6	10	7	3	1	1	2	-	8	4
(46)	All other diseases (residual)	13	26	21	7	2	7	13	21	19	6
(47)	Motor-vehicle accidents (810-835)	-	7	5	-	-	-	2	-	8	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	3	2	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	2	5	4	1	-	1	2	-	1	1
(48)	Accidental drowning (850, 851, 929)	-	3	2	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	2	-	15	3	1	1	1	6	3	-
(48)	All other accidents	-	18	2	1	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	-	5	3	1	1	1	2	3	1	2
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

Abbreviated Int. List No.	Nantucket	Norfolk County.	Avon.	Bellingham.	Braintree.	Brookline.	Canton.	Cohasset.	Dedham.	Dover.	Foxborough.	Franklin.	Holbrook.	Medfield.	Medway.	Millis.	Milton.	Needham.	Norfolk.
(1)	47	4,743	43	50	283	780	108	48	213	11	66	82	71	44	50	44	274	178	28
(2)	-	25	-	-	-	3	-	-	1	-	2	-	-	-	-	-	-	12	1
(3)	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(4)	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(18)	-	877	7	15	56	168	16	8	32	-	13	15	13	8	12	8	53	34	6
(19)	-	15	-	1	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-
(20)	2	73	1	1	10	10	3	-	6	-	-	2	1	2	-	-	3	5	-
(21)	-	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(22)	11	537	4	4	28	90	18	8	27	-	10	11	9	5	5	4	32	16	-
(23)	-	12	-	-	2	1	-	-	1	-	1	1	1	-	-	-	1	1	-
(24)	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	-	63	1	-	3	13	2	-	1	-	-	-	-	1	-	-	1	1	-
(26)	14	1,504	13	18	88	291	28	13	61	5	16	11	21	11	12	14	102	57	12
(26)	1	74	-	-	5	8	1	-	1	-	2	1	1	1	-	-	-	-	-
(27)	1	61	2	1	6	7	2	1	5	-	-	-	5	2	2	4	11	6	-
(28)	-	138	2	2	11	17	3	3	1	-	-	-	-	2	2	-	-	-	-
(29)	-	46	1	-	7	2	2	-	5	1	-	2	-	-	-	-	1	4	1
(30)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	2	168	1	3	10	33	7	2	8	1	4	3	4	2	2	1	7	3	-
(32)	-	12	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(33)	1	38	-	1	1	6	1	-	3	1	-	1	-	-	-	-	2	1	-
(34)	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	37	-	-	1	7	-	-	2	-	1	1	-	-	-	-	1	1	-
(36)	-	15	-	-	1	4	-	-	-	-	1	1	-	-	-				

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH, ¹	DEATHS FROM									
		Norwood.	Plainville.	Quincy.	Randolph.	Sharon.	Stoughton.	Walpole.	Wellesley.	Westwood.	Weymouth.
	All Causes. ²	267	37	978	139	62	128	199	208	66	386
(1)	Tuberculosis of the respiratory system (1-8)	3	-	8	1	-	-	-	1	-	3
(2)	All other forms of tuberculosis (10-19)	-	-	1	-	-	-	-	1	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	1	-	-	1
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	1	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	2	-	-	-	-	1	-	1
(18)	Malignant neoplasms (140-205)	38	5	181	26	4	26	22	44	7	60
(19)	Benign and unspecified neoplasms (210-239)	-	-	4	1	-	1	-	2	-	1
(20)	Diabetes mellitus (260)	2	1	13	1	1	1	2	1	-	7
(21)	Anemias (290-293)	1	-	1	-	-	1	-	1	-	1
(22)	Vascular lesions affecting central nervous system (330-334)	24	5	105	13	6	13	11	27	9	47
(23)	Nonmeningococcal meningitis (340)	-	-	1	1	-	-	-	1	-	-
(24)	Rheumatic fever (400-402)	1	-	1	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	1	13	5	1	1	3	8	-	7
(26)	Arteriosclerotic heart disease, including coronary disease (420)	54	11	335	39	22	33	31	59	18	118
(26)	Degenerative heart disease (421, 422)	4	-	19	5	1	3	6	3	1	10
(27)	Other diseases of heart (430-434)	-	1	11	1	-	5	2	5	1	6
(28)	Hypertension with heart disease (440-443)	7	2	32	4	2	3	2	1	3	11
(29)	Hypertension without mention of heart (444-447)	2	-	5	-	1	5	-	-	-	6
(30)	Influenza (480-483)	-	-	1	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	7	1	23	13	6	7	3	4	2	11
(32)	Bronchitis (500-502)	-	-	3	-	-	-	-	-	1	2
(33)	Ulcer of stomach and duodenum (540, 541)	2	-	9	-	1	1	3	1	1	2
(34)	Appendicitis (550-553)	-	-	2	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	3	2	8	1	2	1	1	1	2	2
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	-	4	-	-	-	-	-	1	2
(37)	Cirrhosis of the liver (581)	3	2	21	2	-	1	1	4	2	5
(38)	Nephritis and nephrosis (590-594)	-	-	3	1	1	-	1	1	1	1
(39)	Hyperplasia of prostate (610)	-	-	1	-	-	-	-	1	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	1	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	3	2	-	-	1	1	-	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	11	2	-	-	1	2	2	3
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	1	1
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	16	4	-	-	1	1	2	15
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	20	-	2	2	-	-	3	7	7	11
(46)	Arteriosclerosis (450)	4	1	23	2	3	5	2	3	-	5
(46)	All other diseases (residual)	19	5	73	13	7	15	5	13	4	27
(47)	Motor-vehicle accidents (810-835)	1	-	8	-	-	1	3	3	-	4
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	1	-	3	-	-	-	-	-	-	1
(48)	Accidental drowning (850, 851, 929)	-	-	4	-	-	1	-	1	-	1
(48)	Accidental falls (transport accidents excepted) (900-904)	7	-	16	-	-	1	3	8	1	-
(48)	All other accidents	-	-	3	-	3	2	-	2	-	9
(49)	Suicide and self-inflicted injury (963, 970-979)	2	-	7	-	1	1	-	-	-	3
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	1	-	-	-	-	-	-	1

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

[illegible]

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM									
		Norwell.	Pembroke.	Plymouth.	Plympton.	Rochester.	Rockland.	Seituate.	Wareham.	West Bridgewater.	Whitman.
	All Causes.²	33	53	203	9	15	121	97	127	36	115
(1)	Tuberculosis of the respiratory system (1-8)	-	1	-	-	-	1	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	1	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	1	-	-	1	-	-	-	-
(18)	Malignant neoplasms (140-205)	11	8	29	1	3	20	14	24	7	20
(19)	Benign and unspecified neoplasms (210-239)	-	-	1	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	1	4	1	-	1	2	2	1	-
(21)	Anemias (290-293)	-	-	1	-	-	-	1	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	2	5	24	2	-	20	12	15	3	16
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	1
(24)	Rheumatic fever (400-402)	-	-	1	-	-	-	-	-	1	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	2	1	1	1	-	2
(26)	Arteriosclerotic heart disease, including coronary disease (420)	6	14	95	5	6	38	33	37	11	35
(26)	Degenerative heart disease (421, 422)	-	1	4	-	-	4	2	-	-	4
(27)	Other diseases of heart (430-434)	1	2	-	-	1	3	2	1	-	2
(28)	Hypertension with heart disease (440-443)	3	-	2	-	-	1	3	6	1	3
(29)	Hypertension without mention of heart (444-447)	-	-	2	-	-	1	1	4	1	-
(30)	Influenza (480-483)	-	-	-	-	-	1	1	-	-	-
(31)	Pneumonia (490-493)	-	-	-	-	-	6	2	9	2	4
(32)	Bronchitis (500-502)	2	4	3	-	-	1	-	-	1	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	3	1	-	-	1	2	1	-	3
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	2	-	-	2	-	1	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	1	-	-
(37)	Cirrhosis of the liver (581)	-	-	3	-	-	1	1	3	1	2
(38)	Nephritis and nephrosis (590-594)	1	2	3	-	-	2	-	1	-	2
(39)	Hyperplasia of prostate (610)	-	-	1	-	1	1	-	2	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	1	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	2	2	-	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	1	-	-	-	-	2	-	1
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	5	-	-	2	5	2	-	2
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	-	-	1	-	-	-	1	-	-	-
(46)	Arteriosclerosis (450)	-	-	4	-	-	1	3	-	-	3
(46)	All other diseases (residual)	4	4	8	-	-	7	7	4	5	9
(47)	Motor-vehicle accidents (810-835)	-	-	1	-	-	-	2	1	-	2
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	2	-	-	1	-	1	-	-
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	2	-	-	-	1	-	-	3	-	1
(48)	All other accidents	-	-	3	-	-	2	-	1	-	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	-	1	-	-	-	-	2	3	2	1
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	-	-	-	-	-	-	1

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	SUFFOLK COUNTY.	BOSTON. ³	CHELSEA.	REVERE.	Winthrop.	WORCESTER COUNTY.	Asburnham.	Athol.	Auburn.	Barre.	Berlin.	Blackstone.	Bolton.	Boylston.	Brookfield.	Charlton.	Clinton.	Douglas.
(1)	9,975	8,994	398	363	220	6,326	27	132	114	28	19	50	6	27	29	48	136	32
(2)	97	90	5	2		26									1			
(3)	3	3																
(4)	4	4				3												
(6)																		
(7)																		
(8)						1												
(9)																		
(10)	1			1		3												
(12)						1												
(14)																		
(16)																		
(17)	1	1				1												
(17)	2		1	1		6												
(18)	1,739	1,560	75	67	37	1,023	4	14	20	4	3	9		5	3	8	27	11
(19)	18	17				12						1						
(20)	157	138	12	5	2	95		1	1	1		3				1	2	
(21)	22	16	3	2	1	9			1			1						
(22)	902	823	21	30	28	633	5	13	10		3	4	1	3	5	5	12	1
(23)	10	10				11												
(24)	4	4				2			1									
(25)	157	140	7	8	2	63	1	1	1								1	
(26)	3,354	2,984	145	135	90	2,398	8	59	42	9	8	18	2	10	4	16	51	7
(26)	202	175	7	13	7	198	2	9	1	2		1		1		6	2	3
(27)	163	157	2	3	1	97		4	1		1		1	2	2		4	1
(28)	289	258	12	14	5	133		6	1	2	1	1			1		2	
(29)	26	20	2	2	2	33		1	1									
(30)	1			1														
(31)	485	446	18	13	8	277	2	3	6	1	1	4			1		9	
(32)	37	36			1	22									2	1	2	
(33)	88	82	2	1	3	28		1	2						1		1	
(34)	9	9				2												
(35)	63	58	2	3		39	1	1	1									1
(36)	27	24	1	1	1	14												
(37)	241	226	7	4	4	69		2	1	1		1						
(38)	68	59	4	3	2	44		1	1						1		2	1
(39)	30	29		1		3												
(40)	3	3				4												
(41)	96	82	5	7	2	63		1	1	1							2	
(42)	88	79	2	3	4	72						2		1	1	1	1	
(43)	19	19				13	1	1	1									
(44)	153	143	6	4		87			4	1		1	1			3	3	1
(45)	38	29	4	5		21												
(46)	188	173	9	1	5	160	2	1	2		1	1		1	2		3	3
(46)	714	661	19	21	13	362	1	5	7	4	1		1	3	3	3	7	2
(47)	85	78	4	3		70			1							1	1	1
(48)						3												
(48)						6												
(48)	47	44	2	1		29		1	1			1		1	1		2	
(48)	26	24	1	1		17												
(48)	190	181	6	2	1	90		5	3	1		1			1	2	1	
(48)	46	36	7	3		28		1	1			1				1	1	
(49)	60	51	7	2		49		1	1	1								
(50)	22	22				5			1									

³Six deaths due to tuberculosis contracted in State Institutions.

Table 14

DEATHS FROM

Abbreviated Int. List No.	CAUSE OF DEATH. ¹										
		Dudley.	East Brookfield.	FITCHBURG.	GARDNER.	Crafton.	Hardwick.	Harvard.	Holden.	Hopedale.	Hubbardston.
	All Causes.²	53	22	462	233	82	38	18	92	41	16
(1)	Tuberculosis of the respiratory system (1-8)	-	-	1	1	-	-	-	1	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	1	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	1	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	1	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	1	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	1	1	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	8	2	74	34	12	9	3	14	3	1
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	2	-	-
(20)	Diabetes mellitus (260)	2	-	14	3	-	1	1	-	-	-
(21)	Anemias (290-293)	-	-	1	1	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	2	7	61	29	10	3	2	5	7	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	1	-	-	1	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	4	1	-	-	1	-	-	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	26	8	161	82	34	8	6	42	20	5
(26)	Degenerative heart disease (421, 422)	1	2	20	10	-	-	-	-	-	-
(27)	Other diseases of heart (430-434)	2	1	2	1	1	3	-	1	1	-
(28)	Hypertension with heart disease (440-443)	1	-	11	9	-	1	1	2	1	1
(29)	Hypertension without mention of heart (444-447)	-	-	2	2	-	1	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	1	26	10	12	2	-	3	3	1
(32)	Bronchitis (500-502)	-	-	2	-	-	-	-	1	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	3	-	1	-	1	1	-
(34)	Appendicitis (550-553)	-	-	1	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	3	-	1	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	2	1	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	1	2	4	-	-	-	1	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	2	4	-	-	-	-	-	1
(39)	Hyperplasia of prostate (610)	-	-	-	1	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	4	1	-	-	-	2	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	-	6	1	1	-	-	1	-	-
(43)	Infections of the newborn (763-768)	1	-	-	-	-	-	-	-	-	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	6	1	2	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	2	1	-	2	-	-	-	-
(46)	Arteriosclerosis (450)	1	-	10	5	2	3	1	5	2	1
(46)	All other diseases (residual)	3	-	24	1	2	2	2	5	2	2
(47)	Motor-vehicle accidents (810-835)	-	-	2	15	1	-	-	-	-	1
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	4	-	-	-	-	1	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	1	1	1	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	1	-	7	3	1	-	-	3	1	-
(48)	All other accidents	1	-	1	1	1	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	3	3	-	-	-	2	-	1
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Lancaster.	Leicester.	LEOMINSTER.	Lunenburg.	Mendon.	Milford.	Millbury.	Millville.	New Braintree.	North Brookfield.	Northborough.	Northbridge.	Oakham.	Oxford.	Paxton.	Petersham.	Phillipston.	Princeton.	Royalston.
(1)	40	58	299	54	25	170	92	19	3	36	47	123	5	54	21	7	7	9	9
(2)	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(3)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	2	10	49	10	6	27	14	3	-	7	10	17	-	5	2	1	1	4	-
(19)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(20)	-	-	3	1	1	3	1	1	-	-	-	3	-	-	2	-	-	-	-
(21)	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	10	7	22	4	4	30	6	1	-	3	4	12	-	3	1	1	1	-	2
(23)	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	2	2	2	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-
(26)	10	15	139	19	8	49	38	10	2	13	12	39	3	20	7	3	2	1	5
(26)	1	1	9	3	1	1	-	-	-	4	1	12	-	-	2	-	-	-	-
(27)	1	1	1	1	-	2	1	-	-	2	1	1	-	-	-	-	-	-	-
(28)	2	2	2	1	-	5	3	2	-	-	-	5	-	-	2	-	-	1	-
(29)	-	-	2	-	-	2	1	-	-	-	-	1	-	-	-	1	-	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	4	5	14	2	-	5	1	-	-	-	2	2	1	-	-	1	1	-	-
(32)	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
(33)	-	-	2	1	1	-	3	-	-	-	-	1	-	-	-	-	-	-	-
(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	2	2	-	-	3	-	-	-	1	1	-	-	2	-	-	-	-	-
(36)	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-
(37)	1	-	2	1	-	3	-	-	-	-	2	1	-	1	1	-	-	-	-
(38)	1	2	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(41)	-	-	4	1	-	-	1	-	-	-	1	-	-	2	2	-	1	-	1
(42)	-	1	4	-	1	1	1	-	-	2	1	-	-	-	1	-	-	-	-
(43)	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(44)	1	-	4	-	-	4	1	-	-	-	2	-	-	-	-	-	-	-	-
(45)	1	-	-	-	-	3	1	-	-	-	-	1	-	1	-	-	-	-	-
(46)	2	-	4	2	1	5	1	-	-	-	2	14	-	8	-	-	1	-	-
(46)	1	6	12	3	-	13	8	-	-	1	6	5	-	-	-	-	-	2	-
(47)	2	2	3	1	-	6	2	-	-	-	-	1	-	2	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	2	-	-	1	-	-	-	-	-	3	-	2	-	-	-	-	-
(48)	-	1	5	2	-	1	1	2	1	1	1	1	-	-	-	-	-	1	-
(48)	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-
(49)	-	1	2	-	-	1	1	-	-	1	-	-	-	4	-	-	-	-	1
(50)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Abbreviated Int. List No.	Table 14 CAUSE OF DEATH. ¹	DEATHS FROM				
		Rutland.	Shrewsbury.	Southborough.	Southbridge.	Spencer.
	All Causes. ²	18	118	33	206	105
(1)	Tuberculosis of the respiratory system (1-8)	-	1	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	1	-
(18)	Malignant neoplasms (140-205)	2	17	4	38	18
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-
(20)	Diabetes mellitus (260)	1	1	1	3	3
(21)	Anemias (290-293)	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	-	10	6	20	7
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	2	1	2	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	6	49	17	76	36
(26)	Degenerative heart disease (421, 422)	-	1	-	11	3
(27)	Other diseases of heart (430-434)	-	3	-	4	5
(28)	Hypertension with heart disease (440-443)	-	-	-	8	1
(29)	Hypertension without mention of heart (444-447)	1	2	-	2	1
(30)	Influenza (480-483)	-	-	-	-	-
(31)	Pneumonia (490-493)	1	9	-	7	5
(32)	Bronchitis (500-502)	-	-	-	1	1
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	1	1
(34)	Appendicitis (550-553)	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	1	1	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	1	-
(37)	Cirrhosis of the liver (581)	-	-	1	2	2
(38)	Nephritis and nephrosis (590-594)	-	-	-	1	1
(39)	Hyperplasia of prostate (610)	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	2	-	3	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	4	1
(43)	Infections of the newborn (763-768)	-	-	-	1	-
(44)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	5	-	2	-
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	1	-	-	-	1
(46)	Arteriosclerosis (450)	-	1	-	1	5
(46)	All other diseases (residual)	3	11	1	8	7
(47)	Motor-vehicle accidents (810-835)	-	1	-	3	2
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	1	-	1	2
(48)	Accidental drowning (850, 851, 929)	-	-	-	2	1
(48)	Accidental falls (transport accidents ex- cepted) (900-904)	-	1	1	1	-
(48)	All other accidents	1	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	-	-	-	2	1
(50)	Homicide and operations of war (964, 965, 980-985, 990-999)	-	-	1	-	-

¹ The numbers of the titles of the detailed International list included in each title of the abbreviated list appear in parentheses.

² Exclusive of stillbirths.

IMPORTANT CAUSES ALLOCATED TO EACH COUNTY BY MUNICIPALITY: 1961.

Abbreviated Int. List No.	Sterling.	Sturbridge.	Sutton.	Templeton.	Upton.	Uxbridge.	Warren.	Webster.	West Boylston.	West Brookfield.	Westborough.	Westminster.	Winchendon.	WORCESTER.
(1)	38	26	30	71	28	83	36	148	41	21	68	37	70	2,366
(2)	-	-	-	-	-	1	-	-	-	-	-	-	-	16
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	3
(17)	-	-	-	-	-	-	-	-	-	-	-	-	1	2
(18)	3	7	3	6	1	8	4	21	9	4	8	6	10	418
(19)	-	-	-	-	1	-	-	1	-	-	-	-	-	5
(20)	-	2	-	-	1	2	1	2	1	-	-	-	-	32
(21)	-	-	-	1	-	-	-	-	1	-	-	-	-	1
(22)	4	-	2	11	8	9	2	10	6	1	9	7	8	213
(23)	1	-	-	-	-	1	-	1	-	-	-	-	-	4
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(25)	1	-	-	2	-	-	-	-	-	-	-	-	1	32
(26)	12	16	12	33	8	37	15	71	16	7	24	8	33	901
(26)	2	-	2	2	1	3	-	1	-	1	1	2	2	69
(27)	-	-	-	2	-	-	-	2	-	3	-	1	1	39
(28)	-	-	-	1	-	2	1	2	1	1	2	-	1	47
(29)	-	-	-	1	-	-	-	3	-	-	-	-	-	9
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	2	1	1	2	1	2	1	1	1	1	3	-	1	114
(32)	-	-	-	1	-	-	-	-	-	-	-	-	1	7
(33)	-	-	-	-	-	-	-	-	-	-	1	-	-	6
(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	1
(35)	-	-	-	-	-	-	-	1	1	-	4	1	-	11
(36)	-	-	-	-	-	-	1	1	-	-	-	1	-	3
(37)	-	-	-	-	-	1	1	4	2	-	-	1	2	28
(38)	3	-	-	-	-	2	1	1	-	1	2	1	-	11
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	2
(40)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	-	-	1	-	-	-	1	-	-	-	1	1	-	28
(42)	1	-	1	1	-	1	1	2	1	-	-	1	-	29
(43)	2	-	-	-	-	-	-	2	-	-	-	-	-	-
(44)	-	-	2	1	1	-	1	2	-	1	1	1	1	32
(45)	-	-	-	-	1	-	2	-	-	-	-	-	-	4
(46)	-	-	4	1	-	5	-	2	1	-	1	1	2	56
(46)	3	-	1	4	3	2	1	13	1	1	5	1	3	147
(47)	-	-	-	-	-	4	-	2	-	-	-	-	-	18
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	1	-	1	-	-	-	-	-	-	1	-	7
(48)	-	-	-	1	-	-	-	-	-	-	1	-	-	9
(48)	-	-	-	-	1	1	1	2	-	-	1	1	-	34
(48)	-	-	-	1	-	2	2	1	-	-	3	-	1	5
(49)	2	-	-	-	-	-	-	-	-	-	1	1	-	19
(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	2

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES
BY PLACE OF OCCURRENCE: 1961.

MUNICIPALITIES. ¹	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Transportation accidents except motor-vehicle, 800-802, 840-866.	Motor-vehicle accidents, 810-835.	Accidental poisoning by solid and liquid substances, 870-888, 890-895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900-904.	All others.
The State.	2,773	431	70	54	586	52	193	22	130	1,047	188
BARNSTABLE COUNTY	47	11	1	3	11	-	2	-	7	9	3
Barnstable	16	4	-	-	3	-	-	-	-	6	1
Bourne	5	2	-	-	-	-	1	-	2	1	-
Brewster	-	-	-	-	-	-	-	-	-	-	-
Chatham	2	-	-	1	-	-	-	-	-	1	-
Dennis	2	1	-	-	1	-	-	-	-	-	-
Eastham	-	-	-	-	-	-	-	-	-	-	-
Falmouth	6	-	-	-	3	-	-	-	2	-	1
Harwich	1	-	-	-	-	-	1	-	-	-	-
Mashpee	1	-	-	-	-	-	-	-	-	-	1
Orleans	2	1	-	-	1	-	-	-	-	-	-
Provincetown	1	-	-	-	-	-	-	-	1	-	-
Sandwich	2	-	-	2	-	-	-	-	-	-	-
Truro	2	1	-	-	-	-	-	-	1	-	-
Wellfleet	4	-	-	-	3	-	-	-	-	1	-
Yarmouth	3	2	-	-	-	-	-	-	1	-	-
BERKSHIRE COUNTY	75	16	2	-	22	2	3	1	2	22	5
Adams	5	1	-	-	2	1	-	1	-	-	1
Alford	1	-	-	-	-	-	-	-	-	-	1
Becket	1	-	-	-	1	-	-	-	-	-	-
Cheshire	1	-	-	-	-	-	-	-	-	-	-
Clarksburg	1	-	-	-	1	-	-	-	-	-	1
Dalton	3	1	-	-	-	-	-	1	-	1	-
Egremont	-	-	-	-	-	-	-	-	-	-	-
Florida	-	-	-	-	-	-	-	-	-	-	-
Great Barrington	11	2	-	-	2	1	-	-	1	5	-
Hancock	1	-	-	-	1	-	-	-	-	-	-
Hinsdale	-	-	-	-	-	-	-	-	-	-	-
Lanesborough	1	1	-	-	-	-	-	-	-	-	-
Lee	1	-	-	-	1	-	-	-	-	-	-
Lenox	2	2	-	-	-	-	-	-	-	-	-
Monterey	-	-	-	-	-	-	-	-	-	-	-
Mount Washington	-	-	-	-	-	-	-	-	-	-	-
New Ashford	-	-	-	-	-	-	-	-	-	-	-
New Marlborough	-	-	-	-	-	-	-	-	-	-	-
NORTH ADAMS	6	-	-	-	1	-	2	-	-	2	1
Otis	-	-	-	-	-	-	-	-	-	-	-
Peru	-	-	-	-	-	-	-	-	-	-	-
PITTSFIELD	33	6	2	-	9	-	1	-	1	13	1
Richmond	2	2	-	-	-	-	-	-	-	-	-
Sandisfield	-	-	-	-	-	-	-	-	-	-	-
Savoy	-	-	-	-	-	-	-	-	-	-	-
Sheffield	-	-	-	-	-	-	-	-	-	-	-
Stockbridge	1	-	-	-	-	-	-	-	-	1	-
Tyringham	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-
West Stockbridge	-	-	-	-	-	-	-	-	-	-	-
Williamstown	4	1	-	-	3	-	-	-	-	-	-
Windsor	1	-	-	-	1	-	-	-	-	-	-
BRISTOL COUNTY	145	33	7	5	44	9	6	-	11	23	7
Acushnet	-	-	-	-	-	-	-	-	-	-	-
ATTLEBORO	19	1	-	-	10	4	1	-	-	3	-
Berkley	-	-	-	-	-	-	-	-	-	-	-
Dartmouth	2	1	-	-	1	-	-	-	-	-	-
Dighton	-	-	-	-	-	-	-	-	-	-	-
Easton	5	1	-	-	3	-	1	-	-	-	-
Fairhaven	2	-	-	-	1	-	-	-	-	1	-
FALL RIVER	25	5	-	-	10	-	1	-	2	5	2
Freetown	1	-	-	-	-	-	-	-	-	-	1
Mansfield	2	2	-	-	-	-	-	-	-	-	-
NEW BEDFORD	53	10	4	4	11	4	2	-	5	9	4
North Attleborough	8	4	1	-	2	-	1	-	-	-	-
Norton	3	-	-	1	1	-	-	-	1	-	-
Raynham	-	-	-	-	-	-	-	-	-	-	-
Rehoboth	-	-	-	-	-	-	-	-	-	-	-
Seekonk	-	-	-	-	-	-	-	-	-	-	-
Somerset	4	3	-	-	-	-	-	-	-	-	-
Swansea	2	2	-	-	-	-	-	-	1	-	-
TAUNTON	16	3	1	-	-	-	-	-	1	5	-
Westport	3	1	1	-	5	1	-	-	1	-	-

¹ Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES
BY PLACE OF OCCURRENCE: 1961.

MUNICIPALITIES. ¹	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Transportation accidents except motor-vehicle, 800-802, 840-866.	Motor-vehicle accidents, 810-835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870-888, 890-895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900-904.	All others.
DUKES COUNTY	8	3	-	-	4	-	-	-	1	-	-
Chilmark	3	2	-	-	1	-	-	-	-	-	-
Edgartown	2	1	-	-	-	-	-	-	1	-	-
Gay Head	-	-	-	-	-	-	-	-	-	-	-
Gosnold	-	-	-	-	-	-	-	-	-	-	-
Oak Bluffs	1	-	-	-	1	-	-	-	-	-	-
Tisbury	-	-	-	-	-	-	-	-	-	-	-
West Tisbury	2	-	-	-	2	-	-	-	-	-	-
ESSEX COUNTY	369	49	5	6	68	-	26	2	21	166	26
Amesbury	8	1	-	-	-	-	-	-	-	6	1
Andover	4	2	-	-	1	-	-	-	-	1	-
BEVERLY	2	-	-	-	-	-	-	-	-	-	-
Boxford	11	2	-	-	2	-	-	-	2	2	3
Danvers	44	3	-	-	8	-	-	-	-	30	3
Essex	1	-	-	-	-	-	-	-	1	-	-
Georgetown	3	-	-	-	2	-	-	-	-	-	1
GLOUCESTER	17	2	-	-	1	-	1	-	8	3	2
Groveland	1	-	-	-	-	-	-	1	-	-	-
Hamilton	-	-	-	-	-	-	-	-	-	-	-
HAVERHILL	41	5	1	1	8	-	-	-	1	25	-
Ipswich	1	-	-	1	-	-	-	-	-	-	-
LAWRENCE	44	7	1	-	14	-	4	-	1	16	1
LYNN	64	9	2	-	8	-	10	1	3	26	5
Lynnfield	3	2	-	-	-	-	-	-	-	1	-
Manchester	2	-	-	-	1	-	-	-	-	1	-
Marblehead	11	1	-	-	-	-	-	-	-	8	2
Merrimac	2	1	-	-	-	-	-	-	-	-	1
Methuen	20	3	-	-	7	-	2	-	-	8	-
Middleton	-	-	-	-	-	-	-	-	-	-	-
Nahant	4	-	-	-	-	-	-	-	-	4	-
Newbury	6	-	-	-	-	-	4	-	2	-	-
NEWBURYPORT	10	1	-	-	3	-	1	-	-	5	-
North Andover	2	-	-	-	-	-	-	-	-	2	-
PEABODY	14	1	-	-	5	-	2	-	-	4	2
Rockport	1	1	-	-	-	-	-	-	-	-	-
Rowley	4	1	-	3	-	-	-	-	-	-	-
SALEM	34	5	-	1	3	-	1	-	1	20	3
Salisbury	2	1	-	1	1	-	-	-	-	-	-
Saugus	12	1	1	-	2	-	1	-	1	4	2
Swampscott	-	-	-	-	-	-	-	-	-	-	-
Topsfield	-	-	-	-	-	-	-	-	-	-	-
Wenham	-	-	-	-	-	-	-	-	-	-	-
West Newbury	1	-	-	-	-	-	-	-	1	-	-
FRANKLIN COUNTY	30	7	2	2	6	1	-	1	1	9	1
Ashfield	2	1	-	-	-	-	-	-	-	1	-
Bernardston	-	-	-	-	-	-	-	-	-	-	-
Buckland	-	-	-	-	-	-	-	-	-	-	-
Charlemont	-	-	-	-	-	-	-	-	-	-	-
Colrain	-	-	-	-	-	-	-	-	-	-	-
Conway	2	-	-	1	-	-	-	-	1	-	-
Deerfield	2	-	-	-	1	1	-	-	-	-	-
Erving	1	-	-	-	1	-	-	-	-	-	-
Gill	-	-	-	-	-	-	-	-	-	-	-
Greenfield	4	-	-	-	-	-	-	-	-	4	-
Hawley	-	-	-	-	-	-	-	-	-	-	-
Heath	1	-	-	-	-	-	-	-	-	-	1
Leverett	1	1	-	-	-	-	-	-	-	-	-
Leyden	-	-	-	-	-	-	-	-	-	-	-
Monroe	-	-	-	-	-	-	-	-	-	-	-
Montague	6	1	2	1	-	-	-	-	-	2	-
New Salem	1	1	-	-	-	-	-	-	-	-	-
Northfield	2	-	-	-	1	-	-	-	-	1	-
Orange	2	-	-	-	2	-	-	-	-	-	-
Rowe	-	-	-	-	-	-	-	-	-	-	-
Shelburne	1	-	-	-	-	-	-	1	-	-	-
Shutesbury	-	-	-	-	-	-	-	-	-	-	-
Sunderland	1	1	-	-	-	-	-	-	-	-	-
Warwick	2	2	-	-	-	-	-	-	-	-	-
Wendell	-	-	-	-	-	-	-	-	-	-	-
Whately	2	-	-	-	1	-	-	-	-	1	-
HAMPDEN COUNTY	253	39	4	1	62	5	22	1	11	88	20

¹ Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES
BY PLACE OF OCCURRENCE: 1961.

MUNICIPALITIES, ¹	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Transportation accidents except motor-vehicle, 800-802, 840-866.	Motor-vehicle accidents, 810-835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870-888, 890-895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900-904.	All others.
Agawam	3	1	-	-	1	-	-	-	-	-	1
Blandford	-	-	-	-	-	-	-	-	-	-	-
Brimfield	-	-	-	-	-	-	-	-	-	-	-
Chester	3	-	-	-	2	-	-	-	-	-	-
CHICOPEE	5	1	-	-	1	-	-	1	-	1	1
East Longmeadow	3	1	-	-	1	-	1	-	-	-	-
Granville	1	-	-	-	-	-	-	-	1	-	-
Hampden	-	-	-	-	-	-	-	-	-	-	-
Holland	-	-	-	-	-	-	-	-	-	-	-
HOLYOKE	41	8	1	1	13	-	1	-	1	12	4
Longmeadow	2	2	-	-	-	-	-	-	-	-	-
Ludlow	-	-	-	-	-	-	-	-	-	-	-
Monson	2	-	-	-	-	-	-	-	-	2	-
Montgomery	-	-	-	-	-	-	-	-	-	-	-
Palmer	16	2	-	-	6	-	1	-	2	1	4
Russell	3	1	-	-	2	-	-	-	-	-	-
Southwick	4	-	-	-	4	-	-	-	-	-	-
SPRINGFIELD	149	18	3	-	27	5	18	-	3	67	8
Tolland	-	-	-	-	-	-	-	-	-	-	-
Wales	-	-	-	-	-	-	-	-	-	-	-
West Springfield	4	3	-	-	-	-	1	-	-	-	-
WESTFIELD	17	2	-	-	5	-	-	-	3	5	2
Wilbraham	-	-	-	-	-	-	-	-	-	-	-
HAMPSHIRE COUNTY	65	11	1	1	15	2	2	1	4	22	6
Amherst	2	1	-	-	-	-	1	-	-	-	-
Belchertown	6	-	-	-	-	1	1	-	1	3	1
Chesterfield	-	-	-	-	-	-	-	-	-	-	-
Cummington	-	-	-	-	-	-	-	-	-	-	-
Easthampton	2	-	1	-	-	-	-	-	1	-	-
Goshen	1	-	-	-	-	-	-	-	-	-	1
Granby	-	-	-	-	-	-	-	-	-	-	-
Hadley	2	-	-	-	1	-	-	-	1	-	-
Hatfield	2	1	-	-	-	-	-	-	1	-	-
Huntington	2	1	-	-	-	-	-	-	-	-	1
Middlefield	-	-	-	-	-	-	-	-	-	-	-
NORTHAMPTON	28	3	-	-	10	-	-	-	-	14	1
Pelham	-	-	-	-	-	-	-	-	-	-	-
Plainfield	-	-	-	-	-	-	-	-	-	-	-
South Hadley	2	1	-	-	-	1	-	-	-	-	-
Southampton	2	2	-	-	-	-	-	-	-	-	-
Ware	12	2	-	-	2	-	1	1	-	4	2
Westhampton	3	-	-	1	1	-	-	-	-	1	-
Williamsburg	1	-	-	-	1	-	-	-	-	-	-
Worthington	-	-	-	-	-	-	-	-	-	-	-
MIDDLESEX COUNTY	584	94	14	5	113	13	35	8	18	244	40
Acton	2	2	-	-	-	-	-	-	-	-	-
Arlington	17	-	-	-	4	-	-	-	-	12	1
Ashby	2	1	-	-	1	-	-	-	-	-	-
Ashland	1	1	-	-	-	-	-	-	-	-	-
Ayer	3	1	-	-	1	-	-	-	-	1	-
Bedford	7	3	-	-	1	-	-	-	-	1	2
Belmont	7	3	-	-	-	-	-	-	-	4	-
Billerica	6	1	-	-	4	-	-	-	-	1	-
Boxborough	-	-	-	-	-	-	-	-	-	-	-
Burlington	1	1	-	-	-	-	-	-	-	-	-
CAMBRIDGE	89	9	2	-	15	3	8	3	1	44	4
Carlisle	-	-	-	-	-	-	-	-	-	-	-
Chelmsford	6	-	-	-	3	2	-	-	-	1	-
Concord	9	1	1	-	5	-	-	-	-	2	-
Dracut	4	-	-	-	-	-	-	-	3	-	1
Dunstable	-	-	-	-	-	-	-	-	-	-	-
EVERETT	12	1	1	-	1	-	-	4	-	3	2
Framingham	32	6	1	-	10	-	-	-	1	11	3
Groton	2	1	-	-	-	-	-	-	-	1	-
Holliston	2	1	-	-	-	-	-	-	1	-	-
Hopkinton	2	-	-	-	2	-	-	-	-	-	-
Hudson	1	-	-	1	-	-	-	-	-	-	-
Lexington	20	6	1	-	1	-	-	-	-	8	4
Lincoln	6	3	1	-	-	-	-	-	2	-	-
Littleton	1	-	-	1	-	-	-	-	-	-	-
LOWELL	74	7	1	-	7	2	11	-	2	34	9
MALDEN	22	3	-	-	4	-	-	-	-	9	2

¹ Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES
BY PLACE OF OCCURRENCE: 1961.MUNICIPALITIES.¹

	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Transportation accidents except motor-vehicle, 800-802, 840-866.	Motor-vehicle accidents, 810-835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870-888, 890-895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900-904.	All others.
MARLBOROUGH	7	1	-	-	2	1	1	-	-	2	-
Maynard	2	2	-	-	-	-	-	-	-	-	-
MEDFORD	17	1	-	-	5	1	1	1	1	7	-
MELROSE	22	-	-	1	2	-	2	1	1	15	1
Natick	17	4	-	-	8	-	-	-	-	4	1
NEWTON	45	10	-	-	7	-	2	-	-	23	3
North Reading	1	-	1	-	-	-	-	-	-	-	-
Pepperell	-	-	-	-	-	-	-	-	-	-	-
Reading	6	1	-	-	1	-	-	-	-	2	2
Sherborn	-	-	-	-	-	-	-	-	-	-	-
Shirley	4	1	-	-	2	-	-	-	1	-	-
SOMERVILLE	36	5	2	1	2	-	1	-	-	23	2
Stoneham	8	2	-	-	1	-	-	-	1	4	-
Stow	-	-	-	-	-	-	-	-	-	-	-
Sudbury	3	-	1	-	2	-	-	-	-	-	-
Tewksbury	5	1	-	-	2	-	1	-	-	1	-
Tewksbury Hospital	4	-	1	-	-	-	1	-	-	2	-
Townsend	-	-	-	-	-	-	-	-	-	-	-
Tyngsborough	-	-	-	-	-	-	-	-	-	-	-
Wakefield	4	2	1	-	-	-	-	-	1	-	-
WALTHAM	45	5	-	-	9	1	5	-	2	21	2
Watertown	3	1	-	-	-	-	-	-	-	2	-
Wayland	4	2	-	-	1	-	-	-	1	-	-
Westford	-	-	-	-	-	-	-	-	-	-	-
Weston	2	1	-	-	-	-	-	-	-	1	-
Wilmington	1	-	-	-	1	-	-	-	-	-	-
Winchester	8	1	-	-	3	-	-	-	-	3	1
WOBURN	12	3	-	-	6	1	-	-	2	2	-
NANTUCKET COUNTY	10	1	-	6	1	-	-	-	2	-	-
NORFOLK COUNTY	206	26	4	1	48	4	8	1	14	85	15
Avon	-	-	-	-	-	-	-	-	-	-	-
Bellingham	1	-	-	-	1	-	-	-	-	-	-
Braintree	8	1	-	-	1	-	-	-	1	5	-
Brookline	16	4	1	-	-	-	-	-	-	11	-
Canton	4	-	-	-	1	1	1	1	-	-	-
Cohasset	3	-	-	-	-	-	-	-	1	1	1
Dedham	3	2	-	-	-	-	-	-	-	1	-
Dover	-	-	-	-	-	-	-	-	-	-	-
Foxborough	8	1	-	1	-	-	-	-	1	3	2
Franklin	1	1	-	-	-	-	-	-	-	-	-
Holbrook	7	1	-	-	4	-	-	-	-	2	-
Medfield	4	1	-	-	-	-	-	-	-	3	-
Medway	2	-	-	-	2	-	-	-	-	-	-
Millis	1	-	-	-	1	-	-	-	-	-	-
Milton	12	2	-	-	2	-	1	-	2	4	1
Needham	8	-	-	-	1	-	1	-	-	6	-
Norfolk	6	2	2	-	-	2	-	-	-	-	-
Norwood	25	2	-	-	8	-	-	-	-	12	3
Plainville	-	-	-	-	-	-	-	-	-	-	-
QUINCY	36	-	1	-	9	-	3	-	3	18	2
Randolph	2	1	-	-	-	-	-	-	1	-	-
Sharon	1	-	-	-	1	-	-	-	-	-	-
Stoughton	5	1	-	-	3	-	-	-	-	1	-
Walpole	7	1	-	-	2	-	-	-	1	3	-
Wellesley	7	2	-	-	2	1	-	-	2	-	-
Westwood	-	-	-	-	-	-	-	-	-	-	-
Weymouth	36	3	-	-	10	-	2	-	2	15	4
Wrentham	3	1	-	-	-	-	-	-	-	-	-
PLYMOUTH COUNTY	136	29	3	4	38	5	5	2	9	35	6
Abington	-	-	-	-	-	-	-	-	-	-	-
Bridgewater	7	1	-	-	3	-	-	-	1	1	1
BROCKTON	56	10	2	-	16	3	5	-	-	17	3
Carver	1	1	-	-	-	-	-	-	-	-	-
Duxbury	3	2	-	-	-	1	-	-	-	-	-
East Bridgewater	-	-	-	-	-	-	-	-	-	-	-
Halifax	-	-	-	-	-	-	-	-	-	-	-
Hanover	1	-	-	-	-	-	-	-	-	1	-
Hanson	7	1	-	-	2	-	-	2	-	1	1
Hingham	4	-	-	-	1	1	-	-	1	1	-
Hull	2	-	-	-	-	-	-	-	2	-	-
Kingston	2	2	-	-	-	-	-	-	-	-	-
Lakeville	1	-	-	-	1	-	-	-	-	-	-

¹ Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES
BY PLACE OF OCCURRENCE: 1961.MUNICIPALITIES.¹

	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Transportation accidents except motor-vehicle, 890-892, 840-866.	Motor-vehicle accidents, 810-835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870-888, 890-895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900-904.	All others.
Marion	1	-	-	-	1	-	-	-	-	-	-
Marshfield	1	-	-	-	-	-	-	-	-	1	-
Mattapoisett	1	1	-	-	-	-	-	-	-	-	-
Middleborough	10	12	-	-	6	-	-	-	-	2	-
Norwell	2	-	-	-	-	-	-	-	1	1	-
Penbroke	1	1	-	-	-	-	-	-	-	-	-
Plymouth	9	1	-	2	1	-	-	-	1	4	-
Plympton	1	-	-	-	-	-	-	-	1	-	-
Rochester	2	-	-	-	1	-	-	-	-	1	-
Rockland	-	-	-	-	-	-	-	-	-	-	-
Scituate	4	1	-	1	1	-	-	-	1	-	-
Wareham	16	3	-	1	5	-	-	-	1	5	1
West Bridgewater	2	12	-	-	-	-	-	-	-	-	-
Whitman	2	1	1	-	-	-	-	-	-	-	-
SUFFOLK COUNTY	519	65	25	6	82	7	53	3	11	236	31
BOSTON	489	57	23	4	81	6	51	2	10	225	30
CHELSEA	19	4	2	-	1	1	-	-	1	8	1
REVERE	10	3	-	2	-	-	1	1	-	3	-
Winthrop	1	1	-	-	-	-	-	-	-	-	-
WORCESTER COUNTY	326	47	2	14	72	4	31	2	18	108	28
Ashburnham	-	-	-	-	-	-	-	-	-	-	-
Athol	12	1	-	-	4	-	1	-	1	5	-
Auburn	5	2	-	-	2	-	-	-	-	-	1
Barre	1	1	-	-	-	-	-	-	-	-	-
Berlin	4	-	-	-	1	-	1	-	-	-	2
Blackstone	-	-	-	-	-	-	-	-	-	-	-
Bolton	-	-	-	-	-	-	-	-	-	-	-
Boylston	3	-	-	-	-	-	1	-	-	2	-
Brookfield	2	-	-	-	-	-	-	-	-	2	-
Charlton	3	1	-	-	-	-	-	-	1	-	1
Clinton	5	-	-	-	2	-	2	-	-	-	1
Douglas	2	1	-	-	1	-	-	-	-	-	-
Dudley	1	1	-	-	-	-	-	-	-	-	-
East Brookfield	-	-	-	-	-	-	-	-	-	-	-
FITCHBURG	22	2	1	-	2	1	4	-	1	10	1
GARDNER	19	3	-	1	2	-	1	-	-	10	2
Grafton	7	-	-	-	-	-	-	-	1	5	1
Hardwick	1	-	-	1	-	-	-	-	-	-	-
Harvard	1	-	-	-	1	-	-	-	-	-	-
Holden	8	3	-	-	1	-	-	-	-	4	-
Hopedale	-	-	-	-	-	-	-	-	-	-	-
Hubbardston	-	-	-	-	-	-	-	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-
Leicester	5	1	-	-	-	2	-	-	1	-	1
LEOMINSTER	9	2	-	-	-	-	-	-	-	-	-
Lunenburg	6	-	-	-	6	-	2	-	-	5	-
Mendon	2	-	-	-	-	-	-	-	1	1	-
Milford	7	1	-	-	4	-	-	-	-	2	-
Millbury	3	1	-	-	1	-	-	-	1	-	-
Millville	-	-	-	-	-	-	-	-	-	-	-
New Braintree	-	-	-	-	-	-	-	-	-	-	-
North Brookfield	-	-	-	-	-	-	-	-	-	-	-
Northborough	3	-	-	-	-	-	-	-	1	1	1
Northbridge	6	-	-	-	1	-	4	-	-	1	-
Oakham	-	-	-	-	-	-	-	-	-	-	-
Oxford	9	3	-	3	2	-	-	-	1	-	-
Paxton	2	-	-	-	1	-	-	-	-	-	1
Petersham	-	-	-	-	-	-	-	-	-	-	-
Phillipston	-	-	-	-	-	-	-	-	-	-	-
Princeton	-	-	-	-	-	-	-	-	-	-	-
Royalston	-	-	-	-	-	-	-	-	-	-	-
Rutland	1	1	-	-	-	-	-	-	-	-	-
Shrewsbury	2	-	-	-	-	-	-	-	-	1	1
Southborough	-	-	-	-	-	-	-	-	-	-	-
Southbridge	5	1	-	3	2	-	-	-	-	-	-
Spencer	8	2	-	-	1	-	1	-	2	2	-
Sterling	6	2	-	-	-	-	2	-	2	-	-
Sturbridge	-	-	-	-	-	-	-	-	-	-	-
Sutton	-	-	-	-	-	-	-	-	-	-	-
Templeton	4	-	-	-	2	-	1	-	1	-	-

¹ Counties and cities are printed in small capitals.

Table 15

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES
BY PLACE OF OCCURRENCE: 1961.

MUNICIPALITIES. ¹	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Transportation accidents except motor-vehicle, 800-802, 840-866.	Motor-vehicle accidents, 810-835.	Accidental poisoning by solid and liquid substances, gases and vapors, 870-888, 890-895.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Accidents caused by drowning, except transportation accidents, 929.	Accidental falls, 900-904.	All others.
Upton	2	-	-	-	-	-	2	-	-	-	-
Uxbridge	3	-	-	-	1	-	-	1	-	-	1
Warren	-	-	-	-	-	-	-	-	-	-	-
Webster	1	-	-	-	-	-	1	-	-	-	-
West Boylston	-	-	-	-	-	-	-	-	-	-	-
West Brookfield	5	-	-	4	-	-	-	-	1	-	-
Westborough	16	2	-	-	4	-	-	-	1	5	4
Westminster	1	1	-	-	-	-	-	-	-	-	-
Winchendon	1	-	-	-	-	-	-	1	-	-	-
WORCESTER	123	16	1	2	31	1	8	-	2	52	10
Other States	168	13	2	16	70	5	2	-	15	17	28
Out of the Country	-	-	-	-	-	-	-	-	-	-	-
Place Not Stated	-	-	-	-	-	-	-	-	-	-	-

¹ Counties and cities are printed in small capitals.

Line No.	Table 16 TYPE OF ACCIDENT.	ACCIDENTAL DEATHS, ¹ ACCORDING TO											
		MONTHS											
		Total			January		February		March		April		
			M	F	M	F	M	F	M	F	M	F	
1	GRAND TOTAL	2,408	1,391	1,017	115	94	109	82	104	95	92	82	
2	OCCUPATIONAL TOTAL	86	86	-	16	-	7	-	4	-	5	-	
3	Agriculture	-	-	-	-	-	-	-	-	-	-	-	
4	Mining, quarrying, oil and gas wells	3	3	-	-	-	-	-	-	-	-	-	
5	Manufacturing	13	13	-	6	-	2	-	1	-	-	-	
6	Construction	14	14	-	-	-	-	-	-	-	2	-	
7	Transportation	2	2	-	1	-	-	-	-	-	-	-	
8	Public utilities	3	3	-	-	-	-	-	-	-	-	-	
9	Trade	2	2	-	-	-	-	-	-	-	-	-	
10	Service	11	11	-	4	-	1	-	1	-	1	-	
11	Other specified industry	17	17	-	2	-	1	-	1	-	1	-	
12	Unspecified industry	21	21	-	3	-	3	-	1	-	1	-	
13	HOME TOTAL	877	360	517	33	45	31	39	36	39	30	48	
14	Poisonings (gas excepted)	11	6	5	3	-	-	1	1	-	-	-	
15	Poisonings by gases and vapors	27	21	6	7	-	1	2	2	-	2	1	
16	Fire, explosion of combustible material	150	75	75	7	6	8	6	6	10	11	6	
17	Hot substance, corrosive liquid and steam	4	1	3	-	1	1	1	-	-	-	-	
18	Mechanical suffocation	24	10	14	2	-	-	1	1	1	-	3	
19	Firearms	9	6	3	2	-	1	-	-	-	-	-	
20	Falls on same level	141	40	101	3	5	4	3	5	8	3	9	
21	Falls to different level or unspecified	408	151	257	4	26	14	13	17	17	12	27	
22	Other specified home accidents	88	43	45	4	-	2	12	4	3	2	1	
23	Unspecified home accidents	15	7	8	-	7	-	-	-	-	-	1	
24	MOTOR-VEHICLE TOTAL	661	462	199	27	20	37	18	28	18	31	13	
25	Injury to pedestrian	224	146	78	12	9	15	13	10	12	7	5	
26	Collision with other motor vehicle	146	90	56	7	1	8	2	10	3	8	5	
27	Collision with railroad train	2	2	-	-	-	-	-	-	-	-	-	
28	Collision with streetcar	-	-	-	-	-	-	-	-	-	-	-	
29	Injury to rider of bicycle	8	7	1	-	-	-	-	-	-	-	-	
30	Collision with animal-drawn vehicle or animal	-	-	-	-	-	-	-	-	-	-	-	
31	Collision with fixed object	138	108	30	4	6	6	2	3	2	9	1	
32	Non-collision	101	82	19	1	6	1	4	1	6	1	1	
33	Other and unspecified accident	42	27	15	3	3	2	-	1	-	1	1	
34	PUBLIC NONMOTOR-VEHICLE TOTAL	569	341	228	30	24	26	19	21	27	17	15	
35	Railroad — not with motor vehicle	19	14	5	1	1	-	-	-	-	2	-	
36	Streetcar — not with motor vehicle	2	2	-	-	-	-	-	-	-	1	-	
37	Other vehicle — not with motor vehicle	3	2	1	-	-	-	-	-	-	-	-	
38	Water transportation	25	23	2	-	-	-	-	-	-	1	-	
39	Air transportation	30	25	5	2	-	3	1	-	1	-	-	
40	Fire, explosion of combustible material	20	18	2	2	-	1	-	2	-	1	-	
41	Hot substance, corrosive liquid and steam	3	3	-	-	-	-	-	1	-	-	-	
42	Drowning	90	75	15	2	1	5	2	4	1	5	1	
43	Firearms	12	12	-	-	-	2	-	-	-	2	-	
44	Falls on same level	99	43	56	6	4	2	4	2	5	3	4	
45	Falls to different level or unspecified	200	80	120	14	16	10	10	8	19	-	8	
46	Other specified public accidents	52	34	18	2	1	2	2	2	1	2	1	
47	Unspecified public accidents	14	10	4	1	1	1	-	2	-	-	1	
48	TYPE OF ACCIDENT UNKNOWN	215	142	73	9	5	8	6	15	11	9	6	

¹ Allocated.

TYPE OF ACCIDENT, BY MONTHS AND SEX: 1961.

Line No.	MONTHS															
	May		June		July		August		September		October		November		December	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	121	77	122	76	123	81	111	75	111	76	113	81	130	87	140	111
2	6	-	8	-	8	-	6	-	6	-	4	-	7	-	9	-
3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
6	3	-	2	-	1	-	1	-	2	-	1	-	2	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
8	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
9	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
10	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-
11	1	-	2	-	1	-	1	-	2	-	1	-	1	-	3	-
12	2	-	2	-	3	-	1	-	2	-	-	-	1	-	2	-
13	30	35	26	39	23	35	18	44	31	38	41	38	26	51	35	66
14	1	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-
15	2	-	-	1	-	-	-	-	1	-	1	-	1	-	4	2
16	8	4	2	-	3	4	-	-	4	6	7	2	10	10	9	18
17	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
18	-	1	2	2	-	-	-	-	1	1	1	1	1	1	2	3
19	5	5	2	1	-	1	2	-	1	1	1	-	-	-	1	-
20	5	5	2	5	3	5	2	16	3	7	5	8	2	15	3	15
21	10	24	18	28	12	23	13	22	17	22	16	26	4	25	14	4
22	3	-	1	1	5	1	3	2	3	-	8	1	7	-	-	24
23	1	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-
24	52	16	41	14	37	19	47	18	32	18	34	11	50	13	46	21
25	15	4	14	4	9	5	12	3	8	4	10	6	11	6	23	7
26	6	6	8	3	4	7	11	7	5	10	9	2	9	2	5	8
27	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	1	-	1	-	-	1	4	-	1	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	20	4	8	1	16	1	12	2	5	3	2	1	10	2	13	5
32	9	1	8	1	4	4	4	4	11	1	10	2	16	1	3	1
33	1	1	2	5	3	1	4	2	2	-	2	-	4	2	2	-
34	20	19	28	16	41	22	29	11	28	15	20	20	37	21	44	19
35	2	-	-	-	3	-	1	-	1	1	1	1	2	1	1	1
36	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
38	2	-	5	-	4	-	1	-	4	-	5	-	1	1	-	1
39	-	-	-	1	1	-	-	1	2	1	4	-	7	-	6	-
40	-	1	2	1	-	-	3	-	1	-	1	-	1	-	4	-
41	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
42	5	1	11	-	15	1	12	2	1	1	-	3	4	1	11	1
43	-	-	2	-	-	-	2	-	-	-	-	-	3	-	1	-
44	3	5	3	5	3	6	3	5	5	6	3	4	4	4	6	4
45	6	11	3	7	10	13	3	2	2	2	3	10	7	13	9	9
46	1	-	-	2	4	2	2	1	7	3	-	2	8	1	4	2
47	1	1	1	-	1	-	2	-	-	1	-	-	-	-	1	-
48	13	7	19	7	14	5	11	2	14	5	14	12	10	2	6	5

Table 17		ACCIDENTAL DEATHS, ¹ ACCORDING TO													
Line No.	TYPE OF ACCIDENT.	AGE OF DECEDENTS (YEARS)													
		Total			Under 1		1 to 4		5 to 14		15 to 19		20 to 24		
			M	F	M	F	M	F	M	F	M	F	M	F	
1	GRAND TOTAL	2,408	1,391	1,017	40	34	75	44	98	51	103	37	112	23	
2	OCCUPATIONAL TOTAL	86	86	-	-	-	-	-	-	-	3	-	10	-	
3	Agriculture	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Mining, quarrying, oil and gas wells	3	3	-	-	-	-	-	-	-	-	-	-	-	
5	Manufacturing	13	13	-	-	-	-	-	-	-	-	-	-	-	
6	Construction	14	14	-	-	-	-	-	-	-	1	-	1	-	
7	Transportation	2	2	-	-	-	-	-	-	-	-	-	-	-	
8	Public utilities	3	3	-	-	-	-	-	-	-	-	-	1	-	
9	Trade	2	2	-	-	-	-	-	-	-	-	-	-	-	
10	Service	11	11	-	-	-	-	-	-	-	-	-	3	-	
11	Other specified industry	17	17	-	-	-	-	-	-	-	1	-	4	-	
12	Unspecified industry	21	21	-	-	-	-	-	-	-	1	-	1	-	
13	HOME TOTAL	877	360	517	31	24	39	33	12	23	3	7	3	2	
14	Poisonings (gas excepted)	11	6	5	-	-	3	2	-	-	-	-	-	-	
15	Poisonings by gases and vapors	27	21	6	-	-	-	-	2	1	2	-	-	-	
16	Fire, explosion of combustible material	150	75	75	6	4	15	16	1	9	-	-	-	-	
17	Hot substance, corrosive liquid and steam	4	1	3	-	-	1	1	-	-	-	-	-	-	
18	Mechanical suffocation	24	10	14	9	11	-	2	-	-	-	-	-	-	
19	Firearms	9	6	3	-	-	-	-	1	-	1	1	1	1	
20	Falls on same level	141	40	101	-	-	-	-	-	-	-	-	-	-	
21	Falls to different level or unspecified	408	151	257	3	2	2	2	3	3	-	1	1	-	
22	Other specified home accidents	88	43	45	11	5	16	8	3	8	-	5	1	1	
23	Unspecified home accidents	15	7	8	2	2	2	2	2	2	-	-	-	-	
24	MOTOR-VEHICLE TOTAL	661	462	199	2	2	19	6	39	18	62	22	70	14	
25	Injury to pedestrian	224	146	78	-	-	17	4	25	15	8	2	1	1	
26	Collision with other motor vehicle	147	90	56	1	1	1	2	2	1	11	5	18	4	
27	Collision with railroad train	2	2	-	-	-	-	-	-	-	-	-	2	-	
28	Collision with streetcar	-	-	-	-	-	-	-	-	-	-	-	-	-	
29	Injury to rider of bicycle	8	7	1	-	-	-	-	6	1	-	-	-	-	
30	Collision with animal-drawn vehicle or animal	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	Collision with fixed object	138	108	30	1	1	-	-	4	-	18	9	24	3	
32	Non-collision	101	82	19	-	-	-	-	2	1	19	4	17	3	
33	Other and unspecified accident	42	27	15	-	-	1	-	-	-	6	2	8	3	
34	PUBLIC NONMOTOR-VEHICLE TOTAL	569	341	228	2	5	11	5	41	10	33	7	22	4	
35	Railroad—not with motor vehicle	19	14	5	-	-	3	1	1	-	1	-	1	-	
36	Streetcar—not with motor vehicle	2	2	-	-	-	-	-	-	-	-	-	-	-	
37	Other vehicle—not with motor vehicle	3	2	1	-	-	-	-	-	-	-	-	1	-	
38	Water transportation	25	23	2	-	-	-	-	-	-	4	-	5	1	
39	Air transportation	30	25	5	-	-	2	-	-	-	4	1	3	1	
40	Fire, explosion of combustible material	20	18	2	-	1	1	-	1	-	-	-	-	-	
41	Hot substance, corrosive liquid and steam	3	3	-	-	-	-	-	-	-	-	-	-	-	
42	Drowning	90	75	15	-	-	2	2	30	6	12	1	5	1	
43	Firearms	12	12	-	-	-	-	-	2	-	2	-	2	-	
44	Falls on same level	99	43	56	-	-	-	-	-	1	1	-	1	-	
45	Falls to different level or unspecified	200	80	120	1	1	-	-	2	2	1	1	1	-	
46	Other specified public accidents	52	34	18	1	3	3	1	4	1	6	3	3	1	
47	Unspecified public accidents	14	10	4	-	-	-	1	1	-	2	1	-	-	
48	TYPE OF ACCIDENT UNKNOWN	215	142	73	5	3	6	-	6	-	2	1	7	3	

¹ Allocated.

TYPE OF ACCIDENT, BY AGE AND SEX: 1961.

Line No.	AGE OF DECEDENTS (YEARS)																	
	25 to 29		30 to 34		35 to 39		40 to 44		45 to 49		50 to 54		55 to 59		60 to 64		65 and over	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	62	21	58	21	78	17	77	27	56	16	71	39	81	24	75	36	405	627
2	4	-	11	-	10	-	10	-	9	-	10	-	8	-	4	-	7	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
5	-	-	3	-	-	-	-	-	3	-	3	-	2	-	-	-	2	-
6	-	-	3	-	4	-	-	-	1	-	-	-	2	-	1	-	1	-
7	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
10	-	-	1	-	2	-	-	-	1	-	1	-	-	-	1	-	2	-
11	2	-	1	-	1	-	3	-	1	-	1	-	1	-	-	-	2	-
12	1	-	3	-	3	-	5	-	1	-	3	-	2	-	1	-	-	-
13	5	6	5	9	11	5	9	11	8	6	16	13	22	10	23	14	173	354
14	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-
15	2	1	-	1	4	-	1	-	1	-	3	-	1	-	1	1	4	2
16	2	3	2	2	3	2	5	4	4	3	1	5	7	3	4	2	25	22
17	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
19	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	2	35	97
21	-	1	2	5	3	3	3	5	2	-	8	5	12	4	14	8	98	218
22	-	-	-	1	-	-	-	2	-	1	1	-	-	-	1	1	10	13
23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
24	27	11	22	6	33	6	32	13	21	8	19	14	23	9	19	13	74	57
25	1	1	2	1	9	2	6	3	13	2	7	3	6	4	5	3	46	37
26	3	4	10	2	7	1	6	6	5	4	4	6	9	5	6	5	7	10
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	11	2	6	2	12	1	10	3	1	1	4	1	3	-	4	3	10	4
32	9	3	4	-	2	1	10	1	2	1	2	1	4	-	3	1	8	3
33	3	1	-	1	3	1	-	-	-	-	2	3	1	-	-	1	3	3
34	18	2	13	5	16	3	20	2	11	1	16	6	16	4	21	7	101	167
35	3	-	1	1	1	-	1	-	-	-	1	1	1	1	-	-	1	1
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
38	3	-	3	1	-	-	1	-	1	-	-	-	2	-	2	-	2	-
39	6	-	1	3	3	-	3	-	2	-	1	-	-	-	-	-	-	-
40	3	-	-	-	-	-	2	-	1	-	-	-	2	-	1	-	7	1
41	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
42	1	1	2	-	6	-	2	-	3	1	1	2	3	-	2	1	6	-
43	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
44	1	1	2	-	2	1	1	-	1	-	1	1	4	1	7	2	22	49
45	1	-	1	-	-	2	5	1	1	-	7	2	2	1	7	4	51	106
46	-	-	1	-	2	-	3	1	-	-	3	-	1	1	2	-	5	7
47	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	5	2
48	8	2	7	1	8	3	6	1	7	1	10	6	12	1	8	2	50	49

Table 18

DEATHS¹ PRODUCED BY EXTERNAL CAUSES: 1937 TO 1961.

YEARS.	Total Accidents.	Traumatism by fall.	Auto-mobile (including rail-road and street-car collisions).	Drown-ing.	Burns. ²	Absorp-tion of poison-ous gas.	Exces-sive heat.	Exces-sive cold.	Suicide.	Homi-cide.
1937	3,014	1,037	864	265	113	67	72	19	642	85
1938	2,943	1,207	658	295	116	79	11	13	586	61
1939	2,750	1,266	630	211	123	72	14	12	570	61
1940	2,677	1,137	646	201	129	67	3	8	570	69
1941	2,806	1,178	727	155	133	64	12	6	545	65
1942	3,129	1,173	542	186	120	61	5	20	505	57
1943	3,111	1,323	485	199	144	103	35	19	444	33
1944	2,804	1,107	503	196	134	107	40	16	440	55
1945	2,820	1,221	513	170	129	109	2	17	483	58
1946	2,836	1,234	575	148	92	111	8	19	465	68
1947	2,803	1,257	531	166	103	84	10	16	508	66
1948	2,674	1,289	459	144	89	79	55	11	478	53
1949	2,509	1,204	497	166	153	101	29	10	521	48
1950	2,467	1,163	573	141	132	93	-	8	504	62
1951	2,553	1,242	561	193	142	67	-	8	464	48
1952	2,447	1,153	549	185	206	48	20	7	419	47
1953	2,626	1,163	610	185	179	43	10	3	365	57
1954	2,523	1,262	586	146	158	31	2	11	382	45
1955	2,477	1,185	640	156	178	31	6	9	416	56
1956	2,497	1,242	605	121	178	34	4	11	417	60
1957	2,401	1,182	549	130	181	28	3	2	398	66
1958	2,392	1,087	661	137	171	31	3	4	420	49
1959	2,373	1,120	608	149	165	23	5	8	409	56
1960	2,314	1,020	621	104	197	38	-	1	421	64
1961	2,315	1,041	614	134	195	13	4	-	442	73

¹ Allocated since 1935.² Conflagration excepted up to and including 1948.

Table 19

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE.
NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR
IS THE MEDIAN YEAR: CENSUS YEARS 1930 TO 1955.

YEARS.	All causes. ²	Scarlet fever.	Diph-theria and croup.	Tuber-culosis of the respira-tory system.	Mea-sles.	Cancer.	Dia-betes.	Heart Disease.	Ne-phritis.
1930	1,181.9	2.4	4.3	56.5	3.0	136.9	24.5	279.0	85.6
1935	1,167.2	1.5	1.0	42.5	1.0	149.9	30.9	347.8	75.6
1940	1,150.1	.4	.3	34.5	.3	163.3	34.9	403.0	65.1
1945	1,150.3	.2	.4	35.3	.3	170.9	35.2	429.2	50.7
1950	1,109.2	-.3	.4	20.4	.2	182.8	25.5	463.9	23.7
1955	1,085.5	-.3	-.3	9.0	.1	191.7	19.9	461.7	9.8

¹ This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.² Exclusive of stillbirths.³ Less than one-tenth of one per 100,000 population.

Abbreviated List No.	Table 20 CAUSE OF DEATH. ¹	NUMBER OF ALLOCATED DEATHS.*				
		1961.	1960.	1959.	1958.	1957.
	All Causes. ²	55,704	56,560	54,655	54,792	54,658
(1)	Tuberculosis of the respiratory system (1-8)	269	280	320	305	371
(2)	All other forms of tuberculosis (10-19)	10	22	19	9	15
(3)	Syphilis (20-29)	30	46	69	82	95
(4)	Typhoid fever (40)	-	1	-	-	-
(5)	Dysentery (45-48)	2	1	-	1	2
(6)	Scarlet fever and streptococcal sore throat (50, 51)	-	1	3	1	3
(7)	Diphtheria (55)	1	-	-	-	1
(8)	Whooping cough (56)	-	1	-	2	1
(9)	Meningococcal infections (57)	21	19	27	25	20
(10)	Acute poliomyelitis (80)	1	4	6	2	3
(11)	Measles (85)	-	6	-	4	5
(12)	Malaria (110-117)	-	-	-	1	-
(13)	Infectious hepatitis (92)	19	19	23	24	25
(14)	All other diseases classified as infective and parasitic (residual)	106	119	141	116	102
(15)	Malignant neoplasms (140-205)	9,704	9,626	9,319	9,526	9,634
(16)	Benign and unspecified neoplasms (210-239)	116	129	144	152	161
(17)	Diabetes mellitus (260)	930	971	922	894	814
(18)	Anemias (290-293)	74	69	85	83	78
(19)	Vascular lesions affecting central nervous system (330-334)	6,026	6,081	5,839	6,063	5,911
(20)	Nonmeningococcal meningitis (340)	74	89	88	82	70
(21)	Rheumatic fever (400-402)	22	12	25	13	15
(22)	Chronic rheumatic heart disease (410-416)	670	669	675	653	738
(23)	Arteriosclerotic and degenerative heart disease (420-422)	26,153	20,396	19,887	19,842	19,716
(24)	Other diseases of heart (430-434)	829	758	747	723	633
(25)	Hypertension with heart disease (440-443)	1,619	1,850	1,812	1,957	1,937
(26)	Hypertension without mention of heart (444-447)	338	376	340	408	292
(27)	Influenza (480-483)	12	78	31	25	83
(28)	Pneumonia (490-493)	2,205	2,647	2,185	2,123	2,055
(29)	Bronchitis (500-502)	107	179	123	139	121
(30)	Ulcer of stomach and duodenum (540, 541)	394	427	395	390	390
(31)	Appendicitis (550-553)	50	49	51	60	52
(32)	Intestinal obstruction and hernia (560, 561, 570)	345	304	311	302	283
(33)	Gastritis, duodenitis, enteritis, and colitis except diarrhea of newborn (543, 571, 572)	149	187	202	175	156
(34)	Cirrhosis of the liver (581)	863	878	794	711	801
(35)	Nephritis and nephrosis (590-594)	389	339	350	359	427
(36)	Hyperplasia of prostate (610)	102	100	103	102	101
(37)	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	17	27	22	24	10
(38)	Congenital malformations (750-759)	552	578	589	620	596
(39)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	590	594	561	624	649
(40)	Infections of the newborn (763-768)	98	99	121	107	119
(41)	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	821	853	958	826	928
(42)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	350	239	186	225	215
(43)	Arteriosclerosis (450)	1,192	1,184	1,119	1,171	1,106
(44)	All other diseases (residual)	3,622	3,456	3,225	2,980	3,057
(45)	Motor-vehicle accidents (810-835)	608	600	592	632	549
(46)	Railroad accidents and injuries (800-802)	6	21	16	29	22
(47)	Air-transport accidents (860-866)	19	39	10	17	26
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	195	196	165	171	181
(49)	Accidental drowning (850, 851-929)	153	123	149	144	132
(50)	Accidental falls (transport accidents excepted) (900-904)	1,041	1,020	1,120	1,087	1,182
(51)	All other accidents	294	315	321	312	309
(52)	Suicide and self-inflicted injury (963, 970-979)	442	421	409	420	398
(53)	Homicide and operations of war (964, 965, 980-985, 990-999)	74	64	56	49	68

¹ The title or titles of the Detailed International List that are included under each heading are shown by numbers in parentheses.

Abbreviated List No.	DEATH RATES ² PER 100,000 POPULATION.					PER CENT DISTRIBUTION.				
	1961.	1960.	1959.	1958.	1957.	1961.	1960.	1959.	1958.	1957.
(1)	1,070.0	1,096.2	1,098.1	1,107.8	1,112.0	100.0	100.0	100.0	100.0	100.0
(2)	5.1	5.4	6.4	6.2	7.5	.5	.5	.6	.6	.7
(3)	.2	.4	.4	.2	.3	— ⁴	— ⁴	— ⁴	— ⁴	— ⁴
(4)	.6	.9	1.4	1.6	1.9	.1	.1	.1	.1	.2
(5)	—	— ³	—	—	—	—	— ⁴	—	—	—
(6)	—	— ³	—	— ³	— ³	— ⁴	— ⁴	—	— ⁴	—
(7)	—	— ³	.1	— ³	.1	—	— ⁴	— ⁴	— ⁴	—
(8)	—	—	—	—	— ³	— ⁴	—	—	—	—
(9)	—	— ³	—	— ³	— ³	—	— ⁴	—	— ⁴	—
(10)	.4	.4	.5	.5	.4	— ⁴	— ⁴	.1	— ⁴	— ⁴
(12)	—	.1	.1	— ³	.1	— ⁴	— ⁴	— ⁴	— ⁴	—
(14)	—	.1	—	.1	.1	—	— ⁴	—	— ⁴	—
(16)	—	—	—	— ³	—	—	—	—	— ⁴	—
(17)	.4	.4	.5	.5	.5	— ⁴	— ⁴	— ⁴	— ⁴	.1
(17)	2.0	2.3	2.8	2.3	2.1	.2	.2	.3	.2	.2
(18)	186.4	186.6	187.2	192.6	196.0	17.4	17.0	17.1	17.4	17.6
(19)	2.2	2.5	2.9	3.1	3.3	.2	.2	.3	.3	.3
(20)	17.9	18.8	18.5	18.1	16.6	1.7	1.7	1.7	1.6	1.5
(21)	1.4	1.3	1.7	1.7	1.6	.1	.1	.2	.2	.1
(22)	115.8	117.9	117.3	122.6	120.3	10.8	10.8	10.7	11.1	10.8
(23)	1.4	1.7	1.8	1.6	1.4	.1	.2	.2	.1	.1
(24)	.4	.2	.5	.3	.3	— ⁴	— ⁴	— ⁴	.2	.3
(25)	12.9	13.0	13.6	13.2	15.0	1.2	1.1	1.2	1.2	1.4
(26)	387.1	395.3	399.6	401.2	401.1	36.1	36.1	36.4	36.2	36.1
(27)	15.9	14.7	15.0	14.6	12.9	1.5	1.4	1.4	1.3	1.2
(28)	31.1	35.9	36.4	39.6	39.4	3.0	3.3	3.3	3.6	3.5
(29)	6.5	7.3	6.8	8.2	5.9	.6	.7	.6	.7	.5
(30)	.2	1.5	.6	.5	1.7	— ⁴	.1	.1	—	.2
(31)	42.4	51.3	43.9	42.9	41.8	4.0	4.7	4.0	3.9	3.8
(32)	2.1	3.5	2.5	2.8	2.5	.2	.3	.2	.3	.2
(33)	7.5	8.3	7.9	7.9	7.9	.7	.8	.7	.7	.7
(34)	1.0	1.0	1.0	1.2	1.1	.1	.1	.1	.1	.1
(35)	6.6	5.9	6.3	6.1	5.8	.6	.5	.6	.6	.5
(36)	2.9	3.6	4.1	3.5	3.2	.3	.3	.4	.3	.3
(37)	15.6	17.0	16.0	14.4	16.3	1.6	1.6	1.5	1.3	1.5
(38)	7.5	6.6	7.0	7.3	8.7	.7	.6	.6	.7	.8
(39)	2.0	1.9	2.1	2.1	2.0	.2	.2	.2	.2	.2
(40)	.3	.5	.4	.5	.2	— ⁴	— ⁴	— ⁴	— ⁴	— ⁴
(41)	10.6	11.2	11.8	12.5	12.1	1.0	1.0	1.1	1.1	1.1
(42)	11.3	11.5	11.3	12.6	13.2	1.1	1.1	1.0	1.1	1.2
(43)	1.9	1.9	2.4	2.2	2.4	.2	.2	.2	.2	.2
(44)	15.8	16.5	19.2	16.7	18.9	1.5	1.5	1.8	1.5	1.7
(45)	6.7	4.6	3.7	4.5	4.4	.6	.4	.3	.4	.4
(46)	23.0	22.9	22.5	23.7	22.5	2.1	2.1	2.0	2.1	2.0
(46)	69.6	67.0	64.8	60.3	62.2	6.5	6.1	5.9	5.4	5.6
(47)	11.7	11.6	12.0	12.8	11.2	1.1	1.1	1.1	1.2	1.0
(48)	.1	.4	.3	.6	.4	— ⁴	— ⁴	— ⁴	— ⁴	— ⁴
(48)	.4	.8	.2	.3	.5	.1	.1	— ⁴	— ⁴	.1
(48)	3.7	3.8	3.3	3.5	3.7	.3	.3	.3	.3	.3
(48)	2.9	2.4	3.0	2.9	2.7	.3	.2	.3	.3	.2
(48)	20.0	19.8	22.5	22.0	24.0	1.9	1.8	2.0	2.0	2.2
(48)	5.6	6.1	6.5	6.3	6.3	.5	.6	.6	.6	.6
(49)	8.5	8.2	8.2	8.5	8.1	.8	.8	.7	.8	.7
(50)	1.4	1.2	1.1	1.0	1.4	.1	.1	.1	.1	.1

² Exclusive of stillbirths.³ Less than one-tenth of 1 per 100,000.⁴ Less than one-tenth of 1 per cent.

Table 21

DEATHS AND DEATH RATES

NUMBER OF DEATHS¹ AND DEATH

YEARS.	Diseases of the Heart.		Cancer.		Cerebral Hemorrhage.		Lobar Pneumonia.		Nephritis.		Tuberculosis (All forms).		Pulmonary Tuberculosis.	
		Rate.		Rate.		Rate.		Rate.		Rate.		Rate.		Rate.
1937 . . .	16,233	368.6	6,669	151.4	4,350	98.8	1,846	41.9	3,128	71.0	1,887	42.8	1,761	40.0
1938 . . .	16,296	368.2	6,875	155.3	4,292	97.0	1,312	29.5	3,010	68.0	1,675	37.9	1,536	34.7
1939 . . .	17,604	395.8	6,914	155.5	4,504	101.3	1,211	27.2	2,916	65.6	1,662	36.0	1,505	33.8
1940 . . .	18,148	420.4	7,219	167.2	4,642	107.5	925	21.4	3,016	69.9	1,598	37.1	1,484	34.4
1941 . . .	18,130	419.2	7,311	169.0	4,562	105.5	860	19.9	2,680	62.0	1,633	37.8	1,521	35.2
1942 . . .	17,864	412.4	7,350	169.7	4,670	107.8	749	17.3	2,668	60.2	1,619	37.4	1,501	34.7
1943 . . .	19,807	456.5	7,401	170.6	4,920	113.4	967	22.3	2,744	63.2	1,806	41.6	1,697	39.1
1944 . . .	18,922	435.4	7,557	173.9	4,708	108.3	764	17.6	2,403	55.3	1,696	39.0	1,612	37.1
1945 . . .	18,856	417.9	7,742	171.6	4,917	109.9	622	13.8	2,255	50.0	1,636	36.2	1,557	34.5
1946 . . .	19,214	422.4	7,759	170.6	4,750	104.4	592	13.0	2,036	44.8	1,674	36.8	1,592	35.0
1947 . . .	20,030	436.7	8,091	176.4	4,655	101.5	500	10.9	2,003	43.7	1,584	34.5	1,495	32.6
1948 . . .	20,830	450.5	8,465	183.1	4,892	105.8	494	10.7	1,867	40.4	1,361	29.4	1,279	27.7
1949 . . .	21,241	455.8	8,430	180.9	5,286	113.4	318	6.8	684	14.7	1,123	24.1	1,064	22.8
1950 . . .	21,352	454.3	8,597	182.9	5,427	115.5	200	4.3	732	15.6	1,065	21.4	948	20.2
1951 . . .	22,930	484.0	8,666	182.9	5,660	119.5	248	5.2	728	15.4	895	18.9	840	17.7
1952 . . .	22,434	469.9	8,710	182.4	3,831	80.2	260	5.4	702	14.7	703	14.7	660	13.8
1953 . . .	22,498	467.5	8,876	184.5	3,622	75.3	220	4.6	525	10.9	540	11.2	502	10.4
1954 . . .	21,912	451.9	9,243	190.6	3,433	70.8	215	4.4	490	10.1	499	10.3	460	9.5
1955 . . .	22,478	463.2	9,475	195.2	3,560	73.4	249	5.1	480	9.9	470	9.7	455	9.4
1956 . . .	22,335	457.3	9,376	192.0	3,351	68.6	329	6.7	463	9.5	418	8.6	402	8.2
1957 . . .	23,037	468.7	9,634	196.0	3,485	70.9	384	7.8	427	8.7	386	7.9	371	7.5
1958 . . .	23,840	482.0	9,526	192.6	3,466	70.1	309	6.2	359	7.3	314	6.3	305	6.2
1959 . . .	23,143	465.0	9,319	187.2	3,359	67.5	312	6.3	350	7.0	339	6.8	320	6.4
1960 . . .	23,673	458.8	9,626	186.5	3,327	64.5	316	6.7	339	6.6	302	5.9	280	5.4
1961 . . .	23,271	447.0	9,704	186.4	3,234	62.1	271	5.1	389	7.5	279	5.4	269	5.2

¹ Allocated since 1935.

FROM IMPORTANT CAUSES: 1937 TO 1961

RATES PER 100,000 POPULATION.

Diabetes.		Cerebrospinal (Meningococic) Meningitis.		Polomyelitis.		Cirrhosis of the Liver.		Scarlet Fever.		Whooping Cough.		Diphtheria.	
Rate.		Rate.		Rate.		Rate.		Rate.		Rate.		Rate.	
1,495	33.9	72	1.6	22	.5	436	9.9	38	.9	95	2.2	18	.4
1,436	32.4	18	.4	7	.2	436	9.9	24	.5	35	.8	19	.4
1,506	33.9	17	.4	4	.1	483	10.9	15	.3	45	1.0	15	.3
1,570	36.4	15	.3	2	-. ²	401	9.3	19	.4	22	.5	8	.2
1,544	35.7	25	.6	6	.1	511	11.8	13	.3	40	.9	12	.3
1,558	33.0	34	.8	3	.1	580	13.4	10	.2	27	.6	7	.1
1,647	37.9	119	2.7	18	.3	613	14.1	19	.4	38	.9	11	.2
1,562	35.9	81	1.9	17	.4	521	12.0	14	.3	15	.3	10	.2
1,591	33.0	20	.4	22	.5	584	13.0	7	.2	22	.5	10	.2
1,594	35.0	21	.5	19	.4	610	13.4	2	-. ²	16	.4	36	.8
1,643	35.8	12	.3	12	.3	651	14.2	4	.1	15	.3	12	.3
1,718	27.2	16	.4	5	.1	752	16.3	1	-. ²	11	.3	27	.6
1,110	23.8	9	.2	51	1.1	621	13.3	1	-. ²	7	.2	44	.9
1,042	22.2	14	.3	9	.2	672	14.3	-	-	11	.2	8	.2
1,060	22.4	12	.3	11	.2	735	15.5	-	-	3	.1	8	.2
1,041	21.8	20	.4	17	.4	747	15.6	1	-. ²	5	.1	-	-
1,055	21.9	15	.3	28	.6	767	15.9	-	-	-	-	1	-. ²
1,038	21.4	13	.3	18	.4	679	14.0	-	-	1	-. ²	1	-. ²
1,047	21.6	19	.4	175	3.6	727	15.0	-	-	-	-	1	-. ²
887	18.2	18	.4	6	.1	782	16.0	1	-. ²	2	-. ²	3	.1
811	16.6	15	.3	3	.1	861	16.3	-	-	1	-. ²	1	-. ²
894	18.1	15	.3	2	-. ²	711	14.4	1	-. ²	2	-. ²	-	-
922	18.5	14	.3	8	.2	794	16.0	-	-	-	-	-	-
971	18.8	19	.4	4	.1	876	17.0	1	-. ²	1	-. ²	-	-
930	17.9	21	.4	2	-. ²	863	16.6	-	-	-	-	1	-. ²

² Less than one-tenth of 1 per 100,000.

Table 22

COUNTIES AND MUNICIPALITIES. ²	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH COUNTY AND MUNICIPALITY: 1961.				COUNTIES AND MUNICIPALITIES. ²	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH COUNTY AND MUNICIPALITY: 1961.			
		Fe-		Total.				Fe-		Total.	
		Males.	males.	Males.	males.			Males.	males.	Males.	males.
Infant Mortality Rate.	21.9					Dukes County . . .	1	3	1	2	
The State . . .	874	2,478	1,398	1,080		Chilmark . . .	-	-	-	-	
BARNSTABLE COUNTY . . .	16	39	17	22		Edgartown . . .	-	1	1	-	
Barnstable . . .	1	4	1	3		Gay Head . . .	-	-	-	-	
Bourne . . .	3	11	5	6		Gosnold . . .	-	-	-	-	
Brewster . . .	-	1	1	-		Oak Bluffs . . .	-	-	-	-	
Chatham . . .	2	2	-	2		Tisbury . . .	1	2	-	2	
Dennis . . .	2	2	2	-		West Tisbury . . .	-	-	-	-	
Eastham . . .	-	1	1	-		ESSEX COUNTY . . .	84	276	157	119	
Falmouth . . .	3	7	2	5		Amesbury . . .	-	4	3	3	
Harwich . . .	2	4	2	2		Andover . . .	1	6	3	3	
Mashpee . . .	1	1	1	-		BEVERLY . . .	2	13	6	7	
Orleans . . .	1	1	-	1		Boxford . . .	-	2	1	1	
Provincetown . . .	-	-	-	-		Danvers . . .	4	10	7	3	
Sandwich . . .	-	1	1	-		Essex . . .	-	-	-	-	
Truro . . .	-	-	-	-		Georgetown . . .	-	2	1	1	
Wellfleet . . .	-	-	-	-		GLOUCESTER . . .	7	21	11	10	
Yarmouth . . .	1	4	2	2		Groveland . . .	-	2	-	2	
BERKSHIRE COUNTY . . .	31	80	36	44		Hamilton . . .	-	1	-	1	
Adams . . .	3	8	7	1		Haverhill . . .	8	25	15	10	
Alford . . .	-	-	-	-		Ipswich . . .	1	3	2	1	
Becket . . .	-	-	-	-		LAWRENCE . . .	13	36	22	14	
Cheshire . . .	-	-	-	-		LYNN . . .	15	47	30	17	
Clarksburg . . .	-	-	-	-		Lynnfield . . .	-	2	1	1	
Dalton . . .	1	3	2	1		Manchester . . .	-	4	3	1	
Egremont . . .	-	2	1	1		Marblehead . . .	4	9	7	2	
Florida . . .	-	-	-	-		Merrimac . . .	1	3	1	2	
Great Barrington . . .	1	2	1	1		Methuen . . .	6	11	7	4	
Hancock . . .	-	1	1	-		Middleton . . .	1	3	1	2	
Hinsdale . . .	-	1	-	1		Nahant . . .	-	2	2	-	
Lanesborough . . .	2	3	2	1		Newbury . . .	2	1	1	-	
Lee . . .	1	3	1	2		NEWBURYPORT . . .	-	8	2	6	
Lenox . . .	-	3	1	2		North Andover . . .	1	3	2	1	
Monterey . . .	-	-	-	-		PEABODY . . .	8	21	12	9	
Mount Washington . . .	-	1	-	1		Rockport . . .	-	1	-	1	
New Ashford . . .	-	-	-	-		Rowley . . .	-	1	1	-	
New Marlborough . . .	-	-	-	-		SALEM . . .	3	16	10	6	
NORTH ADAMS . . .	1	4	1	3		Salisbury . . .	-	-	-	-	
Otis . . .	-	1	-	1		Saugus . . .	4	10	2	8	
Peru . . .	1	-	-	-		Swampscott . . .	2	6	5	1	
PITTSFIELD . . .	19	38	16	22		Topsfield . . .	-	1	-	1	
Richmond . . .	-	1	1	-		Wenham . . .	1	1	1	-	
Sandisfield . . .	-	1	1	-		West Newbury . . .	-	1	-	1	
Savoy . . .	-	-	-	-		FRANKLIN COUNTY . . .	5	18	10	8	
Sheffield . . .	-	1	1	-		Ashfield . . .	-	-	-	-	
Stockbridge . . .	-	1	-	1		Barnardston . . .	-	-	-	-	
Tyringham . . .	-	-	-	-		Buckland . . .	-	-	-	-	
Washington . . .	-	-	-	-		Charlemont . . .	-	-	-	-	
West Stockbridge . . .	-	1	-	1		Colrain . . .	-	-	-	-	
Williamstown . . .	2	5	-	5		Conway . . .	1	1	-	1	
Windsor . . .	-	-	-	-		Deerfield . . .	-	-	-	-	
BRISTOL COUNTY . . .	123	172	85	87		Erving . . .	-	-	-	-	
Acushnet . . .	-	2	-	2		Gill . . .	-	-	-	-	
ATTLEBORO . . .	-	15	11	4		Greenfield . . .	2	6	3	3	
Berkley . . .	-	-	-	-		Hawley . . .	-	-	-	-	
Dartmouth . . .	5	6	4	2		Heath . . .	-	-	-	-	
Dighton . . .	1	1	1	-		Leverett . . .	-	-	-	-	
Easton . . .	5	7	1	6		Leyden . . .	-	-	-	-	
Fairhaven . . .	2	3	2	1		Monroe . . .	-	-	-	-	
FALL RIVER . . .	38	41	29	12		Montague . . .	2	6	4	2	
Freetown . . .	-	-	-	-		New Salem . . .	-	-	-	-	
Mansfield . . .	3	5	2	3		Northfield . . .	-	1	1	-	
NEW BEDFORD . . .	27	36	20	16		Orange . . .	-	3	1	2	
North Attleborough . . .	8	11	1	10		Rowe . . .	-	-	-	-	
Norton . . .	4	4	4	-		Shelburne . . .	-	1	1	-	
Raynham . . .	1	1	-	1		Shutesbury . . .	-	-	-	-	
Rehoboth . . .	4	10	-	10		Sunderland . . .	-	-	-	-	
Seekonk . . .	5	3	-	3		Warwick . . .	-	-	-	-	
Somerset . . .	3	4	-	4		Wendell . . .	-	-	-	-	
Swansea . . .	4	4	2	2		Whately . . .	-	-	-	-	
TAUNTON . . .	11	17	8	9		HAMPDEN COUNTY . . .	67	216	140	76	
Westport . . .	2	2	-	2		Agawam . . .	2	10	7	3	
						Blandford . . .	-	-	-	-	
						Brimfield . . .	-	2	1	1	
						Chester . . .	-	-	-	-	
						CHICOPEE . . .	13	35	21	14	

¹ Exclusive of stillbirths.² Counties and Cities are printed in small capitals.

Table 22

Table 22 COUNTIES AND MUNICIPALITIES. ²	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH COUNTY AND MUNICIPALITY: 1961.				COUNTIES AND MUNICIPALITIES. ²	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH COUNTY AND MUNICIPALITY: 1961.			
		Fe- Total. Males. males.						Fe- Total. Males. males.			
East Longmeadow	1	3	1	2	Sherborn . . .	-	2	1	1		
Granville . . .	-	-	-	-	Shirley . . .	2	7	3	4		
Hampden . . .	-	-	-	-	SOMERVILLE . . .	17	48	26	22		
Holland . . .	-	1	-	1	Stoneham . . .	3	7	2	5		
HOLYOKE . . .	14	30	20	10	Stow . . .	-	-	-	-		
Longmeadow . . .	-	3	-	3	Sudbury . . .	1	4	2	2		
Ludlow . . .	-	2	2	-	Tewksbury . . .	4	18	13	5		
Monson . . .	1	2	1	1	Townsend . . .	-	-	-	-		
Montgomery . . .	-	-	-	-	Tyngsborough . . .	-	-	-	-		
Palmer . . .	1	5	4	1	Wakefield . . .	2	9	5	4		
Russell . . .	-	-	-	-	WALTHAM . . .	11	32	22	10		
Southwick . . .	-	5	4	1	Watertown . . .	3	12	7	5		
SPRINGFIELD . . .	27	88	59	29	Wayland . . .	2	6	4	2		
Tolland . . .	-	-	-	-	Westford . . .	-	2	-	2		
Wales . . .	-	-	-	-	Weston . . .	1	4	-	4		
West Springfield . . .	4	12	8	4	Wilmington . . .	1	9	4	5		
WESTFIELD . . .	3	15	9	6	Winchester . . .	3	10	5	5		
Wilbraham . . .	1	3	3	-	Woburn . . .	8	18	11	7		
HAMPSHIRE COUNTY	15	50	22	28	NANTUCKET COUNTY	-	1	-	1		
Amherst . . .	1	5	2	3	NORFOLK COUNTY . . .	73	204	147	57		
Belchertown . . .	1	1	-	1	Avon . . .	1	4	4	-		
Chesterfield . . .	-	-	-	-	Bellingham . . .	1	1	1	-		
Cummington . . .	-	-	-	-	Braintree . . .	6	11	9	2		
Easthampton . . .	3	5	3	2	Brookline . . .	3	10	7	3		
Goshen . . .	-	-	-	-	Canton . . .	4	5	3	2		
Granby . . .	1	2	-	2	Cohasset . . .	-	3	-	3		
Hadley . . .	1	1	-	1	Dedham . . .	6	10	8	2		
Hatfield . . .	-	-	-	-	Dover . . .	-	-	-	-		
Huntington . . .	-	-	-	-	Foxborough . . .	1	3	2	1		
Middlefield . . .	-	-	-	-	Franklin . . .	-	8	6	2		
MIDDLESEX COUNTY	2	13	8	5	Holbrook . . .	2	5	4	1		
Pelham . . .	-	1	-	1	Medfield . . .	-	5	3	2		
Plainfield . . .	-	-	-	-	Medway . . .	2	6	6	-		
South Hadley . . .	3	11	4	7	Millis . . .	3	4	4	-		
Southampton . . .	-	2	-	2	Milton . . .	1	5	4	1		
Ware . . .	2	6	4	2	Needham . . .	1	8	7	1		
Westhampton . . .	-	-	-	-	Norfolk . . .	2	3	1	2		
Williamsburg . . .	1	3	1	2	Norwood . . .	4	8	6	2		
Worthington . . .	-	-	-	-	Plainville . . .	1	2	2	-		
MIDDLESEX COUNTY	199	596	330	266	QUINCY . . .	11	36	23	13		
Acton . . .	3	6	2	4	Randolph . . .	5	12	8	4		
Arlington . . .	7	14	6	8	Sharon . . .	1	2	2	-		
Ashby . . .	-	-	-	-	Stoughton . . .	3	9	7	2		
Ashland . . .	7	8	4	4	Walpole . . .	2	3	3	-		
Ayer . . .	-	7	5	2	Wellesley . . .	2	5	5	-		
Bedford . . .	4	9	5	4	Westwood . . .	1	5	3	2		
Belmont . . .	1	6	2	4	Weymouth . . .	10	27	18	9		
Billerica . . .	5	12	9	3	Wrentham . . .	-	4	1	3		
Boxborough . . .	-	1	-	1	PLYMOUTH COUNTY	46	130	70	60		
Burlington . . .	3	11	5	6	Abington . . .	1	7	4	3		
CAMBRIDGE . . .	14	44	27	17	Bridgewater . . .	1	2	2	-		
Carlisle . . .	-	-	-	-	BROCKTON . . .	11	40	22	18		
Chelmsford . . .	2	9	2	7	Carver . . .	1	1	-	1		
Concord . . .	2	5	3	2	Duxbury . . .	-	2	1	1		
Dracut . . .	1	8	5	3	East Bridgewater . . .	2	5	2	3		
Dunstable . . .	1	2	-	2	Halifax . . .	1	1	-	1		
EVERETT . . .	5	18	9	9	Hanover . . .	1	3	2	1		
Framingham . . .	10	23	14	9	Hanson . . .	1	4	1	3		
Groton . . .	1	1	-	1	Hingham . . .	-	3	3	-		
Holliston . . .	-	3	1	2	Hull . . .	1	4	2	2		
Hopkinton . . .	-	1	-	1	Kingston . . .	2	3	1	2		
Hudson . . .	1	7	5	2	Lakeville . . .	2	2	-	2		
Lexington . . .	2	8	5	3	Marion . . .	-	1	1	-		
Lincoln . . .	-	2	1	1	Marshfield . . .	1	2	1	1		
Littleton . . .	-	2	2	-	Mattapoisett . . .	-	-	-	-		
LOWELL . . .	15	54	30	24	Middleborough . . .	4	8	5	3		
MALDEN . . .	9	23	12	11	Norwell . . .	1	2	-	2		
MARLBOROUGH . . .	7	21	14	7	Pembroke . . .	-	4	2	2		
Maynard . . .	1	2	-	2	Plymouth . . .	3	6	4	2		
MEDFORD . . .	9	25	12	13	Plympton . . .	-	-	-	-		
MELROSE . . .	4	16	11	5	Rochester . . .	-	-	-	-		
Natick . . .	5	11	7	4	Rockland . . .	3	6	3	3		
NEWTON . . .	15	28	18	10	Scituate . . .	4	8	5	3		
North Reading . . .	4	8	5	3	Wareham . . .	4	9	3	6		
Pepperell . . .	-	5	1	4	West Bridgewater . . .	-	-	-	-		
Reading . . .	3	8	3	5	Whitman . . .	2	7	6	1		

¹ Exclusive of stillbirths.² Counties and Cities are printed in small capitals.

Table 22

COUNTIES AND MUNICIPALITIES. ²	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH COUNTY AND MUNICIPALITY: 1961.			COUNTIES AND MUNICIPALITIES. ²	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH COUNTY AND MUNICIPALITY: 1961.		
		Total.	Males.	Fe- males.			Total.	Males.	Fe- males.
SUFFOLK COUNTY . .	119	415	241	174	Milford . .	1	7	3	4
BOSTON	106	372	210	162	Millbury . .	4	6	5	1
CHELSEA	6	17	12	5	Millville . .	-	-	-	-
REVERE	5	16	12	4	New Braintree . .	-	-	-	-
Winthrop	2	10	7	3	North Brookfield . .	1	3	1	2
WORCESTER COUNTY	96	279	142	137	Northborough . .	1	6	1	5
Ashburnham . .	1	1	-	1	Northbridge . .	1	1	1	-
Athol	1	3	2	1	Oakham	-	-	-	-
Auburn	1	6	5	1	Oxford	1	3	3	-
Barre	-	1	1	-	Paxton	1	3	2	1
Berlin	-	1	1	-	Petersham	-	-	-	-
Blackstone . .	-	4	2	2	Philipston	1	1	-	1
Bolton	-	1	-	1	Princeton	-	1	1	-
Boylston	1	1	-	1	Royalston	-	1	1	-
Brookfield . .	-	2	-	2	Rutland	-	1	1	-
Charlton	1	3	3	-	Shrewsbury	4	7	4	3
Clinton	4	8	3	5	Southborough . .	-	-	-	-
Douglas	-	-	-	-	Southbridge	2	9	5	4
Dudley	3	5	2	3	Spencer	-	3	-	3
East Brookfield	-	-	-	-	Sterling	1	4	-	4
FITCHBURG . . .	5	19	10	9	Sturbridge	-	-	-	-
GARDNER	2	3	2	1	Sutton	3	5	3	2
Grafton	1	4	2	2	Templeton	-	2	-	2
Hardwick	-	-	-	-	Upton	-	1	-	1
Harvard	-	-	-	-	Uxbridge	2	3	1	2
Holden	1	4	3	1	Warren	1	4	2	2
Hopedale	-	-	-	-	Webster	6	10	5	5
Hubbardston . .	-	-	-	-	West Boylston . . .	-	1	-	1
Lancaster	-	1	-	1	West Brookfield . .	1	1	-	1
Leicester	1	1	-	1	Westborough	2	5	3	2
LEOMINSTER . .	10	14	5	9	Westminster	1	3	2	1
Lunenburg . . .	1	2	1	1	Winchendon	1	1	-	1
Mendon	2	3	3	-	WORCESTER	26	100	53	47

¹ Exclusive of stillbirths.² Counties and Cities are printed in small capitals.

Table 23

COUNTIES.	INFANT AND MATERNAL DEATHS ¹ AND DEATH RATES, ¹ FOR THE STATE AND COUNTIES: 1961.			
	Total deaths ² under 1 year of age.	Per 1,000 live births. ¹	All puerperal causes.	Per 10,000 live births. ¹
The State.	2,517	21.9	-	-
Barnstable	39	19.8	-	-
Berkshire	82	25.6	-	-
Bristol	175	21.6	-	-
Dukes	3	34.0	-	-
Essex	281	22.2	-	-
Franklin	18	16.9	-	-
Hampden	219	23.8	-	-
Hampshire	51	26.2	-	-
Middlesex	603	20.8	-	-
Nantucket	1	13.2	-	-
Norfolk	212	19.8	-	-
Plymouth	133	20.9	-	-
Suffolk	416	23.6	-	-
Worcester	284	22.0	-	-

¹ Allocated.² Exclusive of stillbirths.

Table 24 MUNICIPALITIES. (Grouped in order of population, 1960.)	INFANT DEATHS ¹ PER 1,000 LIVE BIRTHS IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1960: 1954 TO 1961.							
	1961.	1960.	1959.	1958.	1957.	1956.	1955.	1954.
The State. ²	22	22	23	22	23	23	22	23
OVER 100,000								
Boston	24	24	28	25	25	28	26	25
Worcester	26	26	22	27	23	22	27	27
Springfield	25	24	22	20	26	22	22	24
Cambridge	20	29	22	28	26	22	25	23
New Bedford	18	18	25	22	24	21	23	24
50,000 to 100,000								
Fall River	22	21	23	20	27	30	24	28
Somerville	20	20	27	23	21	25	21	22
Lynn	24	25	26	19	17	24	20	20
Newton	19	20	16	13	19	21	20	14
Lowell	25	23	28	24	29	21	26	25
Quincy	17	23	24	18	25	28	24	29
Brockton	20	26	26	18	21	22	22	30
Lawrence	25	21	24	19	18	39	18	19
Medford	18	24	22	21	19	11	25	23
Chicopee	25	19	17	17	26	23	22	17
Pittsfield	29	17	26	23	25	18	21	30
Malden	18	20	20	20	28	20	19	26
Waltham	22	20	23	16	19	20	18	24
Brookline	15	25	21	21	13	27	19	33
Holyoke	25	26	27	28	20	22	20	25
25,000 to 50,000								
Arlington	13	14	15	24	24	15	19	13
Weymouth	23	23	24	28	17	20	20	25
Haverhill	23	30	24	26	25	16	17	28
Framingham	18	21	14	19	25	26	32	29
Everett	20	18	24	25	20	22	27	17
Fitchburg	16	29	20	23	28	21	23	15
Taunton	21	22	25	25	19	15	26	28
Revere	19	16	25	24	20	29	23	27
Salem	18	20	24	23	24	18	19	26
Watertown	12	9	19	23	18	22	23	22
Beverly	16	25	24	11	20	26	18	18
Chelsea	23	21	21	32	24	24	33	19
Peabody	24	13	20	14	28	15	19	30
Woburn	19	18	30	18	25	20	20	25
Braintree	22	20	17	13	26	27	32	26
Northampton	28	19	24	14	27	36	13	24
Melrose	27	18	19	16	18	9	25	13
Natick	17	15	19	31	20	31	13	26
Belmont	12	15	12	17	17	22	26	19
Methuen	19	16	25	20	29	31	14	19
Leominster	22	27	31	20	18	24	10	25
Lexington	16	11	18	33	20	8	30	24
Attleboro	22	26	18	11	11	12	29	24
Milton	16	13	19	11	30	15	12	42
Westfield	25	20	25	32	16	22	33	29
Wellesley	14	28	31	17	26	18	21	10
Needham	17	10	20	17	14	17	15	17
Gloucester	38	32	9	29	22	11	15	28
15,000 to 25,000								
West Springfield	21	25	12	23	32	23	12	17
Norwood	15	21	15	9	25	30	13	33
Wakefield	18	8	21	21	20	26	15	44
Dedham	20	32	20	26	17	13	21	15
Danvers	19	21	15	20	28	17	17	23
Saugus	20	10	33	15	26	25	20	35
Winthrop	24	19	28	11	23	11	26	7
North Adams	10	16	17	22	42	37	25	34
Winchester	10	15	42	23	9	28	15	26
Reading	17	21	17	23	23	27	18	-
Gardner	8	12	28	11	19	13	28	26
Randolph	23	15	-	-	-	-	-	-
Marlborough	37	27	30	22	19	26	31	24
Marblehead	22	21	25	17	14	6	15	-
Billerica	24	26	-	-	-	-	-	-
Stoneham	16	26	7	29	20	13	17	-
Greenfield	17	17	34	41	22	31	20	18
Shrewsbury	22	12	-	-	-	-	-	-
Southbridge	30	28	18	19	29	33	30	24
Stoughton	22	26	-	-	-	-	-	-
Tewksbury	41	16	-	-	-	-	-	-
Andover	8	9	-	-	-	-	-	-
Milford	20	14	21	9	19	29	33	41
Agawam	30	19	-	-	-	-	-	-
Hingham	9	51	-	-	-	-	-	-
Chelmsford	20	23	-	-	-	-	-	-

¹ Exclusive of stillbirths.² Allocated.

Table 25

BIRTH RATES,¹ DEATH RATES,¹ NATURAL INCREASE,
INFANT MORTALITY RATES,¹ AND SURVIVORSHIP, IN MUNICIPALITIES
HAVING OVER 15,000 INHABITANTS IN 1960: 1961.

MUNICIPALITIES. (Grouped in order of population, 1960.)	Births ² per 1,000 population.	Deaths ² per 1,000 population.	Natural increase per 1,000 population.	Deaths ² under 1 year per 1,000 births. ²	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births. ²
					112,285	978
The State.	22.0	10.7	11.3	21.9		
OVER 100,000						
Boston	22.5	12.9	9.6	23.8	15,254	976
Worcester	20.3	12.5	7.8	26.1	3,728	974
Springfield	20.8	11.5	9.3	24.6	3,598	975
Cambridge	21.1	11.5	9.6	20.2	2,225	980
New Bedford	19.2	12.9	6.3	18.3	1,929	981
50,000 to 100,000						
Fall River	19.7	11.7	8.0	22.4	1,915	977
Somerville	25.4	11.7	13.7	20.0	2,354	980
Lynn	21.2	13.1	8.1	24.2	1,977	975
Newton	15.5	9.9	5.6	19.3	1,424	980
Lowell	23.8	13.3	10.5	25.0	2,141	975
Quincy	24.2	11.0	13.2	17.3	2,104	982
Brockton	27.2	12.5	14.7	20.0	1,967	980
Lawrence	20.3	13.1	7.2	24.7	1,420	975
Medford	21.2	10.7	10.5	18.2	1,352	982
Chicopee	21.9	7.4	14.5	25.5	1,338	974
Pittsfield	23.5	11.0	12.5	29.0	1,339	971
Malden	21.7	12.1	9.6	18.3	1,228	981
Waltham	25.4	8.6	16.8	22.3	1,400	977
Brookline	12.0	14.3	2.3 ³	15.2	648	985
Holyoke	22.4	13.4	9.0	25.8	1,161	975
25,000 to 50,000						
Arlington	20.4	9.7	10.7	13.5	1,021	986
Weymouth	24.4	7.8	16.6	22.5	1,169	977
Haverhill	23.4	12.5	10.9	22.8	1,071	977
Framingham	28.3	8.4	19.9	17.8	1,266	982
Everett	22.3	10.4	11.9	20.4	961	979
Fitchburg	25.9	10.6	15.3	16.9	1,106	983
Taunton	19.2	11.2	8.0	21.3	782	978
Revere	21.4	9.0	12.4	18.5	845	981
Salem	22.2	13.3	8.9	18.2	862	982
Watertown	26.1	9.9	16.2	11.6	1,021	988
Beverly	23.9	10.2	13.7	15.9	865	984
Chelsea	21.6	11.8	9.8	23.3	711	977
Peabody	26.2	9.7	16.5	24.3	840	976
Woburn	29.0	7.9	21.1	19.4	909	980
Braintree	21.1	8.9	12.2	22.4	654	977
Northampton	16.1	10.1	6.0	28.5	477	971
Melrose	19.1	10.8	8.3	27.7	560	972
Natick	22.2	7.2	15.0	16.8	645	983
Belmont	17.2	10.6	6.6	11.9	496	988
Methuen	20.6	10.0	10.6	18.7	578	981
Leominster	26.1	10.5	15.6	21.6	725	978
Lexington	17.9	5.6	12.3	15.7	501	984
Attleboro	24.1	10.9	13.2	22.5	653	977
Milton	11.6	10.2	1.4	16.1	305	984
Westfield	23.7	10.7	13.0	25.0	585	975
Wellesley	13.8	7.8	6.0	13.6	362	986
Needham	18.3	6.7	11.6	16.6	474	983
Gloucester	22.4	11.1	11.3	37.6	563	962
15,000 to 25,000						
West Springfield	21.5	7.3	14.2	20.8	563	979
Norwood	25.8	8.2	17.6	15.2	647	985
Wakefield	20.7	8.6	12.1	17.5	505	982
Dedham	22.7	8.7	14.0	20.0	539	980
Danvers	25.8	8.3	17.5	19.0	565	981
Saugus	22.8	7.8	15.0	20.8	470	979
Winthrop	20.2	10.8	9.4	24.3	401	975
North Adams	19.8	13.4	6.4	10.0	394	990
Winchester	18.4	10.6	7.8	27.5	353	972
Reading	22.8	8.0	14.8	17.7	443	982
Gardner	18.8	12.1	6.7	8.3	359	992
Randolph	26.3	7.2	19.1	23.5	497	976
Marlborough	29.6	11.3	18.3	36.9	548	963
Marblehead	21.1	10.6	10.5	22.0	399	978
Billerica	32.3	6.8	25.5	23.6	578	976
Stoneham	23.5	8.3	15.2	16.3	422	983
Greenfield	19.0	9.9	9.1	17.6	335	982
Shrewsbury	21.1	6.9	14.2	22.3	351	977
Southbridge	21.8	12.3	9.5	30.1	354	970
Stoughton	24.6	7.7	16.9	22.0	401	978
Tewksbury	26.4	5.5	20.9	41.7	414	958
Andover	46.5	8.4	38.1	8.0	745	992
Milford	21.5	10.6	10.9	20.4	336	980
Agawam	20.4	7.2	13.2	30.6	317	969
Hingham	21.0	9.2	11.8	9.1	326	991
Chelmsford	28.5	10.3	18.2	20.3	434	979

¹ Allocated.² Exclusive of stillbirths.³ Decrease.

Table 26

**INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER
OF THE STATE OUTSIDE OF BOSTON: 1947 TO 1961.**

YEARS.	MASSACHUSETTS.			BOSTON.			REMAINDER OF STATE OUTSIDE BOSTON.		
	Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1,000 live births.		Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1,000 live births.		Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1,000 live births.	
		Num- ber.	births.		Num- ber.	births.		Num- ber.	births.
1947	106,690	3,021	28.3	18,565	671	36.1	88,125	2,350	26.7
1948	98,933	2,614	26.4	17,076	586	34.3	81,857	2,028	24.8
1949	96,041	2,341	24.4	16,498	420	25.5	79,543	1,921	24.2
1950	95,619	2,277	23.8	16,479	419	25.4	79,140	1,858	23.5
1951	99,851	2,184	21.9	16,019	408	25.5	83,832	1,776	21.2
1952	103,936	2,472	23.8	16,823	437	26.0	87,113	2,035	23.4
1953	104,232	2,345	22.5	16,382	383	23.4	87,850	1,962	22.3
1954	107,086	2,490	23.3	16,388	409	25.0	90,698	2,081	22.9
1955	109,610	2,438	22.2	16,464	431	26.2	93,146	2,007	21.5
1956	111,407	2,503	22.5	16,078	444	27.6	95,329	2,059	21.6
1957	115,065	2,646	23.0	16,639	409	24.6	98,426	2,237	22.7
1958	114,563	2,536	22.1	16,280	414	25.4	98,283	2,122	21.6
1959	114,090	2,611	22.8	16,387	415	25.3	97,703	2,196	22.5
1960	114,018	2,492	22.9	15,631	376	24.1	98,387	2,116	21.5
1961	114,763	2,478	21.6	15,627	374	23.9	99,136	2,104	21.2

¹ Allocated.

Table 27

Table 27		SURVIVORS ¹ AT END OF FIRST YEAR OF LIFE: 1936 to 1961.				SURVIVORS ¹ AT END OF FIRST YEAR OF LIFE: 1936 to 1961.	
YEARS.		Per 1,000 popu- lation.	Per 1,000 live births. ¹	YEARS.		Per 1,000 popu- lation.	Per 1,000 live births. ¹
1936	.	13.3	953	1949	.	20.1	976
1937	.	13.3	956	1950	.	19.9	976
1938	.	13.5	961	1951	.	20.6	978
1939	.	13.5	963	1952	.	21.3	976
1940	.	14.6	963	1953	.	21.2	978
1941	.	15.7	965	1954	.	21.5	977
1942	.	18.6	968	1955	.	22.1	978
1943	.	19.1	966	1956	.	22.3	978
1944	.	17.4	967	1957	.	23.0	977
1945	.	16.4	968	1958	.	22.6	978
1946	.	20.6	969	1959	.	22.4	977
1947	.	22.6	972	1960	.	21.7	982
1948	.	20.8	974	1961	.	21.5	978

¹ Allocated since 1935.

Table 28

Detailed Int. List No.	CAUSES.	INFANT DEATHS ¹ PER 1,000 LIVE BIRTHS, ¹ FROM SELECTED CAUSES: 1957 TO 1961.				
		1961.	1960.	1959.	1958.	1957.
	All Causes	21.3	18.0	22.8	22.1	23.0
760-776	Certain diseases of early infancy . . .	13.7	11.1	14.4	13.6	14.7
774, 776	Immaturity . . .	5.3	4.3	5.8	5.3	6.6
762	Postnatal asphyxia and atelectasis . . .	3.6	2.8	3.3	3.6	3.5
760, 761	Birth injuries . . .	1.5	1.4	1.7	1.9	2.2
763	Pneumonia of newborn7	.6	.9	.7	.9
764	Diarrhea of newborn . . .	⁻²	⁻²	⁻²	⁻²	⁻²
770	Hemolytic disease of newborn6	.6	.8	.7	.7
765-769, 771-773	Other diseases of early infancy . . .	2.0	1.4	1.9	1.4	.8
750-759	Congenital malformations . . .	3.4	3.0	3.9	4.0	3.8
480-493	Influenza and pneumonia . . .	1.9	1.8	1.9	1.8	1.7
470-475, 500-527	All other diseases of the respiratory system6	.5	.7	.7	.9
800-962	Accidents5	.4	.4	.5	.6
543, 571, 572	Gastritis, duodenitis, enteritis and colitis1	.1	.1	.1	.1
	All other causes . . .	1.1	1.1	1.4	1.4	1.2

¹ Allocated.² Less than one-tenth of one per 1,000.

Table 29

DEATHS¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS
OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	DEATHS FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1961.														
			Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State.²	T	2 478	1,063	228	234	239	1,764	88	59	29	1,946	127	114	151	87	56
		M	1,398	608	130	146	140	1,024	51	42	12	1,129	67	63	75	37	27
		F	1,080	455	98	88	99	740	37	17	17	811	60	51	79	50	29
001-138	Infective and parasitic diseases	M	12	-	1	-	-	1	1	-	-	2	1	1	2	4	-
		F	6	-	-	-	-	-	-	-	-	1	1	1	1	1	-
480-493	Influenza and pneumonia	M	138	-	-	-	-	-	-	-	-	-	38	39	43	11	7
		F	106	-	-	-	-	-	-	-	-	-	29	27	32	15	3
470-475, 500-527	Other diseases of respiratory system	M	31	-	-	-	-	-	1	1	-	2	9	7	7	3	3
		F	24	-	-	-	-	-	-	-	-	1	7	3	8	4	1
543, 571, 572	Gastritis, duodenitis, enteritis and colitis	M	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1
		F	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1
750-759	Congenital malformations	M	158	86	14	12	17	129	2	8	4	149	1	2	2	2	2
		F	187	81	10	9	8	108	8	7	5	128	11	10	18	15	5
760, 761	Birth injuries	M	110	71	17	12	10	110	-	-	-	110	-	-	-	-	-
		F	89	56	16	4	4	80	-	-	-	80	-	-	-	-	-
.0	Without immaturity	M	48	25	9	10	4	48	-	-	-	48	-	-	-	-	-
		F	28	18	6	2	2	28	-	-	-	28	-	-	-	-	-
.5	With immaturity	M	62	46	8	4	4	62	-	-	-	62	-	-	-	-	-
		F	52	38	10	2	2	52	-	-	-	52	-	-	-	-	-
762	Postnatal asphyxia and atelelectasis	M	228	136	31	29	26	222	3	-	1	226	2	-	-	-	-
		F	190	86	27	54	34	181	4	2	1	188	1	-	1	-	-
.0	Without immaturity	M	104	42	15	22	19	98	3	-	1	102	2	-	-	-	-
		F	79	27	10	16	20	73	4	1	-	78	-	-	1	-	-
.5	With immaturity	M	124	94	16	7	7	124	-	-	-	124	-	-	-	-	-
		F	111	59	17	18	14	108	-	1	1	110	1	-	-	-	-
763	Pneumonia of newborn	M	65	8	4	16	20	48	9	6	2	65	-	-	-	-	-
		F	43	1	2	10	12	25	9	2	7	43	-	-	-	-	-
.0	Without immaturity	M	30	5	2	4	7	18	5	5	2	30	-	-	-	-	-
		F	28	1	2	5	8	14	6	2	6	28	-	-	-	-	-
.5	With immaturity	M	35	3	2	12	13	30	4	1	-	35	-	-	-	-	-
		F	15	-	2	5	4	11	3	-	1	15	-	-	-	-	-
764	Diarrhea of newborn	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Without immaturity	M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770	Hemolytic disease of newborn	M	44	22	4	5	6	37	3	4	-	44	-	-	-	-	-
		F	36	25	3	1	3	32	4	-	-	36	-	-	-	-	-
.0-.2	Without immaturity	M	33	18	4	2	6	30	1	2	-	33	-	-	-	-	-
		F	28	19	2	1	3	25	3	-	-	28	-	-	-	-	-
.5-.7	With immaturity	M	11	4	-	3	-	7	2	2	-	11	-	-	-	-	-
		F	8	6	1	-	-	7	1	-	-	8	-	-	-	-	-
774	Immaturity with mention of any other subsidiary condition	M	13	12	1	-	-	13	-	-	-	13	-	-	-	-	-
		F	9	3	2	3	1	9	-	-	-	9	-	-	-	-	-
776	Immaturity, unqualified.	M	359	225	34	37	37	333	13	12	1	359	-	-	-	-	-
		F	236	180	26	7	11	224	7	2	3	236	-	-	-	-	-
765-769, 771-773	Other diseases of early infancy	M	128	41	22	30	19	112	6	4	2	124	2	-	-	-	2
		F	78	17	12	20	25	74	1	1	-	76	-	1	1	-	-
.0-.4	Without immaturity	M	56	12	9	12	11	44	3	4	2	53	1	-	-	-	2
		F	32	4	5	9	11	39	1	-	-	30	-	1	1	-	-
.5-.9	With immaturity	M	72	29	13	18	8	69	3	-	-	71	1	-	-	-	-
		F	46	13	7	11	14	45	-	1	-	46	-	-	-	-	-
780-795	Unknown or ill-defined conditions	M	7	1	-	-	-	1	-	-	-	1	2	1	2	1	-
		F	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
800-962	Accidents	M	29	1	-	-	-	1	-	-	-	1	7	5	8	4	4
		F	23	-	-	-	-	-	-	-	-	-	5	2	6	6	4
Residual	All other causes	M	73	5	2	5	5	17	7	7	1	32	5	7	10	11	8
		F	56	4	-	-	1	5	3	2	1	11	6	6	11	8	14

¹ Exclusive of stillbirths.² Allocated.

Table 30

DEATHS¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS
OF THE FIRST YEAR OF LIFE, FOR BOSTON: 1961.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	Boston.²	T	412	150	37	43	46	278	19	9	9	313	22	23	35	15	6
		M	233	81	22	26	29	159	9	5	6	179	8	14	24	7	2
		F	179	69	15	17	17	119	10	2	3	134	14	9	11	8	4
001-138	Infective and parasitic diseases	M	3	-	-	-	-	1	-	-	-	1	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia	M	27	-	-	-	-	-	-	-	-	-	5	7	14	-	-
		F	21	-	-	-	-	-	-	-	-	-	7	7	5	2	-
470-475.	Other diseases of respiratory system	M	5	-	-	-	-	-	-	-	-	2	1	1	1	1	-
500-527.	Gastritis, duodenitis, enteritis and colitis	M	4	-	-	-	-	-	-	-	-	1	-	1	1	1	-
543, 571, 572	Congenital malformations	M	34	10	2	1	2	15	1	-	5	21	1	5	2	2	-
750-759		F	28	8	2	5	1	16	1	-	1	18	3	3	3	1	-
760, 761	Birth injuries	M	23	10	6	2	5	23	-	-	-	23	-	-	-	-	-
		F	15	3	1	1	4	14	1	-	-	15	-	-	-	-	-
.0	Without immaturity	M	10	4	4	-	2	10	-	-	-	10	-	-	-	-	-
		F	4	3	-	-	1	4	-	-	-	4	-	-	-	-	-
.5	With immaturity	M	13	6	2	2	3	13	-	-	-	13	-	-	-	-	-
		F	11	5	1	1	3	10	1	-	-	11	-	-	-	-	-
762	Postnatal asphyxia and atelectosis	M	44	23	4	11	5	43	1	-	-	44	-	-	-	-	-
		F	35	18	5	5	3	31	3	-	-	34	1	-	-	-	-
.0	Without immaturity	M	13	5	2	4	2	13	-	-	-	13	-	-	-	-	-
		F	13	7	1	1	1	10	3	-	-	13	-	-	-	-	-
.5	With immaturity	M	31	18	2	7	3	30	1	-	-	31	-	-	-	-	-
		F	22	11	4	4	2	21	-	-	-	21	1	-	-	-	-
763	Pneumonia of newborn	M	14	1	-	3	6	10	1	2	1	14	-	-	-	-	-
		F	10	-	1	-	6	7	2	1	-	10	-	-	-	-	-
.0	Without immaturity	M	13	1	-	1	5	7	1	2	1	10	-	-	-	-	-
		F	5	-	-	-	-	3	1	1	-	5	-	-	-	-	-
.5	With immaturity	M	4	-	-	2	1	3	1	-	-	4	-	-	-	-	-
		F	5	-	1	-	2	4	1	-	-	5	-	-	-	-	-
764	Diarrhea of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
.0	Without immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	With immaturity	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
770	Hemolytic disease of newborn	M	1	2	1	-	1	4	-	-	-	4	-	-	-	-	-
		F	6	6	-	-	-	6	-	-	-	6	-	-	-	-	-
.0-.2	Without immaturity	M	3	1	1	-	1	3	-	-	-	3	-	-	-	-	-
		F	4	4	-	-	-	4	-	-	-	4	-	-	-	-	-
.5-.7	With immaturity	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
774	Immaturity with mention of any other subsidiary condition	M	3	2	-	-	-	2	-	1	-	3	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Immaturity, unqualified	M	38	2	5	2	1	38	-	-	-	38	-	-	-	-	-
		F	32	25	2	1	1	29	2	-	1	32	-	-	-	-	-
765-769, 771-773	Other diseases of early infancy	M	26	6	3	4	6	22	1	1	-	24	1	-	-	-	1
		F	14	4	4	4	2	14	-	-	-	14	-	-	-	-	-
.0-.4	Without immaturity	M	10	2	1	2	3	8	-	1	-	6	-	-	-	-	1
		F	6	2	2	2	2	6	-	-	-	6	-	-	-	-	-
.5-.9	With immaturity	M	16	4	2	5	3	14	1	-	-	15	1	-	-	-	-
		F	8	2	2	4	-	8	-	-	-	8	-	-	-	-	-
780-795	Unknown or ill-defined conditions	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
800-962	Accidents	M	2	1	-	-	-	1	-	-	-	1	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other causes	M	9	-	1	-	-	1	2	1	-	4	-	1	2	1	1
		F	6	-	-	-	-	-	1	-	-	1	2	1	1	1	-

¹ Exclusive of stillbirths.² Allocated.

Table 31

DEATHS¹ AND DEATH RATES PER 100,000 POPULATION FROM DISEASES
CAUSED BY PREGNANCY AND CONFINEMENT: 1937 TO 1961.

YEARS.	DEATHS.			DEATH RATES					
				PER 100,000 POPULATION.			PER 100,000 FEMALE POPULATION.		
	Total. 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1937	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9
1941	202	97	105	4.7	2.3	2.4	9.1	4.4	4.7
1942	178	67	111	4.1	1.5	2.6	8.0	3.0	5.0
1943	170	61	109	3.9	1.4	2.5	7.6	2.7	4.9
1944	140	48	92	3.2	1.1	2.1	6.3	2.2	4.1
1945	144	41	103	3.2	.9	2.3	6.4	1.8	4.6
1946	125	38	87	2.7	.8	1.9	5.3	1.6	3.7
1947	102	30	72	2.3	.7	1.6	4.6	1.4	3.2
1948	74	21	53	1.6	.5	1.1	3.1	.9	2.2
1949	60	17	43	1.3	.4	.9	2.5	.7	1.8
1950	53	6	47	1.1	.1	1.0	2.2	.3	1.9
1951	35	5	30	.7	.1	.6	1.4	.2	1.2
1952	56	10	46	1.2	.2	1.0	2.3	.4	1.9
1953	34	5	29	.7	.1	.6	1.3	.2	1.1
1954	36	6	30	.7	.1	.6	1.4	.2	1.2
1955	31	6	25	.6	.1	.5	1.2	.2	1.0
1956	22	5	17	.5	.1	.3	.9	.2	.7
1957	10	5	5	.2	.1	.1	.4	.2	.2
1958	24	3	21	.5	.1	.2	.9	.1	.8
1959	22	-	22	.4	-	.4	.9	-	.9
1960	27	4	23	.5	.1	.4	1.0	.1	.9
1961	34	1	33	.7	-	.7	1.2	-	1.2

¹ Allocated since 1935.

Table 32

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS¹ FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT: 1937 TO 1961.

YEARS.	PER 10,000 CONFINEMENTS. ²			PER 10,000 BIRTHS. ³			PER 10,000 LIVE BIRTHS. ¹		
	Total. ¹ 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.	Total. ¹	Puerperal septicemia.	All others.	Total. ¹	Puerperal septicemia.	All others.
1937	40	11	29	40	11	29	41	11	30
1938	37	10	27	36	9	27	37	10	27
1939	34	11	23	33	10	23	33	10	23
1940	27	11	16	27	11	16	28	11	17
1941	23	13	15	28	13	15	29	14	15
1942	21	8	13	21	8	13	21	8	13
1943	20	7	13	19	7	12	20	7	13
1944	18	6	12	18	6	12	18	6	12
1945	18	5	13	18	5	13	18	5	13
1946	13	4	9	13	4	9	13	4	9
1947	10	3	7	9	3	6	10	3	7
1948	7	2	5	7	2	5	7	2	5
1949	6	2	4	6	2	4	6	2	4
1950	5	1	4	5	1	4	6	1	5
1951	4	1	3	4	1	3	4	1	3
1952	5	1	4	5	1	4	5	1	4
1953	3	1	2	3	1	2	3	1	2
1954	3	1	2	3	1	2	3	1	2
1955	3	1	2	3	1	2	3	1	2
1956	2	1 ⁴	2	2	1 ⁴	2	2	1 ⁴	2
1957	1 ⁴	1 ⁴	1 ⁴	1 ⁴	1 ⁴	1 ⁴	1 ⁴	1 ⁴	1 ⁴
1958	2	1 ⁴	2	2	1 ⁴	2	2	1 ⁴	2
1959	2	1	2	2	1	2	2	1	2
1960	2	1 ⁴	2	2	1 ⁴	2	2	1 ⁴	2
1961	3	-	3	3	-	3	3	-	3

¹ Allocated since 1935.² Inclusive of stillbirths and making proper deductions for plural births.³ Inclusive of stillbirths.⁴ Less than 1 per 10,000.

Line No.	Table 33 CAUSE OF DEATH.	DEATHS (INCLUSIVE OF STILLBIRTHS)				
		THE STATE.		COUNTIES.		
		Number.	Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.
1	All Causes.	15,940	100.0	172	406	1,324
2	VIOLENCE.	2,731	17.1	47	75	125
3	<i>Suicide and Self-inflicted Injury.</i>	417	2.5	12	15	19
4	Analgesic and soporific substances (970)	44	.3	2	3	2
5	Other solid and liquid substances (971)	17	.1	-	-	-
6	Gases in domestic use (972)	3	.1	-	-	-
7	Other gases (973)	46	.2	3	5	6
8	Hanging and strangulation (974)	111	.7	-	3	5
9	Submersion, drowning (975)	36	.2	-	-	1
10	Firearms and explosives (976)	105	.7	6	4	5
11	Cutting and piercing instruments (977)	23	.1	-	-	-
12	Jumping from high places (978)	21	.1	1	-	-
13	Other and unspecified means (979)	11	.1	-	-	-
14	<i>Homicide and Injury Purposely Inflicted by Other Persons.</i>	73	.4	1	3	3
15	Poisonings (980)	-	-	-	-	-
16	Firearms and explosives (981)	26	.1	1	2	3
17	Cutting and piercing instruments (982)	13	.1	-	-	-
18	Other means (983)	34	.2	-	1	-
19	Intervention of police (984)	-	-	-	-	-
20	Legal execution (985)	-	-	-	-	-
21	<i>Accident and Poisoning.</i>	2,241	14.6	34	57	103
22	Railroad accidents (800-802)	6	.1	-	-	1
23	Motor-vehicle traffic accidents (810-825)	592	3.7	10	21	44
24	Motor-vehicle nontraffic accidents (830-835)	16	.1	-	1	1
25	Other road-vehicle accidents (840-845)	3	.1	-	-	-
26	Water-transport accidents (850-858)	20	.1	1	-	3
27	Aircraft accidents (860-866)	19	.1	-	-	2
28	Solid and liquid substances (870-888)	38	.2	1	3	5
29	Gases and vapors (890-895)	13	.1	1	-	-
30	Falls (900-904)	1,041	6.5	9	22	23
31	Burns and scalds (916, 917)	185	1.1	2	3	6
32	Drowning (929)	134	.9	7	2	11
33	Heat and cold (931, 932)	4	.1	-	-	-
34	Others	170	1.0	3	5	7
35	CAUSES NOT DUE TO VIOLENCE.	13,209	82.8	125	331	1,199
36	Natural causes	12,829	80.4	118	316	1,177
37	Alcoholism (322)	91	.6	4	1	9
38	Senility and ill-defined conditions (780-795)	289	1.8	3	14	13
39	Cremations	1,916	12.0	56	46	49
40	STILLBIRTHS.	64	.4	-	-	-
41	Autopsies.					
42	Number	1,924	12.0	15	37	141

¹ Less than one-tenth of one per cent.

Line No.	Table 34 COUNTIES.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY											
		10 YEARS, 1952 TO 1961.			1961.		1960.		1959.		1958.		
		Views.	AUTOPSIES.		Views.	Au- top- sies.	Views.	Au- top- sies.	Views.	Au- top- sies.	Views.	Au- top- sies.	
			Num- ber.	Per- cent.									
1	The State.	136,380	12,014	8.8	15,940	1,924	14,977	1,774	14,429	1,710	14,050	1,566	
2	Barnstable .	1,564	105	6.7	172	15	167	16	205	19	177	16	
3	Berkshire .	3,428	192	5.6	406	37	394	39	376	34	386	28	
4	Bristol .	11,537	620	5.4	1,324	141	1,285	116	1,215	114	1,167	88	
5	Dukes .	181	11	6.1	16	-	15	-	15	6	23	-	
6	Essex .	19,544	1,287	6.6	2,317	250	2,251	248	2,003	216	2,054	225	
7	Franklin .	1,492	76	5.1	174	13	169	15	155	8	161	13	
8	Hampden .	13,834	684	4.9	1,339	148	1,300	137	1,512	126	1,540	146	
9	Hampshire .	3,041	188	6.4	312	39	303	36	305	31	318	19	
10	Middlesex .	29,142	2,472	8.4	3,948	460	3,332	422	2,863	342	2,964	309	
11	Nantucket .	149	6	4.0	16	-	15	1	15	-	29	4	
12	Norfolk .	10,907	904	8.3	1,319	167	1,282	152	1,382	135	1,142	113	
13	Plymouth .	5,626	312	5.5	711	53	690	46	595	43	607	53	
14	Suffolk .	20,138	3,849	19.2	2,122	437	2,062	393	2,012	431	1,901	336	
15	Worcester .	15,797	1,308	8.2	1,764	164	1,712	153	1,776	205	1,581	216	

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1961.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	16	2,317	174	1,339	312	3,948	16	1,319	711	2,122	1,764
2	8	369	30	231	65	584	10	206	136	519	326
3	3	58	9	44	4	85	-	32	23	63	50
4	1	8	-	4	-	9	-	6	2	5	2
5	-	5	-	1	-	2	-	-	-	5	4
6	-	-	-	-	-	1	-	1	-	1	-
7	-	2	-	2	1	10	-	6	-	3	4
8	-	12	2	15	1	24	-	9	6	18	16
9	-	4	-	4	1	11	-	3	-	7	5
10	-	17	7	15	1	15	-	6	6	10	13
11	2	4	-	1	-	5	-	1	4	4	2
12	-	4	-	1	-	4	-	-	-	8	3
13	-	2	-	1	-	4	-	-	1	2	1
14	-	5	2	3	-	23	-	3	3	20	7
15	-	-	-	-	-	-	-	-	-	-	-
16	-	1	1	1	-	6	-	-	2	6	3
17	-	-	-	-	-	6	-	-	-	5	2
18	-	4	1	2	-	11	-	3	1	9	2
19	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-
21	5	306	19	184	61	476	10	171	110	436	269
22	-	1	-	-	-	3	-	-	-	1	-
23	4	67	6	61	15	118	2	48	38	86	72
24	-	3	1	2	-	3	-	2	1	1	1
25	-	-	-	-	-	2	-	-	-	1	-
26	-	3	-	1	-	3	-	4	2	2	1
27	-	2	-	-	-	3	-	2	1	6	3
28	-	4	1	4	1	7	-	2	1	7	2
29	-	2	-	-	-	4	-	1	-	4	1
30	-	154	9	67	33	241	2	74	46	239	122
31	-	24	-	20	2	33	1	8	4	51	31
32	1	22	1	11	4	19	2	15	10	11	18
33	-	-	-	-	-	2	-	-	1	-	1
34	-	24	1	18	6	38	3	15	6	27	17
35	8	1,948	144	1,108	247	3,364	6	1,113	575	1,603	1,438
36	8	1,902	138	1,025	233	3,330	6	1,030	575	1,568	1,403
37	-	8	2	9	-	22	-	5	-	26	5
38	-	38	4	74	14	12	-	78	-	9	30
39	-	81	17	346	7	365	-	303	49	541	56
40	-	11	-	10	18	7	-	4	-	11	3
41	-	-	-	-	-	-	-	-	-	-	-
42	-	250	13	148	39	460	-	167	53	437	164

MEDICAL EXAMINERS IN EACH COUNTY: 1952 TO 1961.

Line No.	1957.		1956.		1955.		1954.		1953.		1952.	
	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.
1	13,746	740	13,235	636	12,899	922	12,561	721	12,434	934	12,109	1,087
2	191	12	120	3	128	6	155	3	135	5	114	10
3	364	23	334	6	334	1	269	4	267	10	298	10
4	1,199	44	1,131	18	1,098	18	1,110	14	950	23	1,058	44
5	21	2	13	-	18	-	24	2	15	-	21	1
6	1,967	25	1,846	45	1,826	30	1,819	16	1,746	90	1,715	132
7	157	3	160	1	138	7	122	8	118	-	138	8
8	1,399	12	1,476	3	1,377	7	1,262	13	1,311	24	1,318	68
9	347	7	275	3	294	2	334	13	269	21	284	17
10	2,938	129	2,774	117	2,735	385	2,619	86	2,485	127	2,464	95
11	10	-	13	-	14	-	13	-	10	-	14	1
12	1,116	69	943	61	993	33	943	42	943	40	844	92
13	555	26	551	13	455	24	517	14	503	19	442	21
14	1,872	330	2,016	323	2,000	354	1,945	378	2,173	421	2,035	446
15	1,590	48	1,583	43	1,489	55	1,429	128	1,509	154	1,364	142

BIRTH STATISTICS

Introduction	132
Birth registration	132
Importance of birth records	132, 133
Adoptions	133
Records impounded	134
Treatment of infants' eyes	134
Allocation	134
Live births	134
Birth rate	134
Changes in birth rate	134
Stillbirths	134
Birth rates, highest	134, 135
Sex proportion at birth	135
Plural births	135
Natural increase	135
Statistical tables	136-145

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 7,798,012 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records. — Records of birth are becoming more important every day. Government and other agencies are demanding proof of citizenship through birth certificates. This has caused a tremendous increase in the issuance of certified copies of birth records. The applications for certified copies are being made in person and by mail from all parts of the country. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance, Social Security and for allotment purposes.

*Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and military service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns are accepted unless by affidavit made by the parents, supported by written evidence at the time of birth, or by affidavit of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance, except that in cases of delayed returns when no deponent is available the clerk may under the provisions of Chapter 542, Acts of 1945, accept a return without affidavit on written evidence satisfactory to him and if he rejects an affidavit for filing a delayed return, the person concerned can appeal to a Probate Judge in the county in which the birth occurred, and if the Probate Judge orders the birth to be recorded, the clerk is then required to make a record of the birth. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, Chapter 434, Acts of 1941 requires that registrars send a supplemental report of the physician's return to the parents for their verification; and when the certificate is returned properly signed by a parent it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth.

Adoptions. — Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded. — Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected by or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court. Chapter 65, Acts of 1945 provided that in cases of illegitimate records which have been amended to appear as legitimate records through intermarriage of the parents or by adoption, no notation shall appear on certified copies that are issued that amendment has been made. This is a further protection to the illegitimate child.

Treatment of Infants' Eyes after Birth. — Chapter 46, Acts of 1943 requires attending physician to record on the birth certificate the use of a prophylactic remedy with which he has treated the eyes of a child whose birth he has personally attended.

Allocation. — Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births. — In the Commonwealth in 1961 there were 116,794 live births registered, an increase of 1,072 or .1 per cent as compared with the number registered in 1960. The allocated births numbered 114,763 for 1961.

Birth Rate. — In proportion to the total population, the total births registered were equivalent to a rate of 22.4 per 1,000 population, and is a decrease of .1 per 1,000 over that of 1960. This rate is .4 per 1,000 above the average for the five years 1956 to 1960. The allocated births for 1961 had a birth rate of 22.0.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a marked decline, and a gradual decline since 1924. Starting with 1940 the trend has been upward with the exception of 1944 and 1945, culminating in the highest number of recorded births in the history of the State in 1957. Though the registered births in the period 1947 to 1956 are below this all-time high, they are still larger than the previous recorded high of 95,731 in 1917. During this period (with the exception of 1952 and 1956), the infant death rate has also declined, the infant mortality rate for 1951 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is shown in the infant mortality tables.

Stillbirths. — Chapter 113, Acts of 1945, defines stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than 20 weeks, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle —." Previous to 1936 there was no statute defining a stillbirth, consequently many returns had been made which, under this definition, would not have been returned. The statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made.

Stillbirths allocated in 1961 numbered 1,541. The rate per 1,000 live births allocated was 11.4 in 1960, 13.7 in 1959, 14.6 in 1958 and 14.0 in 1957. The rate for 1961 was 13.4.

Birth Rates, Highest. — The municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1961 are: Winchester, 94.5; Norwood, 73.2; Methuen, 61.7; Chelsea, 51.0; Attleboro, 54.8 and Holyoke, 52.6.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. Worcester which showed the highest registered rate (34.3) of any place in the State of over 100,000 population has a rate of 20.3 through the allocation of births.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Allocated births numbered 57,302 males and 57,461 females in 1961, with 1,003 as a ratio of female to male births.

Plural Births. — In 1961 there were 1,192 cases of plural births (allocated); 1,181 cases of twins and 11 cases of triplets, or 10.4 pairs of twins per 1,000 live births (allocated), and one-tenth of one case of triplets.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1961 was 11.7 per 1,000 population for registered births and also averaged 11.8 for the five years 1956 to 1960. The rate of increase was 10.3 for allocated births in 1961.

The number of births is greatly in excess of the number of deaths, and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 108.7 per cent in 1959; 109.1 per cent in 1958; 110.5 per cent in 1957 and 110.6 per cent in 1956. The excess of registered births over registered deaths in 1961 was 61,090 or 109.6 per cent, while the increase of allocated births over allocated deaths was 59,082 or 106.1 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS,
IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION,
IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES. ¹	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total. ²	SEX.	
			Male.	Female.			Male.	Female.
The State.	116,794	114,763	57,302	57,461	22.0	1,541	816	725
BARNSTABLE COUNTY . . .	1,511	1,958	1,006	952	27.3	23	14	9
Barnstable	899	339	179	160	25.0	4	2	2
Bourne	592	458	245	213	31.8	7	4	2
Brewster	1	31	19	12	24.7	1	-	1
Chatham	3	61	35	26	18.3	-	-	-
Dennis	-	66	35	31	17.4	1	1	-
Eastham	1	23	8	15	18.8	-	-	-
Falmouth	5	508	245	263	38.2	5	3	2
Harwich	-	84	43	41	21.9	2	1	1
Mashpee	-	35	20	15	39.5	-	-	-
Orleans	1	38	18	20	15.9	-	-	-
Provincetown	5	55	33	22	16.1	3	2	1
Sandwich	2	51	23	28	24.3	-	-	-
Truro	-	19	10	9	18.7	-	-	-
Wellfleet	1	36	15	21	25.2	-	-	-
Yarmouth	1	154	78	76	27.4	1	1	-
BERKSHIRE COUNTY	3,366	3,200	1,588	1,612	22.2	46	21	25
Adams	135	218	109	109	17.4	2	-	2
Alford	1	3	-	3	11.5	-	-	-
Becket	1	19	10	9	24.4	-	-	-
Cheshire	1	60	29	31	23.9	1	1	-
Clarksburg	-	39	22	17	22.1	1	-	1
Dalton	-	163	79	84	24.9	2	2	-
Egremont	-	19	7	12	20.9	-	-	-
Florida	1	15	11	4	26.0	-	-	-
Great Barrington	264	142	75	67	21.2	-	-	-
Hancock	1	11	3	8	23.9	-	-	-
Hinsdale	1	50	23	27	35.1	-	-	-
Lanesborough	-	101	46	55	33.8	2	1	1
Lee	2	139	68	71	26.0	2	1	1
Lenox	1	91	46	45	21.1	-	-	-
Monterey	1	10	7	3	20.5	-	-	-
Mount Washington	1	1	-	1	29.4	-	-	-
New Ashford	-	6	2	4	35.7	-	-	-
New Marlborough	2	16	5	11	14.6	-	-	-
NORTH ADAMS	670	398	196	202	19.8	6	1	5
Otis	-	11	8	3	22.8	-	-	-
Peru	-	4	2	2	20.0	-	-	-
PITTSFIELD	2,284	1,379	686	693	23.5	24	13	11
Richmond	-	23	9	14	25.4	1	-	1
Sandisfield	1	6	4	2	11.0	-	-	-
Savoy	-	3	2	1	10.7	1	-	1
Sheffield	8	39	21	18	18.0	-	-	-
Stockbridge	2	42	25	17	19.3	-	-	-
Tyringham	-	4	3	1	20.2	-	-	-
Washington	-	4	1	3	13.7	-	-	-
West Stockbridge	2	36	15	21	28.6	-	-	-
Williamstown	7	143	72	71	19.2	4	2	2
Windsor	-	5	2	3	12.8	-	-	-
BRISTOL COUNTY	8,563	8,085	4,067	4,018	20.1	120	62	58
Acushnet	-	123	57	66	20.6	2	1	1
ATTLEBORO	1,514	668	366	302	24.1	9	3	6
Berkley	2	36	19	17	22.0	3	1	2
Dartmouth	4	219	122	97	14.6	3	2	1
Dighton	2	90	52	38	22.8	-	-	-
Easton	2	219	106	113	23.4	1	-	1
Fairhaven	2	285	145	140	12.6	1	-	1
FALL RIVER	3,023	1,959	1,001	958	19.7	37	20	17
Freetown	-	68	30	38	21.2	3	2	1
Mansfield	1	182	91	91	22.7	-	-	-
NEW BEDFORD	2,738	1,965	901	1,064	19.2	36	19	17
North Attleborough	38	337	182	155	22.3	2	1	1
Norton	8	164	71	93	23.2	1	-	1
Raynham	-	109	49	60	25.0	3	2	1
Rehoboth	61	124	72	52	23.5	-	-	-
Seekonk	119	167	84	83	19.3	-	-	-
Somerset	5	259	130	129	20.7	-	-	-
Swansea	20	191	96	95	18.7	2	1	1
TAUNTON	1,023	799	431	368	19.2	15	10	5
Westport	1	121	62	59	17.6	2	-	2
DUKES COUNTY	96	88	47	41	15.0	2	1	1
Chilmark	-	1	1	-	4.2	-	-	-
Edgartown	-	19	9	10	12.8	-	-	-
Gay Head	-	1	1	-	9.6	-	-	-
Gosnold	-	-	-	-	-	-	-	-

¹ Cities and counties are printed in small capitals.² Includes 6 sex unknown.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS,
IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION,
IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES. ¹	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total. ²	SEX.	
			Male.	Female.			Male.	Female.
Oak Bluffs	96	22	14	8	15.5	1	-	1
Tisbury	-	42	22	20	19.3	1	1	-
West Tisbury	-	3	-	3	8.3	-	-	-
ESSEX COUNTY	12,473	12,677	6,291	6,386	22.0	161	75	86
Amesbury	295	176	95	81	16.1	4	2	2
Andover	3	751	362	389	46.5	4	2	2
BEVERLY	1,241	879	427	452	23.9	8	5	3
Boxford	-	36	11	25	17.5	-	-	-
Danvers	452	576	293	283	25.8	7	3	4
Essex	2	43	24	19	18.9	-	-	-
Georgetown	3	92	54	38	24.0	2	2	-
GLOUCESTER	627	585	287	298	22.4	9	4	5
Groveland	-	66	35	31	19.6	-	-	-
Hamilton	-	103	58	45	18.3	2	1	1
Haverhill	1,388	1,096	562	534	23.4	15	6	9
Ipswich	223	172	91	81	19.7	4	2	2
LAWRENCE	1,282	1,456	727	729	20.3	18	9	9
LYNN	2,395	2,026	982	1,044	21.2	28	8	20
Lynnfield	1	134	70	64	15.5	1	1	-
Manchester	1	65	28	37	16.3	-	-	-
Marblehead	82	408	202	206	21.1	5	2	3
Merrimac	2	77	31	46	23.3	1	-	1
Methuen	1,760	589	304	285	20.6	7	6	1
Middleton	1	47	17	30	12.4	-	-	-
Nahant	1	74	38	36	18.3	1	-	1
Newbury	-	43	17	26	16.8	1	1	-
NEWBURYPORT	442	239	128	111	16.8	6	2	4
North Andover	-	208	94	114	18.4	1	-	1
PEABODY	117	861	440	421	26.2	12	8	4
Rockport	-	58	25	33	12.4	1	-	1
Rowley	-	53	27	26	18.6	1	1	-
SALEM	1,696	878	432	446	22.2	11	3	8
Salisbury	6	61	28	33	19.1	3	2	1
Saugus	453	480	232	248	22.8	7	4	3
Swampscott	-	199	107	92	14.8	1	1	-
Topsfield	-	70	32	38	20.3	1	-	1
Wenham	-	38	12	26	13.3	-	-	-
West Newbury	-	38	19	19	20.3	-	-	-
FRANKLIN COUNTY	939	1,062	558	504	19.1	12	6	6
Ashfield	1	23	12	11	20.1	-	-	-
Barnardston	-	25	15	10	17.9	-	-	-
Buckland	-	32	16	16	19.0	-	-	-
Charlemont	1	15	7	8	16.5	-	-	-
Colrain	-	30	14	16	20.8	-	-	-
Conway	1	17	10	7	19.2	-	-	-
Deerfield	-	78	45	33	23.0	2	1	1
Erving	-	19	10	9	14.8	-	-	-
Gill	-	27	9	18	22.1	-	-	-
Greenfield	701	341	175	166	19.0	5	3	2
Hawley	-	7	5	2	27.5	-	-	-
Heath	1	4	2	2	13.0	-	-	-
Leverett	-	22	14	8	23.7	-	-	-
Leyden	2	4	2	3	11.4	-	-	-
Monroe	-	4	2	2	18.7	-	-	-
Montague	223	144	80	64	18.2	2	1	1
New Salem	-	6	4	2	14.9	-	-	-
Northfield	7	31	18	13	13.2	1	-	1
Orange	1	120	65	55	19.3	3	1	1
Rowe	-	3	2	1	12.8	-	-	-
Shelburne	1	49	28	21	22.2	-	-	-
Shutesbury	-	10	3	7	37.0	-	-	-
Sunderland	-	27	10	17	20.7	-	-	-
Warwick	-	6	2	4	13.9	-	-	-
Wendell	-	7	3	4	23.8	-	-	-
Whately	-	11	6	5	10.4	-	-	-
HAMPDEN COUNTY	10,920	9,170	4,302	4,868	21.1	97	46	51
Agawam	3	327	175	152	20.4	2	-	2
Blandford	-	16	5	11	24.8	-	-	-
Brimfield	-	39	20	19	27.1	-	-	-
Chester	1	28	15	13	24.0	1	1	-
CHICOPPEE	857	1,373	665	708	21.9	16	10	6
East Longmeadow	4	111	9	102	10.5	2	-	2
Granville	1	15	6	9	16.9	-	-	-
Hampden	1	51	21	30	21.3	-	-	-
Holland	1	11	9	2	19.1	-	-	-
HOLYOKE	2,796	1,191	612	579	22.4	10	4	5

¹ Cities and counties are printed in small capitals.² Includes 6 sex unknown.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS,
IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION,
IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES. ¹	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total. ²	SEX.	
			Male.	Female.			Male.	Female.
Longmeadow	2	134	78	56	12.4	2	1	1
Ludlow	317	357	168	189	25.3	4	2	2
Monson	6	105	53	52	15.4	4	3	1
Montgomery	-	4	2	2	11.7	2	-	2
Palmer	357	239	117	122	22.9	-	-	-
Russell	-	39	17	22	28.2	-	-	-
Southwick	7	131	58	73	21.9	-	-	-
SPRINGFIELD	5,855	3,689	1,597	2,092	20.8	11	20	20
Tolland	2	4	2	2	39.2	-	-	-
Wales	1	10	6	4	14.9	-	-	-
West Springfield	3	575	310	265	21.5	7	4	3
WESTFIELD	703	600	299	301	23.7	9	1	7
Wilbraham	3	121	58	63	16.0	-	-	-
HAMPSHIRE COUNTY	1,722	1,946	978	968	18.6	23	13	10
Amherst	1	271	160	111	19.4	2	1	1
Belchertown	-	73	34	39	13.9	-	-	-
Chesterfield	-	11	5	6	19.5	-	-	-
Cummington	-	4	4	7	7.2	-	-	-
Easthampton	2	254	112	142	14.5	3	2	1
Goshen	-	6	4	2	15.4	-	-	-
Granby	-	105	43	62	24.3	-	-	-
Hadley	-	64	31	33	20.3	1	-	1
Hatfield	1	56	31	25	23.5	-	-	-
Huntington	-	30	12	18	21.3	-	-	-
Middlefield	1	5	2	3	15.6	-	-	-
NORTHAMPTON	1,242	491	260	231	16.1	1	1	-
Pelham	-	17	10	7	20.7	-	-	-
Plainfield	-	2	1	1	8.3	9	5	4
South Hadley	-	50	25	25	22.3	-	-	-
Southampton	-	303	144	159	19.8	1	1	-
Ware	474	134	62	72	17.6	-	-	-
Westhampton	-	17	11	6	28.7	3	2	1
Williamsburg	-	41	23	18	18.5	2	1	1
Worthington	1	12	4	8	19.8	1	-	1
MIDDLESEX COUNTY	25,521	28,972	14,524	14,448	23.1	347	196	151
Acton	3	222	128	94	29.6	2	-	2
Arlington	874	1,035	490	545	20.4	14	10	4
Ashby	3	41	23	18	20.4	-	-	-
Ashland	1	232	128	104	28.7	2	2	-
Ayer	258	150	62	88	11.6	4	2	2
Bedford	1	332	164	168	29.3	5	4	1
Belmont	3	502	259	243	17.2	4	4	-
Billerica	2	532	302	290	32.3	6	3	3
Boxborough	-	19	7	12	22.3	-	-	-
Burlington	3	550	274	276	41.3	6	5	1
CAMBRIDGE	2,620	2,271	1,049	1,222	21.1	30	17	13
Carlisle	1	45	23	22	27.9	-	-	-
Chehamsford	-	443	220	223	28.5	7	1	6
Concord	1,138	271	150	121	21.1	3	2	1
Dracut	2	353	186	167	25.1	2	2	-
Dunstable	7	21	11	10	22.6	1	-	1
EVERETT	1,033	981	466	515	22.3	7	4	3
Frammingham	2,228	1,280	642	647	28.3	13	10	3
Groton	288	99	45	54	24.3	1	1	-
Holliston	-	213	98	115	33.1	-	-	-
Hopkinton	-	151	73	78	29.5	-	-	-
Hudson	74	268	125	143	25.3	-	-	-
Lexington	2	509	259	250	17.9	6	5	1
Lincoln	1	80	38	42	13.7	1	-	1
Littleton	1	170	94	76	31.9	-	-	-
LOWELL	3,872	2,196	1,124	1,072	23.8	33	20	13
MALDEN	1,341	1,251	628	623	21.7	15	8	7
MARLBOROUGH	786	599	300	299	29.6	-	-	-
Maynard	1	195	95	100	24.7	3	3	-
MEDFORD	1,171	1,377	708	669	21.2	18	9	9
MELROSE	1,167	576	295	281	19.1	5	1	4
Natick	761	656	345	311	22.2	10	8	2
NEWTON	1,589	1,452	721	731	15.5	15	10	5
North Reading	2	233	120	113	27.1	3	3	-
Pepperell	22	143	70	73	31.8	2	-	2
Reading	2	451	229	222	22.8	10	6	4
Sherborn	-	41	19	22	21.2	3	1	2
Shirley	362	72	34	38	13.4	4	3	1
SOMERVILLE	1,413	2,462	1,193	1,269	25.4	31	14	17
Stoneham	946	429	234	195	23.5	6	3	3
Stow	2	79	34	38	26.5	2	2	-

¹ Cities and counties are printed in small capitals.

² Includes 6 sex unknown.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS, IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1961.								
COUNTIES AND MUNICIPALITIES. ¹	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total. ²	SEX.	
			Male.	Female.			Male.	Female.
Sudbury	4	276	131	145	35.6	1	-	1
Tewksbury	50	432	215	217	26.4	3	2	1
Tewksbury Hospital	-	-	-	-	-	-	-	-
Townsend	2	100	65	35	26.3	-	-	-
Tyngsborough	4	-	-	-	-	1	1	-
Wakefield	-	514	262	252	20.7	14	4	10
WALTHAM	947	1,432	718	714	25.4	13	7	6
Watertown	13	1,033	533	500	26.1	8	2	6
Wayland	1	260	125	135	24.1	4	3	1
Westford	-	172	82	90	26.6	4	2	2
Weston	-	111	53	58	13.0	1	1	-
Wilmington	-	368	202	166	28.7	5	3	2
Winchester	1,869	363	201	162	18.4	3	-	3
WOBURN	653	927	442	485	29.0	16	8	8
NANTUCKET COUNTY	73	76	40	36	21.3	2	2	-
Nantucket	73	76	40	36	21.3	2	2	-
NORFOLK COUNTY	6,565	10,698	5,303	5,395	20.6	147	86	61
Avon	1	98	50	48	22.3	-	-	-
Bellingham	101	209	168	101	30.2	3	3	-
Braintree	5	669	320	349	21.1	8	2	6
Brookline	326	658	330	328	12.0	7	3	4
Canton	-	347	171	176	26.6	8	5	3
Cohasset	2	103	55	48	17.2	1	-	1
Dedham	3	550	267	283	22.7	6	5	1
Dover	4	50	28	22	17.2	1	1	-
Foxborough	-	278	148	130	26.9	2	2	-
Franklin	4	343	182	161	32.0	3	1	2
Hollbrook	2	290	151	139	27.9	5	3	2
Medford	3	153	79	74	25.0	3	-	3
Medway	1	186	93	93	35.4	3	1	2
Millis	2	140	74	66	31.3	-	-	-
Milton	539	310	153	157	11.6	1	1	-
Needham	495	482	236	246	18.3	6	1	5
Norfolk	2	89	48	41	25.2	2	1	1
Norwood	1,859	657	297	360	25.8	9	2	7
Plainville	4	107	51	56	27.4	2	1	1
QUINCY	2,044	2,441	1,035	1,406	24.2	33	23	10
Randolph	-	509	280	229	26.3	5	3	2
Sharon	1	184	93	86	17.8	2	1	1
Stoughton	684	410	206	204	24.6	7	5	2
Walpole	1	392	193	199	27.3	7	6	1
Wellesley	5	367	175	192	13.8	3	2	1
Westwood	-	244	131	113	23.0	1	-	1
Weymouth	473	1,196	580	616	24.4	18	13	5
Wrentham	4	109	58	51	16.1	1	1	-
PLYMOUTH COUNTY	4,306	6,349	3,193	3,156	25.1	72	36	36
Abington	-	276	118	158	25.5	2	-	-
Bridgewater	-	189	96	93	18.1	4	-	4
BROOKTON	2,674	2,007	989	1,018	27.2	19	11	8
Carver	-	32	17	15	16.1	-	-	-
Duxbury	1	104	55	49	21.6	1	1	-
East Bridgewater	1	147	73	74	23.5	1	-	1
Halifax	-	50	28	22	30.6	2	2	-
Hanover	-	165	70	95	27.2	1	1	-
Hanson	2	109	67	42	24.7	1	-	1
Hingham	1	329	168	161	21.0	3	2	1
Hull	-	218	117	101	30.2	4	2	2
Kingston	-	99	53	46	22.6	1	-	1
Lakeville	-	60	24	36	18.3	3	1	2
Marion	1	49	29	20	16.7	1	1	-
Marshfield	13	205	102	103	29.6	1	1	-
Mattapoisett	1	64	34	30	20.1	-	-	-
Middleborough	346	283	168	115	25.2	5	1	4
Norwell	1	144	75	69	27.0	1	1	-
Pembroke	2	114	57	57	22.6	4	-	4
Plymouth	502	272	138	134	18.6	3	1	2
Plympton	-	18	12	6	21.6	2	1	1
Rochester	1	31	16	15	19.6	-	-	-
Rockland	3	377	172	205	28.2	2	1	1
Scituate	8	278	135	143	24.2	4	2	2
Wareham	746	302	165	137	31.4	4	2	2
West Bridgewater	1	113	53	60	21.9	-	-	-
Whitman	2	314	162	152	29.4	3	3	-
SEFFOLK COUNTY	28,254	17,627	9,009	8,618	22.3	294	154	140
BOSTON	25,491	15,627	7,999	7,628	22.5	272	144	127
CHelsea	1,114	586	303	283	21.6	12	6	6

¹ Cities and countries are printed in small capital.
² Includes 6 sex unknown.

Table 35

REGISTERED LIVE BIRTHS; ALLOCATED LIVE BIRTHS AND STILLBIRTHS,
IN CITIES AND TOWNS, BY SEX, AND BIRTH RATES PER 1,000 POPULATION,
IN EACH COUNTY, CITY AND TOWN: 1961.

COUNTIES AND MUNICIPALITIES. ¹	REGISTERED TOTAL.	ALLOCATED.				STILLBIRTHS.		
		Total.	SEX.		Rate.	Total. ²	SEX.	
			Male.	Female.			Male.	Female.
REVERE	250	861	406	455	21.4	8	3	5
Winthrop	799	411	223	188	20.2	3	1	2
WORCESTER COUNTY	12,485	12,855	6,396	6,459	21.7	195	104	91
Ashburnham	-	65	38	27	23.3	1	-	1
Athol	397	290	138	152	24.6	3	2	1
Auburn	-	264	142	122	18.4	2	-	2
Barre	-	78	34	44	22.2	1	-	1
Berlin	-	44	19	25	24.8	-	-	-
Blackstone	120	125	58	67	24.1	-	-	-
Bolton	-	45	26	19	35.0	-	-	-
Boylston	-	52	30	22	21.5	1	1	-
Brookfield	-	35	21	14	19.7	1	1	-
Charlton	2	79	33	41	21.1	2	1	1
Clinton	379	347	179	168	26.7	8	6	2
Douglas	1	49	23	26	18.9	-	-	-
Dudley	-	130	63	67	19.6	1	-	1
East Brookfield	1	36	22	14	23.7	-	-	-
FITCHBURG	1,442	1,125	559	566	25.9	-	-	-
GARDNER	579	362	185	177	18.8	21	15	6
Grafton	1	191	91	100	17.7	6	5	1
Hardwick	-	42	18	24	17.7	4	1	3
Harvard	-	49	17	32	19.2	-	-	-
Holden	223	165	95	70	16.0	-	-	-
Hopedale	-	68	36	32	16.8	3	2	1
Hubbardston	-	27	15	12	21.9	-	-	-
Lancaster	1	97	48	49	24.2	-	-	-
Leicester	3	210	126	84	25.3	-	-	-
LEOMINSTER	840	741	378	363	26.1	2	2	-
Lunenburg	1	144	72	72	22.3	19	9	10
Mendon	1	46	20	26	21.9	2	-	2
Milford	507	343	161	182	21.5	-	-	-
Millbury	1	218	119	99	22.3	2	1	1
Millville	26	32	19	13	20.2	-	-	-
New Braintree	-	7	3	4	13.6	-	-	-
North Brookfield	3	103	50	53	15.0	-	-	-
Northborough	-	212	99	113	19.4	-	-	-
Northbridge	295	245	119	126	66.9	3	1	2
Oakham	-	11	8	3	20.7	6	6	-
Oxford	-	246	122	124	26.0	-	-	-
Paxton	-	52	24	28	21.1	6	2	4
Petersham	-	14	6	8	15.5	-	-	-
Phillipston	-	21	11	10	29.8	1	-	1
Princeton	-	34	16	18	24.6	-	-	-
Royalston	1	14	9	5	17.3	-	-	-
Rutland	-	61	27	34	18.5	1	1	-
Shrewsbury	2	359	189	170	21.1	1	1	-
Southborough	-	110	58	52	27.0	8	6	2
Southbridge	550	365	180	185	21.8	-	-	-
Spencer	2	181	91	90	22.7	4	1	3
Sterling	-	66	32	34	20.3	5	1	4
Sturbridge	1	83	36	47	22.6	2	1	1
Sutton	1	74	40	34	20.0	3	1	2
Templeton	-	137	65	72	25.1	1	1	-
Upton	-	68	35	33	21.4	3	3	-
Uxbridge	1	141	77	64	17.8	1	1	-
Warren	-	70	39	31	20.5	1	-	1
Webster	474	275	124	151	19.8	-	-	-
West Boylston	-	101	49	52	10.3	4	3	1
West Brookfield	-	50	26	24	8.8	1	1	-
Westborough	3	187	88	99	89.7	-	-	-
Westminster	-	82	42	40	20.0	-	-	-
Winchendon	195	159	76	83	25.2	2	-	2
WORCESTER	6,432	3,828	1,865	1,963	20.3	63	28	35

¹ Cities and counties are printed in small capitals.

² Includes 6 sex unknown.

Table 36
COUNTIES AND
MUNICIPALITIES
HAVING OVER
50,000
INHABITANTS
IN 1960.
Grouped in order
of population.)

ALLOCATED LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN
MUNICIPALITIES HAVING OVER 50,000 INHABITANTS: 1961.

COUNTIES AND MUNICIPALITIES HAVING OVER 50,000 INHABITANTS IN 1960. Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	Septem. cr.	October.	November.	December.
The State.	114,763	9,416	8,831	9,881	9,594	9,805	9,589	9,768	9,886	9,495	9,758	9,405	9,335
Average daily number of births	315	304	315	319	320	316	319	315	319	316	315	313	301
COUNTIES													
Middlesex	28,972	2,474	2,209	2,460	2,462	2,468	2,466	2,456	2,449	2,402	2,410	2,326	2,390
Suffolk	17,627	1,393	1,336	1,568	1,461	1,564	1,502	1,506	1,531	1,414	1,562	1,378	1,412
Worcester	12,855	1,008	942	1,133	1,104	1,035	1,086	1,115	1,135	1,073	1,081	1,066	1,077
Essex	12,677	1,066	1,019	1,149	1,045	1,104	1,054	1,089	1,093	1,087	1,020	1,058	893
Norfolk	10,698	924	807	948	934	946	833	875	882	882	896	893	878
Hamptden	9,170	709	727	724	757	811	728	728	840	761	850	750	785
Bristol	8,085	631	645	700	661	652	673	695	693	696	665	707	667
Plymouth	6,349	511	530	509	476	534	555	559	552	475	527	570	551
Berkshire	3,200	280	230	271	267	260	270	276	274	269	280	268	257
Hampshire	1,946	148	138	154	164	171	164	180	172	152	181	138	184
Barnstable	1,958	167	154	154	170	160	161	161	170	174	172	165	150
Franklin	1,062	86	79	98	84	83	82	115	87	91	99	78	80
Dukes	88	9	7	7	4	7	9	8	7	10	10	6	4
Nantucket	76	10	8	6	5	10	6	5	1	9	5	4	7
MUNICIPALITIES OVER 100,000													
Boston	15,627	1,258	1,178	1,391	1,300	1,370	1,418	1,348	1,343	1,240	1,357	1,196	1,228
Worcester	3,828	298	278	334	304	316	312	351	317	317	337	302	362
Springfield	3,689	273	267	286	287	289	316	317	394	330	323	313	294
Cambridge	2,271	212	169	215	208	179	195	186	182	188	174	193	170
New Bedford	1,965	156	153	167	152	167	164	164	183	177	163	160	159
MUNICIPALITIES 50,000 to 100,000													
Fall River	1,959	130	166	184	163	148	169	166	177	165	166	159	166
Somerville	2,402	205	188	205	204	210	202	223	223	179	200	179	184
Lynn	2,026	163	160	159	161	173	178	177	193	150	171	177	164
Newton	1,452	108	102	117	168	83	138	123	128	128	133	116	108
Lowell	2,196	169	165	191	164	188	200	180	215	186	171	176	191
Quincy	2,141	166	154	185	178	166	180	202	185	198	190	163	174
Brocton	2,007	187	137	160	150	165	177	167	178	161	177	164	184
Lawrence	1,456	118	114	113	136	114	122	169	123	108	116	110	113
Medford	1,377	114	103	125	121	115	107	111	121	122	117	106	114
Chicopee	1,373	85	85	100	114	110	131	127	127	131	112	131	120
Pittsfield	1,379	128	96	116	115	119	114	121	124	109	126	106	105
Malden	1,251	105	87	117	113	106	104	86	119	97	101	108	108
Waltham	1,432	118	117	99	83	135	122	126	133	110	133	137	119
Brookline	638	56	66	57	56	58	52	54	56	61	52	64	26
Holyoke	1,131	81	82	113	85	120	109	113	107	98	113	76	94

Table 37

CASES OF PLURAL BIRTHS¹ IN COUNTIES AND MUNICIPALITIES
HAVING OVER 15,000 INHABITANTS: 1961.

COUNTIES AND MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1960. (Grouped in order of population.)	Twins.	Triplets.	MUNICIPALITIES.	Twins.	Triplets.
The State.	1,152	13	Salem	8	—
COUNTIES			Watertown	10	—
Barnstable	11	—	Beverly	14	—
Berkshire	40	—	Chelsea	7	—
Bristol	80	3	Peabody	7	—
Dukes	1	—	Woburn	8	—
Essex	130	—	Braintree	10	—
Franklin	12	—	Northampton	3	—
Hampden	91	1 ²	Melrose	5	—
Hampshire	23	—	Natick	2	—
Middlesex	276	3	Belmont	2	—
Nantucket	2	—	Methuen	8	—
Norfolk	114	2	Leominster	6	—
Plymouth	57	—	Lexington	5	—
Suffolk	192	3	Attleboro	6	—
Worcester	123	1	Milton	5	—
			Westfield	6	—
MUNICIPALITIES OVER 100,000			Wellesley	2	—
Boston	174	3	Needham	7	—
Worcester	41	1	Gloucester	6	—
Springfield	41	—			
Cambridge	23	—	15,000 TO 25,000		
New Bedford	22	—	West Springfield	2	—
			Norwood	6	—
50,000 TO 100,000			Wakefield	4	—
Fall River	17	1	Dedham	7	—
Somerville	27	—	Danvers	3	—
Lynn	16	—	Saugus	6	—
Newton	7	1	Winthrop	2	—
Lowell	14	1	North Adams	2	—
Quincy	18	—	Winchester	3	—
Brockton	17	—	Reading	3	—
Lawrence	4	—	Gardner	4	—
Medford	12	—	Randolph	7	—
Chicopee	14	—	Marlboro	9	—
Pittsfield	8	—	Marblehead	7	—
Malden	12	1	Billerica	3	—
Waltham	7	—	Stoughton	3	—
Brookline	5	—	Greenfield	5	—
Holyoke	7	1 ²	Shrewsbury	2	—
			Southbridge	3	—
25,000 TO 50,000			Stoughton	8	—
Arlington	6	—	Tewksbury	3	1
Weymouth	13	—	Andover	8	—
Haverhill	13	—	Milford	5	—
Frammingham	15	1	Agawam	7	—
Everett	13	—	Hingham	2	—
Fitchburg	15	—	Cleamsford	5	—
Taunton	1	—			
Revere	9	—			

¹Allocated.²One case of quadruplets in Holyoke: 2 males, 2 females.

Table 38

ALLOCATED LIVE BIRTHS AND ALLOCATED STILLBIRTHS BY AGE OF MOTHER,
BIRTH WEIGHT, COLOR, PLURALITY AND PLACE OF DELIVERY: 1961.

	ALLOCATED LIVE BIRTHS.						
	Total.	COLOR.		SEX.		Single Births.	Plural Births.
		White.	Nonwhite.	Males.	Females.		
The State.	114,763	110,486	4,277	57,302	57,461	112,278	2,485
AGE OF MOTHER.							
Under 15 years	43	28	15	24	19	42	1
15 to 19 years	8,723	8,089	634	4,361	4,362	8,617	106
20 to 24 years	33,642	32,643	999	16,801	16,841	33,119	523
25 to 29 years	33,999	32,573	1,426	16,898	17,101	33,225	774
30 to 34 years	22,977	22,312	665	11,501	11,476	22,347	630
35 to 39 years	12,210	11,805	405	6,005	6,205	11,870	340
40 to 44 years	2,852	2,791	61	1,425	1,427	2,741	111
45 years and over	146	133	13	125	21	146	-
Not stated	171	112	59	162	9	171	-
BIRTH WEIGHT IN GRAMS.							
1,000 grams or less	535	495	40	265	270	499	36
1,001 to 1,500 grams	621	566	55	310	311	534	87
1,501 to 2,000 grams	1,484	1,373	111	740	744	1,168	316
2,001 to 2,500 grams	5,105	4,788	317	2,553	2,552	4,427	678
2,501 to 3,000 grams	20,500	19,455	1,045	10,260	10,240	19,796	704
3,001 to 3,500 grams	42,995	41,345	1,650	18,194	24,801	42,613	382
3,501 to 4,000 grams	28,944	28,207	737	16,231	12,713	28,874	70
4,001 to 4,500 grams	7,774	7,630	144	5,183	2,591	7,769	5
4,501 to 5,000 grams	1,384	1,366	18	842	542	1,384	-
5,001 grams or more	162	160	2	121	41	162	-
Not stated	5,259	5,101	158	2,603	2,656	5,140	119

ALLOCATED STILLBIRTHS.

The State.	1,550	1,456	94	743	807	1,473	77
AGE OF MOTHER.							
Under 15 years							
15 to 19 years	123	105	18	64	59	123	-
20 to 24 years	345	325	20	171	174	332	4
25 to 29 years	336	315	21	148	188	310	26
30 to 34 years	335	321	14	157	178	320	15
35 to 39 years	264	254	10	122	142	242	22
40 to 44 years	78	69	9	40	38	68	10
45 years and over	8	8	-	6	2	8	-
Not stated	61	59	2	35	26	61	-
BIRTH WEIGHT IN GRAMS.							
1,000 grams or less	487	461	26	205	282	458	29
1,001 to 1,500 grams	137	126	11	50	87	127	10
1,501 to 2,000 grams	153	146	7	58	95	141	12
2,001 to 2,500 grams	158	146	12	75	83	147	11
2,501 to 3,000 grams	148	143	5	72	76	146	2
3,001 to 3,500 grams	125	112	13	63	62	123	2
3,501 to 4,000 grams	75	70	5	48	27	73	2
4,001 to 4,500 grams	28	28	-	17	11	27	1
4,501 to 5,000 grams	15	15	-	12	3	15	-
5,001 grams or more	14	14	-	11	3	14	-
Not stated	201	194	7	99	102	193	8

ALLOCATED LIVE BIRTHS BY PLACE OF DELIVERY.

The State.	114,763	110,486	4,277	57,302	57,461	112,278	2,485
Home	405	355	50	203	202	393	12
Hospital	114,342	110,117	4,225	57,093	57,247	111,869	2,473
Other	16	14	2	6	12	16	-
Not stated	-	-	-	-	-	-	-

ALLOCATED STILLBIRTHS BY PLACE OF DELIVERY.

The State.	1,541	1,345	94	816	725	1,464	77
Home	28	27	1	15	13	27	1
Hospital	1,511	1,316	93	801	712	1,435	66
Other	2	2	-	-	-	2	-
Not stated	-	-	-	-	-	-	-

Table 39

LIVE BIRTHS¹ AND BIRTH RATES¹ FOR THE STATE AND CITIES HAVING
OVER 100,000 INHABITANTS IN 1960: 1937 TO 1961.

YEARS.	The State.	Boston.	Worcester.	Spring- field.	Cam- bridge.	New Bedford.
LIVE BIRTHS						
1937	61,272	12,101	2,862	1,971	2,130	1,472
1938	62,382	11,943	2,822	1,989	2,220	1,467
1939	62,575	11,965	2,784	1,930	1,832	1,400
1940	65,369	12,429	2,920	2,040	1,906	1,490
1941	70,228	12,701	3,105	2,497	2,070	1,620
1942	83,371	15,063	3,824	2,950	2,362	2,047
1943	85,743	15,352	3,831	3,079	2,521	1,983
1944	78,140	14,264	3,354	2,763	2,251	1,773
1945	76,455	14,670	3,209	2,870	2,218	1,808
1946	96,903	16,902	4,200	3,535	2,859	2,311
1947	106,690	18,565	4,582	3,979	3,155	2,435
1948	98,933	17,076	4,036	3,640	2,858	2,210
1949	96,041	16,498	4,040	3,585	2,743	2,055
1950	95,619	16,479	3,995	3,421	2,496	2,035
1951	99,851	16,019	4,080	3,732	2,659	2,082
1952	103,936	16,823	4,165	3,837	2,598	2,060
1953	104,232	16,382	4,103	3,850	2,532	1,955
1954	107,086	16,388	4,238	3,959	2,578	2,065
1955	109,610	16,464	4,191	4,094	2,622	2,033
1956	111,407	16,078	4,080	4,129	2,517	2,069
1957	115,065	16,639	4,154	4,524	2,629	2,058
1958	114,563	16,280	4,103	4,469	2,365	1,948
1959	114,090	16,387	3,917	4,220	2,354	1,971
1960	114,018	15,631	3,787	4,172	2,308	1,966
1961	114,763	15,627	3,828	3,689	2,271	1,965
BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1935 TO 1960.						
1935	14.3	15.1	14.8	13.9	15.7	13.6
1940	15.1	16.1	15.1	13.6	17.2	13.5
1945	16.9	17.8	16.1	17.8	12.0	16.4
1950	20.3	20.5	19.6	21.0	20.6	18.6
1955	22.6	22.7	20.7	24.6	26.5	19.3
1960	22.1	22.5	20.3	23.9	21.5	19.2

¹Allocated since 1935.

Table 40

YEARS.	NATURAL INCREASE.				SEX.				
	Population.	Birth rate per 1,000 popu- lation.	Excess of births over deaths. ¹	Excess of births over deaths per 1,000 popu- lation.	Total number. ²	Males.	Fe- males.	Un- known.	Males to 1,000 females.
1937	4,404,220	13.9	9,533	2.2	61,272	31,623	29,649	-	1,067
1938	4,425,544	14.1	13,097	3.0	62,382	31,852	30,530	-	1,043
1939	4,446,868	14.1	12,283	2.8	62,575	32,048	30,527	-	1,050
1940	4,316,721	15.1	14,671	3.4	65,369	33,634	31,735	-	1,060
1941	4,325,106	16.2	19,772	4.5	70,228	35,861	34,367	-	1,043
1942	4,331,814	19.2	32,848	7.5	83,371	42,931	40,440	-	1,062
1943	4,338,530	19.8	31,332	7.2	85,743	44,291	41,452	-	1,068
1944	4,345,238	18.0	26,686	6.1	78,140	40,197	37,943	-	1,059
1945	4,511,866	16.9	25,692	5.7	76,455	39,484	36,970	1	1,068
1946	4,549,036	21.3	45,614	10.0	96,903	49,878	47,023	2	1,061
1947	4,586,206	23.3	55,107	12.1	106,690	55,074	51,615	1	1,067
1948	4,623,376	21.4	46,618	10.1	98,933	50,812	48,121	-	1,056
1949	4,660,546	20.6	45,599	9.8	96,041	49,296	46,745	-	1,053
1950	4,699,859	20.3	45,260	9.6	95,619	49,416	46,203	-	1,070
1951	4,737,238	21.1	46,911	9.9	99,851	51,217	48,634	-	1,053
1952	4,774,616	21.8	51,956	10.9	103,936	53,395	50,541	-	1,056
1953	4,811,995	21.7	52,336	10.9	104,232	53,716	50,516	-	1,063
1954	4,849,374	22.1	55,833	11.5	107,086	55,002	52,084	-	1,056
1955	4,853,132	22.6	56,224	11.6	109,610	56,077	53,533	-	1,048
1956	4,884,107	22.8	58,650	12.0	111,407	57,316	54,091	-	1,060
1957	4,915,081	23.4	60,407	12.3	115,065	59,322	55,743	-	1,064
1958	4,946,055	23.2	59,771	12.1	114,563	59,058	55,505	-	1,064
1959	4,977,032	22.9	59,375	11.9	114,090	59,533	54,555	2	1,091
1960	5,160,030	22.1	57,458	11.1	114,018	58,919	55,096	3	1,069
1961	5,205,836	22.0	59,139	11.3	114,763	57,302	57,461	-	997

¹ Exclusive of stillbirths.² Allocated since 1937.

Table 41		PLURAL BIRTHS: ¹ 1937 TO 1961.		STILLBIRTHS: 1937 TO 1961.						
				Twins. ²	Triplets. ²	Total number. ²	Per 1,000 live births. ²	SEX.		
		Males.	Females.					Unknown.		
YEARS.										
1937	.	622	2	1,744	28	987	757	-	28	
1938	.	621	6	1,730	28	922	808	-	27	
1939	.	651	6	1,765	28	949	816	-	27	
1940	.	625	11	1,774	27	958	816	-	26	
1941	.	721	9	1,768	25	933	835	-	25	
1942	.	856	9	2,066	25	1,094	972	-	24	
1943	.	800	9	2,016	24	1,080	936	-	23	
1944	.	774	11	1,821	23	996	825	-	23	
1945	.	758	8	1,748	23	917	831	-	22	
1946	.	1,060	6	2,135	22	1,151	984	-	22	
1947	.	1,036	8	2,123	20	1,137	986	-	20	
1948	.	1,048	10	1,922	19	1,045	877	-	19	
1949	.	974	6	1,780	19	976	804	-	18	
1950	.	1,050	12	1,815	19	990	825	-	19	
1951	.	1,052	3	1,775	18	985	790	-	18	
1952	.	1,109	19	1,792	17	969	823	-	17	
1953	.	1,081	30	1,839	18	979	860	-	17	
1954	.	1,175	54	1,659	15	895	764	-	15	
1955	.	1,263	39	1,693	15	899	794	-	15	
1956	.	1,219	39	1,625	15	888	737	-	14	
1957	.	1,263	30	1,606	14	882	724	-	14	
1958	.	1,264	21	1,678	15	919	756	3	14	
1959	.	1,228	14	1,565	14	824	739	2	14	
1960	.	1,181	11	1,314	12	696	612	6	11	
1961	.	1,152	13	1,541	13	816	725	9	13	

¹ There was one case of quadruplets in 1951, 1952 and 1959.

² Allocated since 1937.

MARRIAGE STATISTICS

	PAGE
Introduction	146
Marriage registration	146
Source of data	146
Number of marriages	146
Solemnization	146, 147
Accuracy	147
Purpose, marriage requirements	147
Statistical tables	148-158

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1961, inclusive, there have been 5,943,693 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. Chapter 561, Acts of 1943 provides that in cases of persons, one or both of whom is in the armed forces, such notice may be given by either party, provided one is a resident. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed, unless a court waives the requirement, the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses are required to be returned by the clergyman or magistrate to the office or offices issuing the same.

Number of Marriages. — There has been a decrease in the number of marriages solemnized in 1961, 33,704, which was 346 less than 1960. Marriages in previous years numbered 34,050 in 1960, 33,630 in 1959, 33,449 in 1958 and 34,828 in 1957.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination including ordained deacons in the Methodist Church; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to

solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and it may be solemnized among the Baha'is, by the Chairman of an incorporated local spiritual assembly of the Baha'is according to the usage of their society; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of General Laws, Chap. 207, Sec. 39; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

Section 33 of Chapter 207 of General Laws (Ter. Ed.) as amended provides for filing evidence of marriage of residents of Massachusetts who have been married in another State or without the United States, with the city or town clerk of their place of domicile at the time of the marriage.

Section 28A of Chapter 207 of the General Laws (Ter. Ed.) as amended provides for premarital blood examination. Certificates of medical examinations must be presented by both parties to the intended marriage before the marriage certificate is issued.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, copies have been prepared of the marriage laws and are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM,
IN EACH COUNTY AND MUNICIPALITY: 1961.

COUNTIES AND MUNICIPALITIES ¹	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
The State.	33,704	12,720	2,312	10,895	7,777
BARNSTABLE COUNTY . . .	577	129	55	143	250
Barnstable	186	44	13	46	83
Bourne	41	3	3	13	21
Brewster	14	3	2	4	5
Chatham	26	8	1	9	8
Dennis	12	4	4	-	4
Eastham	1	-	-	1	-
Falmouth	129	36	8	30	55
Harwich	54	9	5	9	31
Mashpee	-	-	-	-	-
Orleans	21	1	6	3	11
Provincetown	28	7	4	9	8
Sandwich	20	4	2	4	10
Truro	4	-	1	-	3
Wellfleet	15	2	2	6	5
Yarmouth	26	7	4	9	6
BERKSHIRE COUNTY . . .	890	398	59	238	195
Adams	72	46	7	12	7
Alford	1	-	-	1	-
Becket	7	-	-	2	5
Cheshire	18	5	2	7	4
Clarksburg	29	1	2	-	26
Dalton	40	16	6	13	5
Egremont	4	-	-	1	3
Florida	1	-	-	-	1
Great Barrington . . .	34	7	-	17	10
Hancock	1	-	-	1	-
Hinsdale	12	4	1	3	4
Lanesborough	3	1	-	-	2
Lee	26	8	1	10	7
Lenox	26	5	4	12	5
Monterey	2	-	-	2	-
Mount Washington . . .	-	-	-	-	-
New Ashford	-	-	-	-	-
New Marlborough . . .	5	2	-	3	-
NORTH ADAMS	114	62	8	39	5
Otis	5	1	-	2	2
Peru	1	-	-	1	-
PITTSFIELD	367	215	19	83	50
Richmond	25	1	1	1	22
Sandisfield	11	-	-	-	11
Savoy	-	-	-	-	-
Sheffield	17	3	1	6	7
Stockbridge	11	3	1	7	-
Tyringham	1	-	-	-	1
Washington	-	-	-	-	-
West Stockbridge . . .	4	2	-	2	-
Williamstown	53	16	6	13	18
Windsor	-	-	-	-	-
BRISTOL COUNTY	3,284	1,344	165	865	910
Acushnet	36	4	4	17	11
ATTLEBORO	161	56	13	59	33
Berkley	5	1	1	2	1
Dartmouth	134	35	8	29	62
Dighton	33	9	3	11	10
Easton	55	23	5	14	13
Fairhaven	89	26	12	39	12
FALL RIVER	735	466	20	214	35
Freetown	30	5	5	7	13
Mansfield	37	11	2	18	6
NEW BEDFORD	761	442	37	206	76
North Attleborough . . .	97	37	6	36	18
Norton	91	14	4	24	49
Raynham	10	3	-	3	4
Rehoboth	39	3	3	6	27
Seekonk	411	10	6	20	375
Somerset	67	15	5	39	8
Swansea	84	20	5	31	28
TAUNTON	289	157	20	79	33
Westport	120	7	6	11	96
DUKES COUNTY	45	15	3	12	15
Chilmark	-	-	-	-	-
Edgartown	18	4	1	7	6
Gay Head	-	-	-	-	-
Gosnold	-	-	-	-	-

¹ Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM,
IN EACH COUNTY AND MUNICIPALITY: 1961.

COUNTIES AND MUNICIPALITIES ¹	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
Oak Bluffs	13	4	2	3	4
Tisbury	12	6	-	2	4
West Tisbury	2	1	-	-	1
Essex COUNTY	3,448	1,341	256	1,206	645
Amesbury	149	26	7	27	89
Andover	72	19	9	33	11
BEVERLY	198	83	13	89	13
Boxford	5	-	-	4	1
Danvers	91	18	10	43	20
Essex	10	5	-	2	3
Georgetown	18	6	2	7	3
GLOUCESTER	172	96	8	45	23
Groveland	12	1	1	9	1
Hamilton	27	5	3	7	12
HAVERHILL	271	159	17	78	17
Ipswich	54	15	4	22	13
LAWRENCE	499	235	50	146	68
LYNN	676	343	42	169	122
Lynnfield	46	6	4	20	16
Manchester	18	3	1	11	3
Marblehead	99	31	13	37	18
Merrimac	41	7	-	5	29
Methuen	105	26	13	50	16
Middleton	17	3	3	5	6
Nahant	22	7	3	11	1
Newbury	6	-	-	3	3
NEWBURYPORT	86	34	10	33	9
North Andover	61	15	3	37	6
PEABODY	109	42	4	52	11
Rockport	35	8	1	12	14
Rowley	15	2	2	9	2
SALEM	273	89	17	114	53
Salisbury	16	5	1	8	2
Saugus	120	40	6	59	15
Swampscott	95	10	8	46	31
Topsfield	9	-	1	5	3
Wenham	13	-	-	4	9
West Newbury	8	2	-	4	2
FRANKLIN COUNTY	360	85	38	126	111
Ashfield	4	2	-	1	1
Bernardston	5	-	1	1	3
Buckland	14	-	1	5	8
Charlemont	3	-	-	1	2
Colrain	6	-	1	4	1
Conway	4	1	-	1	2
Deerfield	21	-	2	8	11
Erving	21	1	3	3	14
Gill	6	-	-	2	4
Greenfield	138	51	14	36	37
Hawley	-	-	-	-	-
Heath	1	-	-	1	-
Leverett	6	-	1	-	5
Leyden	1	-	1	-	-
Monroe	61	9	7	38	7
Montague	-	-	-	-	-
New Salem	1	1	-	-	-
Northfield	14	4	1	7	2
Orange	39	15	1	13	10
Rowe	-	-	-	-	-
Shelburne	7	-	4	1	2
Shutesbury	2	-	-	2	-
Sunderland	3	1	-	1	1
Warwick	1	-	-	-	1
Wendell	-	-	-	-	-
Whately	2	-	1	1	-
HAMPDEN COUNTY	2,611	1,051	147	859	554
Agawam	190	23	12	43	112
Blandford	2	1	-	-	1
Brimfield	4	-	1	2	1
Chester	6	4	-	-	2
CHICOPEE	404	110	21	152	121
East Longmeadow	34	3	1	26	4
Granville	5	2	-	3	-
Hampden	9	3	2	2	2
Holland	3	-	1	1	1

¹ Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM,
IN EACH COUNTY AND MUNICIPALITY: 1961.

COUNTIES AND MUNICIPALITIES ¹	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
HOLYOKE	270	121	11	104	34
Loungmeadow	31	9	4	13	5
Ludlow	82	25	3	32	7
Monson	27	10	2	8	2
Montgomery	2	-	-	2	-
Palmer	66	26	4	22	14
Russell	2	-	-	2	-
Southwick	26	8	3	10	5
SPRINGFIELD	1,176	608	61	343	164
Tolland	-	-	-	-	-
Wales	3	-	1	-	2
West Springfield	86	23	6	40	17
WESTFIELD	159	70	13	43	33
Wilbraham	24	5	1	11	7
HAMPSHIRE COUNTY	583	145	47	207	184
Amherst	56	11	8	14	23
Belchertown	32	9	3	9	11
Chesterfield	2	-	-	2	-
Cummington	3	-	-	3	-
Easthampton	154	31	8	30	85
Goshen	-	-	-	-	-
Granby	3	2	1	-	-
Hadley	10	2	3	5	-
Hatfield	-	-	-	-	-
Huntington	22	6	1	12	3
Middlefield	8	2	1	4	1
NORTHAMPTON	11	1	1	3	6
Pelham	1	-	-	1	-
Plainfield	138	46	11	50	31
South Hadley	-	-	-	-	-
Southampton	1	1	-	-	-
Ware	-	-	-	-	-
Westhampton	66	17	4	38	7
Williamsburg	7	1	1	2	3
Worthington	42	11	2	22	7
MIDDLESEX COUNTY	7,487	2,273	570	2,773	1,871
Acton	27	8	3	12	4
Arlington	217	66	7	125	19
Ashby	35	3	-	1	31
Ashland	23	8	3	10	2
Ayer	120	4	5	23	88
Bedford	35	6	1	7	21
Belmont	209	35	15	85	74
Billerica	82	33	4	40	5
Boxborough	-	-	-	-	-
Burlington	36	11	3	16	6
CAMBRIDGE	777	218	75	226	258
Carlisle	4	-	1	2	1
Chelmsford	79	19	6	25	29
Concord	66	16	10	25	15
Dracut	51	15	2	24	10
Dunstable	1	-	-	1	-
EVERETT	263	100	12	117	34
Framingham	215	82	14	88	31
Groton	30	6	1	8	15
Holliston	22	10	2	5	5
Hopkinton	20	6	-	12	2
Hudson	67	19	6	26	16
Lexington	116	26	15	52	23
Lincoln	13	-	-	8	5
Littleton	26	8	-	13	5
LOWELL	708	377	61	196	74
MALDEN	491	143	28	159	161
MARLBOROUGH	96	41	7	41	7
Maynard	24	9	7	6	2
MEDFORD	426	110	38	177	101
MELROSE	153	43	20	67	23
Natick	114	35	9	49	21
NEWTON	696	160	50	258	228
North Reading	25	5	2	17	1
Pepperell	23	6	3	8	6
Reading	138	21	10	42	65
Sherborn	-	-	-	-	-
Shirley	14	5	3	3	3
SOMERVILLE	599	203	53	216	127

¹ Counties and cities are printed in small capitals.

COUNTIES AND MUNICIPALITIES ¹	MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1961.				
	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
Stoneham	123	39	4	71	9
Stow	12	2	1	7	2
Sudbury	80	8	4	11	57
Tewksbury	34	14	4	10	6
Townsend	68	6	4	10	48
Tyngsborough	3	1	-	-	2
Wakefield	143	43	13	50	37
WALTHAM	338	147	16	133	42
Watertown	206	48	15	86	57
Wayland	55	8	6	26	15
Westford	30	8	1	15	6
Weston	52	3	3	21	25
Wilmington	85	24	8	33	21
Winchester	113	23	10	63	17
Woburn	103	42	5	47	9
NANTUCKET COUNTY	27	8	3	8	8
NORFOLK COUNTY	2,906	779	199	1,169	759
Avon	25	4	-	12	9
Bellingham	91	17	4	19	51
Braintree	141	35	6	80	20
Brookline	472	69	38	144	221
Canton	79	20	2	34	23
Cohasset	32	7	2	14	9
Dedham	114	31	9	62	12
Dover	11	1	1	8	1
Foxborough	49	14	1	20	14
Franklin	5	-	3	-	2
Holbrook	38	10	2	23	3
Medfield	23	9	1	7	6
Medway	25	6	1	14	4
Millis	17	7	1	5	4
Milton	198	32	12	92	62
Needham	102	19	7	58	18
Norfolk	12	5	1	5	1
Norwood	123	39	11	59	14
Plainville	21	4	2	10	5
QUINCY	530	230	36	197	67
Randolph	77	30	4	38	5
Sharon	77	8	4	15	50
Stoughton	74	19	9	30	16
Walpole	57	19	5	24	9
Wellesley	135	22	9	60	44
Westwood	38	10	-	22	6
Weymouth	287	104	25	99	59
Wrentham	53	8	3	18	24
PLYMOUTH COUNTY	1,512	490	123	534	365
Abington	47	12	4	20	11
Bridgewater	49	13	3	23	10
BROCKTON	389	191	32	130	36
Carver	15	2	2	6	5
Duxbury	21	3	-	14	4
East Bridgewater	39	13	4	10	12
Halifax	18	3	3	1	11
Hanover	40	2	4	14	20
Hanson	43	4	7	15	17
Hingham	60	18	1	32	9
Hull	24	8	2	7	7
Kingston	34	6	4	9	15
Lakeville	15	1	2	9	3
Marion	16	3	3	8	2
Marshfield	40	9	1	20	10
Mattapoisett	18	5	1	10	2
Middleborough	117	39	10	38	30
Norwell	20	5	3	11	1
Pembroke	8	3	1	2	2
Plymouth	106	56	6	27	17
Plympton	3	-	-	2	1
Rochester	5	-	-	5	-
Rockland	154	28	6	45	75
Scituate	56	17	3	16	20
Wareham	83	30	9	18	26
West Bridgewater	27	3	5	11	8
Whitman	65	16	7	31	11
SUFFOLK COUNTY	6,308	3,211	386	1,510	1,201

¹ Counties and cities are printed in small capitals.

Table 42

MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM,
IN EACH COUNTY AND MUNICIPALITY: 1961.

COUNTIES AND MUNICIPALITIES ¹	TOTAL COUPLES	Groom and bride residents	Groom a resident	Bride a resident	Groom and bride non-residents
BOSTON	5,640	3,017	339	1,306	978
CHELSEA	163	70	11	56	26
REVERE	407	95	28	105	179
Winthrop	98	29	8	43	18
WORCESTER COUNTY	3,666	1,451	261	1,245	709
Ashburnham	16	2	-	11	3
Athol	74	24	9	30	11
Auburn	197	22	8	31	136
Barre	20	5	2	11	2
Berlin	62	4	1	2	55
Blackstone	35	5	-	25	5
Bolton	9	2	2	5	-
Boylston	26	5	1	10	10
Brookfield	10	3	4	3	-
Charlton	24	8	2	11	3
Clinton	70	28	4	31	7
Douglas	23	3	2	13	5
Dudley	42	3	4	3	32
East Brookfield	6	3	1	2	-
FITCHBURG	257	113	18	95	31
GARDNER	111	64	3	36	8
Grafton	53	10	6	23	14
Hardwick	24	2	-	15	7
Harvard	9	3	-	5	1
Holden	31	8	5	9	9
Hopedale	17	5	1	10	1
Hubbardston	2	-	2	-	-
Lancaster	35	10	8	13	4
Leicester	68	17	7	25	19
LEOMINSTER	164	71	13	59	21
Lunenburg	28	6	2	11	9
Mendon	13	1	5	8	1
Milford	100	46	8	39	7
Millbury	58	10	4	33	11
Millville	6	1	1	2	2
New Braintree	-	-	-	-	-
North Brookfield	30	14	-	11	5
Northborough	27	6	5	11	5
Northbridge	75	23	5	23	24
Oakham	-	-	-	-	-
Oxford	51	21	1	23	6
Paxton	9	1	1	4	3
Petersham	7	3	-	2	2
Phillipston	-	-	-	-	-
Princeton	5	1	-	3	1
Royalston	5	-	-	2	3
Rutland	9	2	1	6	-
Shrewsbury	61	15	5	35	6
Southborough	18	2	1	13	2
Southbridge	111	67	5	30	9
Spencer	55	19	3	22	11
Sterling	18	3	5	6	4
Sturbridge	40	2	3	19	16
Sutton	16	5	2	4	5
Templeton	28	8	4	11	5
Upton	22	5	-	16	1
Uxbridge	42	12	-	20	10
Warren	25	10	1	13	1
Webster	100	34	15	32	19
West Boylston	28	6	8	9	5
West Brookfield	11	2	-	6	3
Westborough	22	11	4	4	3
Westminster	16	3	1	10	2
Winchendon	71	23	8	17	23
WORCESTER	1,174	669	62	322	121

¹ Counties and cities are printed in small capitals.

Table 43

MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1961.

AGE AT MARRIAGE.	Both sexes.	MALES.				FEMALES.			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
The State.	67,408	33,704	29,215	1,637	2,852	33,704	29,027	1,555	3,122
13 years and Over									
Under 20 years . . .	13,848	3,276	3,274	-	2	10,572	10,521	4	47
20 to 29 years . . .	40,310	22,796	22,071	31	694	17,514	16,233	97	1,184
30 to 39 years . . .	7,003	4,179	3,010	127	1,042	2,824	1,544	232	1,048
40 to 49 years . . .	3,035	1,565	586	274	705	1,470	464	397	609
50 to 59 years . . .	1,726	912	186	438	288	814	186	458	170
60 to 69 years . . .	1,140	713	73	533	107	427	62	308	56
70 to 74 years . . .	233	172	9	151	12	61	12	45	4
75 years and over	113	91	6	83	2	22	5	13	4

Table 44

MARRIAGES, BY MONTHS IN COUNTIES AND IN MUNICIPALITIES
HAVING OVER 50,000 INHABITANTS: 1961.

COUNTIES AND MUNICIPALITIES HAVING OVER 50,000 INHABITANTS IN 1960. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	33,704	1,783	1,923	1,158	3,042	2,808	4,421	3,312	3,054	4,200	3,320	2,694	1,989
Average daily number of marriages . . .	921	58	69	37	102	91	148	107	99	140	108	90	48
COUNTIES													
Middlesex . . .	7,487	379	433	224	691	655	1,067	642	639	965	776	570	446
Suffolk . . .	6,308	377	390	279	628	505	717	534	572	748	628	532	398
Worcester . . .	3,666	201	215	103	321	325	456	403	322	465	361	307	187
Essex . . .	3,448	172	195	118	304	271	462	354	319	414	361	289	189
Norfolk . . .	2,906	122	162	91	239	265	454	281	257	350	287	206	192
Bristol . . .	3,284	195	167	104	333	300	400	352	285	401	293	250	204
Hampden . . .	2,611	139	151	98	220	229	331	289	229	343	227	208	147
Plymouth . . .	1,512	81	86	57	113	90	216	173	142	203	137	122	92
Berkshire . . .	890	42	34	24	77	59	99	119	111	104	101	84	36
Hampshire . . .	583	31	32	15	48	44	87	51	68	69	51	52	35
Barnstable . . .	577	22	36	26	35	38	74	65	65	90	47	44	35
Franklin . . .	360	18	18	12	24	26	51	41	34	38	44	29	25
Dukes . . .	45	4	3	4	5	-	2	4	8	8	3	1	3
Nantucket . . .	27	-	1	3	4	1	5	4	3	2	4	-	-
MUNICIPALITIES OVER 100,000													
Boston . . .	5,640	339	349	253	560	458	637	486	510	655	554	472	367
Worcester . . .	1,174	68	55	38	93	109	163	107	119	162	112	100	52
Springfield . . .	1,176	68	54	48	95	95	159	125	98	155	118	92	69
Cambridge . . .	777	32	50	22	74	68	133	62	44	96	88	55	53
New Bedford . . .	761	47	34	26	76	55	91	85	58	110	68	56	55
MUNICIPALITIES 50,000 TO 100,000													
Fall River . . .	735	38	37	13	85	91	97	71	59	92	53	63	36
Somerville . . .	599	36	35	20	58	63	73	43	40	73	61	54	43
Lynn . . .	676	33	49	32	51	63	79	68	60	73	64	60	44
Newton . . .	696	36	45	34	52	57	104	52	72	67	66	50	61
Lowell . . .	708	41	39	18	75	80	83	75	69	90	63	39	36
Quincy . . .	530	23	33	18	46	49	62	42	48	75	69	43	22
Brockton . . .	389	27	23	16	31	26	55	43	35	55	31	24	23
Lawrence . . .	499	29	23	11	50	43	65	49	43	76	49	39	22
Medford . . .	426	17	22	9	38	38	60	28	37	59	59	41	18
Chicopee . . .	404	16	17	18	33	37	45	44	41	60	28	43	22
Pittsfield . . .	367	18	15	10	36	30	39	45	39	49	35	32	19
Malden . . .	491	31	26	15	43	37	67	45	49	54	59	36	29
Waltham . . .	338	21	21	8	32	22	48	34	26	50	39	23	14
Brookline . . .	472	18	26	22	38	36	93	34	46	34	49	39	37
Holyoke . . .	270	17	13	3	16	32	34	31	27	33	23	26	15

Line No.	Table 45 COUNTIES AND SEX.	MARRIAGES IN EACH COUNTY,							
		All ages.	Under 15 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.								
1	Grooms . . .	33,704	—	1	50	313	1,084	1,828	15,583
2	Brides . . .	33,704	26	167	720	1,533	4,022	4,104	13,991
	Barnstable:								
3	Grooms . . .	577	—	—	2	7	12	42	252
4	Brides . . .	577	1	2	17	35	88	60	211
	Berkshire:								
5	Grooms . . .	890	—	—	1	7	23	46	428
6	Brides . . .	890	—	4	13	39	129	125	351
	Bristol:								
7	Grooms . . .	3,284	—	—	3	60	163	234	1,597
8	Brides . . .	3,284	2	26	104	207	520	480	1,138
	Dukes:								
9	Grooms . . .	45	—	—	—	1	3	1	17
10	Brides . . .	45	1	1	1	4	3	5	15
	Essex:								
11	Grooms . . .	3,448	—	1	7	31	130	191	1,683
12	Brides . . .	3,448	2	16	87	187	414	461	1,420
	Franklin:								
13	Grooms . . .	360	—	—	2	2	16	22	184
14	Brides . . .	360	1	4	11	32	48	51	135
	Hampden:								
15	Grooms . . .	2,611	—	—	2	21	87	156	1,181
16	Brides . . .	2,611	3	10	54	122	384	340	988
	Hampshire:								
17	Grooms . . .	583	—	—	2	8	16	34	302
18	Brides . . .	583	1	7	11	41	94	90	205
	Middlesex:								
19	Grooms . . .	7,487	—	—	13	46	198	339	3,506
20	Brides . . .	7,487	3	20	117	272	789	871	3,366
	Nantucket:								
21	Grooms . . .	27	—	—	—	—	1	1	9
22	Brides . . .	27	—	1	1	—	2	—	10
	Norfolk:								
23	Grooms . . .	2,906	—	—	1	25	80	116	1,369
24	Brides . . .	2,906	3	8	44	97	278	321	1,390
	Plymouth:								
25	Grooms . . .	1,512	—	—	5	10	61	120	712
26	Brides . . .	1,512	1	11	46	87	218	186	598
	Suffolk:								
27	Grooms . . .	6,308	—	—	8	52	163	278	2,583
28	Brides . . .	6,308	8	42	135	217	545	612	2,669
	Worcester:								
29	Grooms . . .	3,666	—	—	4	43	131	248	1,760
30	Brides . . .	3,666	—	15	79	193	510	502	1,495

Line No.	BY SEX AND AGE: 1961.										
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 years and over.
1	7,213	2,780	1,399	899	666	501	411	374	339	172	91
2	3,523	1,685	1,139	800	670	506	308	259	168	61	22
3	111	44	33	21	14	9	11	5	6	3	5
4	46	35	22	21	6	12	8	2	7	2	2
5	178	76	37	28	22	13	6	7	13	3	2
6	86	44	33	17	17	10	5	8	7	-	2
7	501	236	151	94	58	51	39	26	37	23	11
8	257	144	111	87	68	47	33	29	24	5	2
9	11	2	2	1	1	-	2	1	1	1	1
10	4	3	2	-	2	-	1	2	-	-	1
11	710	237	122	75	67	52	51	31	34	22	4
12	343	144	91	72	72	55	33	30	17	3	1
13	68	23	9	10	7	6	4	1	5	1	-
14	27	13	12	7	7	6	1	2	3	-	-
15	550	209	112	76	56	40	33	36	32	15	5
16	252	124	99	66	45	53	29	20	17	5	-
17	100	43	21	16	16	7	5	7	4	-	2
18	41	26	21	13	14	8	5	4	2	-	-
19	1,759	650	275	167	143	95	72	98	70	34	22
20	862	376	239	160	134	104	61	63	31	15	4
21	4	3	4	1	1	-	-	-	1	-	2
22	3	3	3	1	1	-	1	-	-	-	1
23	659	247	113	69	53	44	40	34	30	18	8
24	307	122	96	55	64	45	28	22	18	6	2
25	299	76	60	38	35	26	17	17	19	11	6
26	126	50	51	40	29	22	17	12	9	8	1
27	1,530	658	335	217	125	114	80	75	46	26	18
28	847	439	253	185	148	95	43	39	19	7	5
29	733	276	125	86	68	44	51	36	41	15	5
30	322	162	106	76	63	49	43	26	14	10	1

MARRIAGES, BY SEX AND AGE: 1961.

Table 46

AGE OF GROOMS.	AGE OF BRIDES.														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	33,704	26	10,546	13,991	3,523	1,685	1,139	800	670	506	308	259	168	61	22
Under 15															
15 to 19	3,276	17	2,902	347	6	3	1	-	-	-	-	-	-	-	-
20 to 24	15,583	5	6,622	8,336	527	74	14	3	2	-	-	-	-	-	-
25 to 29	7,213	1	857	4,179	1,687	362	103	18	3	3	-	-	-	-	-
30 to 34	2,780	1	121	868	874	586	235	74	17	4	-	-	-	-	-
35 to 39	1,399	-	33	175	305	367	309	140	50	17	1	1	-	-	1
40 to 44	899	2	7	58	81	172	236	215	102	20	6	-	-	-	-
45 to 49	666	-	3	16	31	79	145	159	161	54	11	4	3	-	-
50 to 54	501	-	1	3	8	28	51	97	138	118	37	13	7	-	-
55 to 59	411	-	-	7	3	11	23	56	104	108	64	24	8	3	-
60 to 64	374	-	-	1	1	2	13	26	57	104	84	66	18	2	-
65 to 69	339	-	-	-	-	1	6	12	27	48	71	102	58	13	1
70 to 74	172	-	-	-	-	-	2	-	6	23	21	39	47	23	9
75 and over	91	-	-	1	-	-	1	-	3	7	13	10	27	18	11

FIRST MARRIAGES, BY SEX AND AGE: 1961.

Table 47

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (MAIDS).														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	27,211	26	10,286	12,931	2,539	798	361	143	68	35	11	5	3	3	2
Under 15															
15 to 19	3,259	17	2,897	340	3	2	-	-	-	-	-	-	-	-	-
20 to 24	15,001	5	6,525	8,023	412	34	1	1	-	-	-	-	-	-	-
25 to 29	6,130	1	759	3,774	1,351	197	44	2	2	-	-	-	-	-	-
30 to 34	1,786	1	79	671	583	328	100	17	5	2	-	-	-	-	-
35 to 39	601	-	23	98	162	166	115	29	7	1	-	-	-	-	-
40 to 44	213	2	2	20	19	46	65	42	15	2	-	-	-	-	-
45 to 49	111	-	1	3	7	18	26	31	17	7	1	-	-	-	-
50 to 54	48	-	-	1	1	5	7	13	8	11	1	-	1	-	-
55 to 59	33	-	-	1	1	2	3	6	8	6	5	-	1	-	-
60 to 64	14	-	-	-	-	-	-	1	4	4	1	4	-	-	-
65 to 69	8	-	-	-	-	-	-	1	2	1	3	-	1	1	-
70 to 74	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1
75 and over	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1

Table 48

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1961.

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (WIDOWS). ¹														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	2,604	-	41	436	462	377	254	169	113	80	31	19	13	5	4
Under 15															
15 to 19	15	-	4	7	2	1	1	-	-	-	-	-	-	-	-
20 to 24	414	-	30	234	100	35	11	2	2	-	-	-	-	-	-
25 to 29	526	-	7	139	192	129	45	12	-	2	-	-	-	-	-
30 to 34	389	-	-	40	118	107	78	38	7	1	-	-	-	-	-
35 to 39	234	-	-	10	39	62	48	43	22	8	-	1	-	-	1
40 to 44	171	-	-	4	9	30	45	43	30	9	1	-	-	-	-
45 to 49	91	-	-	1	1	11	18	20	22	13	3	1	1	-	-
50 to 54	66	-	-	-	1	2	4	6	19	24	6	3	1	-	-
55 to 59	39	-	-	-	-	-	2	2	7	8	11	4	2	2	-
60 to 64	38	-	-	-	-	-	2	2	4	12	5	5	6	2	-
65 to 69	13	-	-	-	-	-	1	-	-	1	3	4	3	1	-
70 to 74	5	-	-	-	-	-	-	-	-	2	-	1	-	-	2
75 and over	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1

¹ Includes divorced.

Table 49

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1961.

Table 49

AGE OF GROOMS (WIDOWERS). ¹	AGE OF BRIDES (MAIDS).														
	All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over
All Ages.	1,816	—	209	494	269	207	178	133	120	93	47	36	18	9	3
Under 15.	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—
15 to 19.	138	—	61	68	7	2	—	—	—	—	—	—	—	—	—
20 to 24.	398	—	89	212	71	21	3	2	—	—	—	—	—	—	—
25 to 29.	344	—	40	124	93	62	20	4	1	—	—	—	—	—	—
30 to 34.	229	—	10	49	58	47	42	16	4	2	1	—	—	—	—
35 to 39.	187	—	5	27	25	44	41	29	14	1	1	—	—	—	—
40 to 44.	138	—	2	8	9	20	36	31	25	5	1	1	—	—	—
45 to 49.	102	—	1	1	3	7	18	23	25	19	4	1	—	—	—
50 to 54.	90	—	—	3	1	4	8	16	28	15	9	5	—	1	—
55 to 59.	74	—	—	1	1	—	4	8	15	24	10	11	—	—	—
60 to 64.	60	—	—	—	—	—	4	4	5	14	15	13	5	—	—
65 to 69.	30	—	—	—	—	—	2	—	1	10	4	2	6	5	—
70 to 74.	24	—	—	—	—	—	—	—	2	3	2	3	7	3	3
75 and over.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

¹ Includes divorced.

Table 50

REMARRIAGES OF BOTH PARTIES, BY AGE: 1961.

AGE OF GROOMS (WIDOWERS). ¹		AGE OF BRIDES (WIDOWS). ¹														
All ages.	Under 15.	15 to 19.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 and over.		
All Ages.	2,663	—	10	130	253	303	336	355	369	298	219	199	134	44	13	
Under 15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15 to 19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20 to 24	30	—	6	11	8	3	2	—	—	—	—	—	—	—	—	
25 to 29	159	—	2	54	73	15	11	2	1	1	—	—	—	—	—	
30 to 34	261	—	2	33	80	89	37	15	4	1	—	—	—	—	—	
35 to 39	335	—	—	18	46	92	104	52	17	6	—	—	—	—	—	
40 to 44	328	—	—	7	28	52	85	101	43	8	4	—	—	—	—	
45 to 49	326	—	—	4	14	30	65	77	97	29	6	2	2	—	—	
50 to 54	285	—	—	1	3	14	22	55	86	64	26	9	5	—	—	
55 to 59	249	—	—	2	1	5	10	32	61	79	39	15	5	—	—	
60 to 64	248	—	—	—	—	2	7	15	34	64	68	46	12	—	—	
65 to 69	258	—	—	—	—	1	2	6	20	32	50	85	50	11	1	
70 to 74	133	—	—	—	—	—	—	—	5	11	17	35	40	19	6	
75 and over	61	—	—	—	—	—	1	—	1	3	9	7	20	14	6	

¹ Includes divorced.

Table 51

FIRST MARRIAGES AND REMARRIAGES: 1961.

GROOMS.		BRIDES.					
		Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage.	Fifth marriage.
Total Number	.	33,704	29,017	4,210	440	29	8
First marriage	.	29,209	27,198	1,879	124	6	2
Second marriage	.	4,075	1,734	2,070	252	15	4
Third marriage	.	396	77	250	59	8	2
Fourth marriage	.	23	8	10	5	-	-
Fifth marriage	.	1	-	1	-	-	-

Table 52

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES
HAVING OVER 100,000 INHABITANTS IN 1960: 1937 TO 1961.

YEARS.	The State.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		CITIES HAVING OVER 100,000 INHABITANTS IN 1960.				
		Annual.	Five-year averages.	Boston.	Worcester.	Springfield.	Cambridge.	New Bedford.
1937 .	33,652	15.3	16.3	6,682	1,547	1,169	941	980
1938 .	31,904	14.4		6,299	1,390	1,161	887	842
1939 .	38,784	17.4		7,359	1,740	1,340	1,004	1,151
1940 .	44,836	20.8		8,429	2,020	1,682	1,219	1,291
1941 .	52,992	24.5	19.4	10,025	2,475	1,885	1,312	1,493
1942 .	48,098	22.2		9,976	2,194	1,757	1,467	1,365
1943 .	37,232	17.2		8,508	1,591	1,323	1,231	1,044
1944 .	34,681	16.0		7,849	1,417	1,279	1,131	958
1945 .	38,197	17.0	20.2	8,266	1,726	1,414	1,112	1,056
1946 .	56,498	24.8		10,985	2,609	2,169	1,474	1,732
1947 .	49,803	21.7		9,742	2,406	1,936	1,253	1,585
1948 .	45,940	19.9		9,202	2,127	1,729	1,209	1,322
1949 .	39,639	17.0	15.5	8,072	1,758	1,450	1,051	1,050
1950 .	41,711	17.8		8,158	1,776	1,503	1,083	1,138
1951 .	40,415	17.1		7,828	1,793	1,437	995	1,115
1952 .	37,699	15.8		7,262	1,660	1,320	1,045	941
1953 .	36,752	15.3	13.8	6,893	1,626	1,147	871	924
1954 .	35,313	14.6		6,723	1,530	1,222	883	849
1955 .	35,585	14.7		6,533	1,482	1,204	916	911
1956 .	36,132	14.8		6,230	1,539	1,236	925	851
1957 .	34,828	14.2	13.1	6,187	1,380	1,258	817	775
1958 .	33,449	13.5		5,904	1,249	1,158	752	674
1959 .	33,630	13.5		5,855	1,193	1,225	766	723
1960 .	34,050	13.1		5,772	1,264	1,100	811	698
1961 .	33,704	13.1		5,640	1,174	1,176	777	761
MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS: 1935 TO 1960.								
1935 .	13.8			15.0	13.8	13.2	15.0	14.8
1940 .	20.8			21.9	20.9	24.9	22.0	23.4
1945 .	17.0			21.6	17.4	17.7	20.0	19.1
1950 .	17.8			20.3	17.4	18.5	17.9	20.8
1955 .	14.7			18.0	14.6	14.5	18.5	17.3
1960 .	13.1			16.6	13.4	12.5	15.1	13.6

DIVORCE STATISTICS

	PAGE
Introduction	159
Causes for divorce	159
Source of data	159
Applications for divorce	159
Contested cases	159
Number of divorces	159
Divorce rates	159, 160
Party to which granted	160
Divorces classified by causes	160
Annulled cases	160
Duration of marriages	160
Statistical tables	161-165

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws (Ter. Ed.) as amended, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

Since 1952 the names and addresses of divorced persons have been returned to the Secretary of the Commonwealth by the courts.

The Probate Court and the Superior Court have concurrent jurisdiction to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1937 to 1961, the highest proportion of applications being granted in 1940 (90.7 per cent), and the lowest proportion in 1952 (84.1 per cent). During this entire period 86.8 per cent of all applications were granted, .7 per cent were refused, and 12.5 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1937 to 1961, only 34.2 per cent were contested. In 1961, of the 6,508 applications for divorce, only 2,604 or 40.0 per cent, were contested, and of the 5,733 divorces granted, 2,143 or 37.4 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (38.5 per cent) than for those granted to the husband (32.8 per cent.)

Number of Divorces. — Divorces granted in 1961 numbered 5,733, an increase of 141, or 2.5 per cent more than the number granted in 1960 and 222 more than the average number granted for the five-year period 1956 to 1960.

Divorce Rates. — The number of divorces granted per 100,000 population was 110.1.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 57, for the census years 1930 to 1955. In this table the number of divorces shown for the census years 1930 to 1955 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. Over three-fourths (76.7 per cent) of the total number of divorces in the period 1937 to 1961 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife, and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

Divorces Classified by Causes. The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have decreased 57.5 per cent in the twenty-five-year period 1937 to 1961 while the number of divorces granted for adultery has decreased 45.1 per cent.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 69.2 per cent of all the divorces granted in the period of 1937 to 1961, for 43.2 per cent of all those granted to the husband in this period, and for 75.6 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1937 to 1961, are shown in Table 58.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 3,420 cases, or 2.2 per cent of the total number of divorces granted during the period of 1937 to 1961, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — Of the libellants to whom divorces were granted in 1961, 25.3 per cent were married less than 4 years, 51.3 per cent less than 8 years and 97.0 per cent less than 20 years.

Table 53

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, BY STATUTORY CAUSES AND SEX OF LIBELLANT; ALSO ANNULMENTS: 1961.

LIBELS AND LIBELLANTS.

CAUSES.

An-
nul-
ments.

All causes. Deser- tions. Cruel and abusive treatment. Adul- tery. Intoxi- cation. Non- sup- port. Im- poten- cy. Im- prison- ment.

The State.	6,508	853	5,352	103	88	74	3	35	117
Husband	1,722	400	1,217	83	21	-	1	-	40
Wife	4,786	453	4,135	20	67	74	2	35	77
Granted	5,733	801	4,650	95	79	71	3	34	103
Husband	1,316	364	859	75	17	-	1	-	32
Wife	4,417	437	3,791	20	62	71	2	34	71
Refused	20	3	16	1	-	-	-	-	-
Husband	9	2	6	1	-	-	-	-	-
Wife	11	1	10	-	-	-	-	-	-
Dismissed	755	49	686	7	9	3	-	1	14
Husband	397	34	352	7	4	-	-	-	8
Wife	358	15	334	-	5	3	-	1	6
Contested	2,604	175	2,351	35	25	13	1	4	33
Husband	701	97	569	27	8	-	-	-	13
Wife	1,903	78	1,782	8	17	13	1	4	20
Not Contested	3,904	678	3,001	68	63	61	2	31	84
Husband	1,021	303	648	56	13	-	1	-	27
Wife	2,883	375	2,353	12	50	61	1	31	57
Number of Libels pending January 1, 1961									8,385
Number of Libels filed during the year 1961									8,762
Number of Divorces granted during the year 1961									5,733
Number of Divorces refused during the year 1961									20
Number of Libels contested during the year 1961									2,604
Number of Libels uncontested during the year 1961									3,904
Number of cases finally determined in 1961									7,335
Number of petitions for annulment in 1961									131

There were 30 libels received from the Superior Court; 7,824 from the Probate Court; 2 libels discontinued; 17 decrees vacated; 12 decrees revoked; 4 petitions for a firmation of marriage; 6 libels refused and continued on docket. There were 552 libels dismissed under Rule 43 of the Probate Court; 6 libels dismissed under Rule 87 of the Superior Court and 8 petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 54

DIVORCES GRANTED: 1937 TO 1961.

YEARS.

Total
number.

GRANTED TO HUSBAND.

GRANTED TO WIFE.

Number.

Per cent.

Number.

Per cent.

1937 to 1961	150,346	35,082	23.3	115,263	76.6
1937	4,687	1,145	24.4	3,542	75.6
1938	4,599	1,058	23.0	3,541	77.0
1939	4,425	983	22.2	3,442	77.8
1940	4,502	989	22.0	3,513	78.0
1941	4,760	1,031	21.7	3,729	78.3
1942	5,414	1,232	22.8	4,182	77.2
1943	5,144	1,288	25.0	3,856	75.0
1944	6,312	1,605	25.4	4,707	74.6
1945	6,833	1,764	25.8	5,069	74.2
1946	10,071	2,791	27.7	7,280	72.3
1947	9,840	2,508	25.5	7,332	74.5
1948	7,470	1,692	22.7	5,778	77.3
1949	6,687	1,480	22.1	5,207	77.9
1950	6,365	1,376	21.6	4,989	78.4
1951	6,288	1,428	22.7	4,860	77.3
1952	5,891	1,312	22.3	4,579	77.7
1953	6,341	1,449	22.9	4,892	77.1
1954	5,827	1,287	22.1	4,540	77.9
1955	5,601	1,194	21.3	4,407	78.7
1956	5,749	1,248	21.7	4,501	78.3
1957	5,409	1,180	21.8	4,229	78.2
1958	5,458	1,269	23.3	4,189	76.7
1959	5,348	1,233	23.1	4,115	76.9
1960	5,592	1,224	21.8	4,368	78.2
1961	5,733	1,316	23.2	4,417	76.8

Table 55

PERIOD OF YEARS.	DIVORCES GRANTED: 1935 TO 1959.		
	Total number.	INCREASE OVER PRECEDING PERIOD.	
		Number.	Per cent.
1935 to 1939	22,103	4,334	24.4
1940 to 1944	26,132	4,029	18.2
1945 to 1949	40,901	14,769	56.5
1950 to 1954	30,712	10,189 ¹	24.9 ¹
1955 to 1959	27,565	3,147 ¹	10.2 ¹

¹ Decrease.

Table 56

Table 56	COMPARISON OF INCREASE IN DIVORCE WITH INCREASE IN POPULATION: 1935 TO 1960.									
	DIVORCES.				POPULATION.			Divorces per 100,000 population.		
	CENSUS YEARS.	Total num- ber.	INCREASE OVER PRECEDING CENSUS YEAR.		Total.	INCREASE OVER PRECEDING CENSUS YEAR.				
			Number.	Per cent.		Number.	Per cent.			
1935	.	.	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8
1940	.	.	4,502	421	10.3	4,316,721	65,811 ¹	1.5 ¹	959	104.3
1945	.	.	6,833	2,331	51.8	4,493,281	176,560	4.1	658	152.1
1950	.	.	6,365	468 ¹	6.8 ¹	4,690,514	197,233	4.4	737	135.7
1955	.	.	5,601	764 ¹	12.0 ¹	4,837,645	147,131	3.1	864	115.7
1960	.	.	5,592	9 ¹	1.2 ¹	5,148,578	310,933	21.1	921	108.6

¹ Decrease.

Table 57

CENSUS YEARS.	DIVORCE RATES BASED ON TOTAL POPULATION AND ON MARRIED POPULATION: CENSUS YEARS, 1930 TO 1955.					
	POPULATION.		DIVORCE: ANNUAL AVERAGE. ¹		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married. ²	Number.	Per 100,000 population.		
1930	4,249,614	1,740,235	3,630	85	479	209
1935	4,350,910	-	3,987	92	-	-
1940	4,316,721	1,867,437	4,741	110	394	254
1945	4,511,866	-	7,640	169	-	-
1950	4,690,514	2,227,463	6,540	139	341	294
1955	4,837,645	-	5,785	120	-	-

¹ For the five-year period of which the census year is the median year.² Married population for 1935, 1945 and 1955 not available.

Table 58

STATUTORY CAUSES.	DIVORCES GRANTED FOR SPECIFIED CAUSES FOR 25 YEARS: 1937 TO 1961.								
	TOTAL.			GRANTED TO HUSBAND.			GRANTED TO WIFE.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	154,657	100.0	100.0	36,119	23.4	100.0	118,538	76.6	100.0
Cruel and abusive treatment	107,056	100.0	69.2	17,414	11.3	48.2	89,642	57.9	75.6
Desertion	36,039	100.0	23.3	14,800	9.6	41.1	21,239	13.7	18.0
Intoxication	4,125	100.0	2.7	883	.6	2.5	3,242	2.1	2.7
Adultery	4,000	100.0	2.6	2,970	1.9	8.2	1,030	.7	.9
Nonsupport	2,541	100.0	1.6	-	-	-	2,541	1.6	2.1
Imprisonment	778	100.0	.5	17	-	-	761	.5	.6
Impotency	118	100.0	.1	35	-	-	83	.1	.1

¹ 3,420 Annulments not included.² Less than one-tenth of one per cent.

STATUTORY CAUSES OF DIVORCE: 1937 TO 1961.

YEARS DIVORCES WERE GRANTED.	STATUTORY CAUSES OF DIVORCE: 1937 TO 1961.							
	All causes.	Cruel and abusive treatment.	Deser-tion.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Im-prison-ment.	An-nul-ment.
1937	4,687	2,345	1,884	134	163	132	22	7
1938	4,599	2,474	1,706	123	165	109	18	4
1939	4,425	2,460	1,549	139	145	107	20	5
1940	4,502	2,531	1,488	137	179	133	29	5
1941	4,760	2,733	1,575	136	176	114	23	3
1942	5,414	3,068	1,839	141	214	116	30	6
1943	5,144	3,042	1,652	126	191	100	26	7
1944	6,312	3,835	1,925	183	224	114	26	5
1945	6,833	4,395	1,779	277	246	91	36	9
1946	10,071	6,765	2,290	556	335	174	33	8
1947	9,840	6,897	2,073	389	264	163	44	10
1948	7,470	5,421	1,463	191	223	126	41	5
1949	6,687	4,918	1,325	129	188	99	25	3
1950	6,365	4,634	1,299	115	137	91	37	2
1951	6,288	4,635	1,270	100	128	73	29	3
1952	5,891	4,391	1,169	101	134	70	27	2
1953	6,341	4,891	1,116	94	131	77	24	8
1954	5,827	4,517	963	108	108	98	30	3
1955	5,601	4,397	916	100	103	61	21	3
1956	5,749	4,460	955	116	96	75	44	3
1957	5,409	4,263	873	90	93	60	28	2
1958	5,458	4,297	882	95	87	60	35	2
1959	5,348	4,207	865	84	83	69	37	3
1960	5,592	4,409	897	88	99	57	39	3
1961	5,733	4,650	801	95	79	71	34	3

APPLICATIONS FOR DIVORCE: 1937 TO 1961.

YEARS OF APPLICATION.	Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
		Num-ber.		Num-ber.		Num-ber.		Num-ber.		Num-ber.	
		Per cent.	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.
1937	173,202	150,346	86.8	1,228	.7	21,628	12.5	59,214	34.2	113,988	65.8
1938	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1939	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1940	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9
1941	4,966	4,502	90.7	2	.1	462	9.3	1,345	27.1	3,621	72.9
1942	5,322	4,760	89.4	29	.6	533	10.0	1,536	28.9	3,786	71.1
1943	6,092	5,414	88.9	34	.5	644	10.6	1,893	31.1	4,199	68.9
1944	5,856	5,144	87.8	44	.8	668	11.4	1,927	32.9	3,929	67.1
1945	7,171	6,312	88.0	64	.9	795	11.1	2,469	34.4	4,702	65.6
1946	7,967	6,833	85.8	57	.7	1,077	13.5	2,791	35.0	5,176	65.0
1947	11,699	10,071	86.1	120	1.0	1,508	12.9	4,173	35.7	7,526	64.3
1948	11,459	9,840	85.9	59	.5	1,560	13.6	3,879	33.9	7,580	66.1
1949	8,691	7,470	85.9	24	.3	1,197	13.8	3,157	36.3	5,534	63.7
1950	7,840	6,687	85.3	27	.3	1,126	14.4	2,873	36.6	4,967	63.4
1951	7,357	6,365	86.5	80	1.1	912	12.4	2,652	36.0	4,705	64.0
1952	7,278	6,288	86.4	73	1.0	917	12.6	2,415	33.2	4,863	66.8
1953	7,003	5,891	84.1	68	1.0	1,044	14.9	2,398	34.2	4,605	65.8
1954	7,484	6,341	84.7	29	.4	1,114	14.9	2,557	34.2	4,927	65.8
1955	6,876	5,827	84.7	134	2.0	915	13.3	2,430	35.3	4,446	64.7
1956	6,568	5,601	85.3	107	1.6	860	13.1	2,260	34.4	4,308	65.6
1957	6,703	5,749	85.8	112	1.7	842	12.5	2,211	33.0	4,492	67.0
1958	6,266	5,409	86.3	12	.2	845	13.5	2,210	35.3	4,056	64.7
1959	6,197	5,458	88.1	63	1.0	676	10.9	2,365	38.2	3,832	61.8
1960	6,159	5,348	86.9	14	.2	797	12.9	2,381	38.7	3,778	61.3
1961	6,391	5,592	87.5	39	.6	760	11.9	2,463	38.5	3,928	61.5
1961	6,508	5,733	88.0	20	.3	755	11.6	2,604	40.0	3,904	60.0

¹ Less than one-tenth of one per cent.

Table 61	STATUTORY CAUSE AND PARTY TO WHICH GRANTED.	DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: 1961.				
		Total Number.	CASES CONTESTED.		CASES NOT CONTESTED.	
			Number.	Per cent.	Number.	Per cent.
	All Causes.	5,733	2,143	37.4	3,590	62.6
	Husband	1,316	432	32.8	884	67.2
	Wife	4,417	1,711	38.5	2,706	61.5
	Desertion	801	148	18.5	653	81.5
	Husband	364	75	20.6	289	79.4
	Wife	437	73	16.7	364	83.3
	Cruel and abusive treatment	4,650	1,929	41.5	2,721	58.5
	Husband	859	331	38.5	528	61.5
	Wife	3,791	1,598	42.3	2,193	57.7
	Adultery	95	30	31.6	65	68.4
	Husband	75	22	29.3	53	70.7
	Wife	20	8	40.0	12	60.0
	Intoxication	79	19	24.0	60	76.0
	Husband	17	4	23.5	13	76.5
	Wife	62	15	24.2	47	75.8
	Nonsupport	71	12	19.9	59	80.1
	Husband	-	-	-	-	-
	Wife	71	12	19.9	59	80.1
	Impotency	3	1	33.3	2	66.7
	Husband	1	-	-	1	100.0
	Wife	2	1	50.0	1	50.0
	Imprisonment	34	4	11.8	30	88.2
	Husband	-	-	-	-	-
	Wife	34	4	11.8	30	88.2
	Annulments	103	24	23.3	79	76.7
	Husband	32	8	25.0	24	75.0
	Wife	71	16	22.5	55	77.5

Table 62	PARTY TO WHICH GRANTED.	LIBELS FOR DIVORCES GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: 1961					
		TOTAL.		GRANTED.		REFUSED.	
		Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.
	Total.	2,604	3,904	2,143	3,590	16	445
	Husband	701	1,021	432	884	7	262
	Wife	1,903	2,883	1,711	2,706	9	183

Table 63

DIVORCES AND ANNULMENTS GRANTED, BY PARTY TO WHICH GRANTED
AND BY DURATION OF MARRIAGE: 1961.

DURATION OF MARRIAGE, IN YEARS.	DIVORCES.						
	Total.	Husband.	Wife.	DURATION OF MARRIAGE, IN YEARS.	Total.	Husband.	Wife.
The State	5,733	1,316	4,417	13 years . . .	220	52	168
Under 1 year . . .	171	47	124	14 years . . .	209	46	163
1 year . . .	348	68	280	15 years . . .	154	30	124
2 years . . .	405	84	321	16 years . . .	123	24	99
3 years . . .	450	103	347	17 years . . .	98	20	78
4 years . . .	453	110	343	18 years . . .	107	21	86
5 years . . .	398	103	295	19 years . . .	101	27	74
6 years . . .	355	75	280	20 to 24 years . . .	357	85	272
7 years . . .	268	69	199	25 to 29 years . . .	174	49	125
8 years . . .	281	57	224	30 to 34 years . . .	72	20	52
9 years . . .	262	59	203	35 to 39 years . . .	34	10	24
10 years . . .	248	57	191	40 years and over . . .	20	7	13
11 years . . .	200	52	148	Unknown . . .	-	-	-
12 years . . .	225	41	184				

DURATION OF MARRIAGE, IN YEARS.	ANNULMENTS.						
	Total.	Husband.	Wife.	DURATION OF MARRIAGE, IN YEARS.	Total.	Husband.	Wife.
The State	103	32	71	13 years . . .	1	1	-
Under 1 year . . .	33	10	23	14 years . . .	-	-	-
1 year . . .	23	4	19	15 years . . .	1	1	-
2 years . . .	17	5	12	16 years . . .	1	-	1
3 years . . .	2	-	2	17 years . . .	-	-	-
4 years . . .	9	3	6	18 years . . .	-	-	-
5 years . . .	6	3	3	19 years . . .	-	-	-
6 years . . .	3	2	1	20 to 24 years . . .	2	1	1
7 years . . .	-	-	-	25 to 29 years . . .	-	-	-
8 years . . .	1	1	-	30 to 34 years . . .	-	-	-
9 years . . .	-	-	-	35 to 39 years . . .	1	1	-
10 years . . .	1	-	1	40 years and over . . .	-	-	-
11 years . . .	-	-	-	Unknown . . .	-	-	-
12 years . . .	2	-	2				

Table 64

DIVORCES GRANTED, BY COUNTY IN WHICH GRANTED,
FOR THE YEARS 1957 TO 1961.

COUNTIES.	1961.		1960.		1959.		1958.		1957.	
	Divorces.	Annulments.	Divorces.	Annulments.	Divorces.	Annulments.	Divorces.	Annulments.	Divorces.	Annulments.
Total.	5,733	103	5,592	147	5,348	115	5,458	129	5,409	125
Barnstable . . .	134	5	105	3	93	-	97	-	108	-
Berkshire . . .	251	2	176	4	157	2	154	2	168	2
Bristol . . .	529	6	464	13	430	9	458	12	429	10
Dukes . . .	13	-	13	1	22	1	22	-	15	-
Essex . . .	490	7	549	7	565	7	519	5	536	5
Franklin . . .	58	2	56	-	64	1	79	1	71	-
Hampden . . .	667	18	617	22	527	18	558	17	593	16
Hampshire . . .	121	2	86	4	54	-	63	1	67	3
Middlesex . . .	1,101	30	1,133	32	1,057	26	1,142	31	1,046	32
Nantucket . . .	8	-	4	-	5	-	4	-	9	-
Norfolk . . .	225	4	361	6	320	10	357	12	343	9
Plymouth . . .	332	9	290	13	326	4	293	9	263	3
Suffolk . . .	1,096	28	1,091	30	1,102	26	1,098	25	1,077	32
Worcester . . .	708	16	647	12	626	11	614	14	684	13

POPULATION STATISTICS

	PAGE
Introduction	166
Estimated population	166
Statistical tables	167, 168

Introduction. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1955 in this report are based on the State census taken as of January 1, 1955.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 5,148,578 at the Federal census of 1960 (April 1), and of 4,690,514 at the Federal census of 1950 (April 1). The increase during the intercensal period (120 months) was 458,064, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{5,148,578 - 4,690,514}{120} = 3,817.2$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1960 is estimated by adding to the population as it existed at the preceding census (April 1, 1960), 3,817.2 for each month intervening between the date of enumeration and the date for which the estimate is desired (July 1, 1961). There being 15 months between these dates, the calculation would be

$$5,148,578 + (15 \times 3,817.2) = 5,205,836.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1960 is shown on next page.

Table 65

CENSUS POPULATION OF MUNICIPALITIES HAVING OVER
15,000 INHABITANTS IN 1960: 1940 TO 1960.

MUNICIPALITIES.	April 1, 1960.	January, 1, 1955.	April 1, 1950.	January 1, 1945.	April 1, 1940.
The State.	5,148,578	4,837,645	4,690,514	4,493,281	4,316,721
CITIES OVER 100,000					
Boston	697,197	724,702	801,444	766,386	770,816
Worcester	186,587	202,612	203,486	198,741	193,694
Springfield	174,463	166,052	162,399	159,896	149,554
Cambridge	107,716	98,985	120,740	111,124	110,879
New Bedford	102,477	105,488	109,189	110,308	110,341
50,000 TO 100,000					
Fall River	99,942	105,195	111,963	115,062	115,428
Somerville	94,697	97,032	102,351	105,883	102,177
Lynn	94,478	99,020	99,738	105,153	98,123
Newton	92,384	86,535	81,994	77,257	69,873
Lowell	92,107	93,876	97,249	101,229	101,389
Quincy	87,409	84,495	83,835	82,084	75,810
Brockton	72,813	62,628	62,860	65,202	62,343
Lawrence	70,933	76,094	80,536	85,603	84,323
Medford	64,971	65,393	66,113	67,071	63,083
Chicopee	61,553	49,071	49,211	44,626	41,664
Pittsfield	57,879	55,290	53,348	53,560	49,684
Malden	57,676	59,497	59,804	59,567	58,010
Waltham	55,413	50,115	47,187	43,577	40,020
Brookline (town)	54,044	56,876	57,589	56,940	49,786
Holyoke	52,689	53,213	54,661	53,775	53,750
25,000 TO 50,000					
Arlington (town)	49,953	47,148	44,353	43,515	40,013
Weymouth (town)	48,177	42,747	32,690	27,957	23,868
Haverhill	46,346	45,436	47,280	46,162	46,752
Framingham (town)	44,526	31,589	28,086	25,502	23,214
Everett	43,544	45,077	45,982	48,553	46,784
Fitchburg	43,021	42,925	42,691	43,770	41,824
Taunton	41,132	41,281	40,109	38,612	37,395
Revere	40,080	39,565	36,763	35,687	34,405
Salem	39,211	40,117	41,880	42,833	41,213
Watertown (town)	39,092	38,898	37,329	37,438	35,427
Beverly	36,108	31,432	28,884	26,814	25,537
Chelsea	33,749	36,826	38,912	39,940	41,259
Peabody	32,202	26,682	22,645	22,303	21,711
Woburn	31,214	25,856	20,492	19,886	19,751
Braintree (town)	31,069	26,698	23,161	20,279	16,378
Northampton	30,058	26,271	29,063	24,977	24,794
Melrose	29,619	29,239	26,988	27,971	25,333
Natick (town)	28,831	26,213	19,838	15,789	13,851
Belmont (town)	28,715	28,790	27,381	28,866	26,867
Methuen (town)	28,114	26,437	24,477	23,160	21,880
Leominster	27,929	24,787	24,075	23,549	22,226
Lexington (town)	27,691	22,256	17,335	14,452	13,187
Attleboro	27,118	24,870	23,809	22,375	22,071
Milton (town)	26,375	24,043	22,395	21,718	18,708
Westfield	26,302	22,046	20,962	19,956	18,793
Wellesley (town)	26,071	21,759	20,549	17,581	15,127
Needham (town)	25,793	21,560	16,313	14,507	12,445
Gloucester	25,789	25,966	25,167	24,862	24,046
15,000 TO 25,000					
West Springfield (town)	24,924	22,871	20,438	19,453	17,135
Norwood (town)	24,898	21,052	16,636	16,508	15,383
Wakefield (town)	24,295	22,115	19,633	18,677	16,223
Dedham (town)	23,869	21,450	18,487	16,659	15,508
Danvers (town)	21,926	18,185	15,720	14,614	14,179
Saugus (town)	20,666	18,489	17,162	16,662	14,825
Winthrop (town)	20,303	18,704	19,496	18,696	16,768
North Adams	19,905	21,493	21,567	22,230	22,213
Winchester (town)	19,376	18,126	15,509	15,300	15,081
Reading (town)	19,259	16,440	14,006	12,327	10,866
Gardner	19,038	20,108	19,581	20,245	20,206
Randolph (town)	18,900	13,539	9,982	8,463	7,634
Marlborough	18,819	16,892	15,756	15,680	15,154
Marblehead (town)	18,521	15,908	13,765	12,524	10,856
Billerica (town)	17,867	14,403	11,101	8,504	7,933
Stoneham (town)	17,821	15,817	13,229	12,032	10,765
Greenfield (town)	17,690	18,059	17,349	17,020	15,672
Shrewsbury (town)	16,622	13,103	10,594	9,296	7,586
Southbridge (town)	16,523	17,271	17,519	17,561	16,825
Stoughton (town)	16,328	13,754	11,146	9,063	8,632
Tewksbury (town)	15,902	10,848	7,505	5,949	6,261
Andover (town)	15,878	14,535	12,437	11,920	11,122
Milford (town)	15,749	15,622	15,442	15,801	15,388
Agawam (town)	15,718	13,177	10,166	8,420	7,842
Hingham (town)	15,378	13,418	10,665	9,676	8,003
Chelmsford (town)	15,130	11,749	9,407	8,726	8,077

Table 66		ESTIMATED POPULATION BY AGE AND SEX: JULY 1, 1960.		
		Total Number.	Males.	Females.
AGE AND YEAR.				
1960.				
All Ages.	5,205,836	2,513,883	2,691,953
Under 1 year	112,500	57,197	55,303
1 year	113,182	57,643	55,539
2 years	112,459	57,515	54,944
3 years	108,589	55,165	53,424
4 years	107,822	54,985	52,837
5 to 9 years	493,333	251,683	241,650
10 to 14 years	449,420	229,100	220,320
15 to 19 years	365,960	180,485	185,475
20 to 24 years	297,420	145,150	152,270
25 to 29 years	301,069	149,360	151,709
30 to 34 years	338,202	165,880	172,322
35 to 39 years	359,150	173,970	185,180
40 to 44 years	346,396	166,875	179,521
45 to 49 years	322,710	154,750	167,960
50 to 54 years	293,192	138,940	154,252
55 to 59 years	265,461	124,435	141,026
60 to 64 years	241,009	109,115	131,894
65 to 69 years	213,257	94,320	118,937
70 years and over	778,517	318,755	459,762
Unknown	-	-	-

ALPHABETICAL LIST OF CITIES AND TOWNS OF MASSACHUSETTS

AND COUNTIES IN WHICH THEY ARE SITUATED.

A				I	
Abington	<i>Plymouth</i>	Dedham	<i>Norfolk</i>	Ipswich	<i>Essex</i>
Acton	<i>Middlesex</i>	Deerfield	<i>Franklin</i>	K	
Acushnet	<i>Bristol</i>	Dennis	<i>Barnstable</i>	<i>Plymouth</i>	
Adams	<i>Berkshire</i>	Dighton	<i>Bristol</i>	L	
Agawam	<i>Hampden</i>	Douglas	<i>Worcester</i>	Lakeville	<i>Plymouth</i>
Alford	<i>Berkshire</i>	Dover	<i>Norfolk</i>	Lancaster	<i>Worcester</i>
Amesbury	<i>Essex</i>	Dracut	<i>Middlesex</i>	Lanesborough	<i>Berkshire</i>
Amherst	<i>Hampshire</i>	Dudley	<i>Worcester</i>	LAWRENCE	<i>Essex</i>
Andover	<i>Essex</i>	Dunstable	<i>Middlesex</i>	Lee	<i>Berkshire</i>
Arlington	<i>Middlesex</i>	Duxbury	<i>Plymouth</i>	Leicester	<i>Worcester</i>
Ashburnham	<i>Worcester</i>	E		Lenox	<i>Berkshire</i>
Ashby	<i>Middlesex</i>	East Bridgewater	<i>Plymouth</i>	LEOMINSTER	<i>Worcester</i>
Ashfield	<i>Franklin</i>	East Brookfield	<i>Worcester</i>	Leverett	<i>Franklin</i>
Ashland	<i>Middlesex</i>	East Longmeadow	<i>Hampden</i>	Lexington	<i>Middlesex</i>
Athol	<i>Worcester</i>	Eastham	<i>Barnstable</i>	Leyden	<i>Franklin</i>
ATTLEBORO	<i>Bristol</i>	Easthampton	<i>Hampshire</i>	Lincoln	<i>Middlesex</i>
Auburn	<i>Worcester</i>	Easton	<i>Bristol</i>	Littleton	<i>Middlesex</i>
Avon	<i>Norfolk</i>	Edgartown	<i>Dukes</i>	Longmeadow	<i>Hampden</i>
Ayer	<i>Middlesex</i>	Egremont	<i>Berkshire</i>	LOWELL	<i>Middlesex</i>
B		Erving	<i>Franklin</i>	Ludlow	<i>Hampden</i>
Barnstable	<i>Barnstable</i>	Essex	<i>Essex</i>	Lunenburg	<i>Worcester</i>
Barre	<i>Worcester</i>	EVERETT	<i>Middlesex</i>	LYNN	<i>Essex</i>
Becket	<i>Berkshire</i>	F		Lynnfield	<i>Essex</i>
Bedford	<i>Middlesex</i>	Fairhaven	<i>Bristol</i>	M	
Belchertown	<i>Hampshire</i>	FALL RIVER	<i>Bristol</i>	MALDEN	<i>Middlesex</i>
Bellingham	<i>Norfolk</i>	Falmouth	<i>Barnstable</i>	Manchester	<i>Essex</i>
Belmont	<i>Middlesex</i>	FITCHBURG	<i>Worcester</i>	Mansfield	<i>Bristol</i>
Berkley	<i>Bristol</i>	Florida	<i>Berkshire</i>	Marblehead	<i>Essex</i>
Berlin	<i>Worcester</i>	Foxborough	<i>Norfolk</i>	Marion	<i>Plymouth</i>
Bernardston	<i>Franklin</i>	Framingham	<i>Middlesex</i>	MARLBOROUGH	<i>Middlesex</i>
BEVERLY	<i>Essex</i>	Franklin	<i>Norfolk</i>	Marshfield	<i>Plymouth</i>
Billerica	<i>Middlesex</i>	Freetown	<i>Bristol</i>	Mashpee	<i>Barnstable</i>
Blackstone	<i>Worcester</i>	G		Mattapoisett	<i>Plymouth</i>
Blandford	<i>Hampden</i>	GARDNER	<i>Worcester</i>	Maynard	<i>Middlesex</i>
Bolton	<i>Worcester</i>	Gay Head	<i>Dukes</i>	Medfield	<i>Norfolk</i>
BOSTON	<i>Suffolk</i>	Georgetown	<i>Essex</i>	MEDFORD	<i>Middlesex</i>
Bourne	<i>Barnstable</i>	Gill	<i>Franklin</i>	Medway	<i>Norfolk</i>
Boxborough	<i>Middlesex</i>	GLOUCESTER	<i>Essex</i>	MELROSE	<i>Middlesex</i>
Boxford	<i>Essex</i>	Goshen	<i>Hampshire</i>	Mendon	<i>Worcester</i>
Boylston	<i>Worcester</i>	Gosnold	<i>Dukes</i>	Merrimac	<i>Essex</i>
Braintree	<i>Norfolk</i>	Grafton	<i>Worcester</i>	Methuen	<i>Essex</i>
Brewster	<i>Barnstable</i>	Granby	<i>Hampshire</i>	Middleborough	<i>Plymouth</i>
Bridgewater	<i>Plymouth</i>	Granville	<i>Hampden</i>	Middlefield	<i>Hampshire</i>
Brimfield	<i>Hampden</i>	Great Barrington	<i>Berkshire</i>	Middleton	<i>Essex</i>
BROCKTON	<i>Plymouth</i>	Greenfield	<i>Franklin</i>	Milford	<i>Worcester</i>
Brookfield	<i>Worcester</i>	Groton	<i>Middlesex</i>	Millbury	<i>Worcester</i>
Brookline	<i>Norfolk</i>	Groveland	<i>Essex</i>	Millis	<i>Norfolk</i>
Buekland	<i>Franklin</i>	H		Milville	<i>Worcester</i>
Burlington	<i>Middlesex</i>	Hadley	<i>Hampshire</i>	Milton	<i>Norfolk</i>
C		Halifax	<i>Plymouth</i>	Monroe	<i>Franklin</i>
CAMBRIDGE	<i>Middlesex</i>	Hamilton	<i>Essex</i>	Monson	<i>Hampden</i>
Canton	<i>Norfolk</i>	Hampden	<i>Hampden</i>	Montague	<i>Franklin</i>
Carlisle	<i>Middlesex</i>	Hancock	<i>Berkshire</i>	Monterey	<i>Berkshire</i>
Carver	<i>Plymouth</i>	Hanover	<i>Plymouth</i>	Montgomery	<i>Hampden</i>
Charlemont	<i>Franklin</i>	Hanson	<i>Plymouth</i>	Mount Washington	<i>Berkshire</i>
Charlton	<i>Worcester</i>	Hardwick	<i>Worcester</i>	N	
Chatham	<i>Barnstable</i>	Harvard	<i>Worcester</i>	Nahant	<i>Essex</i>
Chelmsford	<i>Middlesex</i>	Harwich	<i>Barnstable</i>	Nantucket	<i>Nantucket</i>
CHELSEA	<i>Suffolk</i>	Hatfield	<i>Hampshire</i>	Nantuck	<i>Middlesex</i>
Cheshire	<i>Berkshire</i>	HAVERHILL	<i>Essex</i>	Needham	<i>Norfolk</i>
Chester	<i>Hampden</i>	Howley	<i>Franklin</i>	New Ashford	<i>Berkshire</i>
Chesterfield	<i>Hampshire</i>	Heath	<i>Franklin</i>	NEW BEDFORD	<i>Bristol</i>
CHICOPEE	<i>Hampden</i>	Hingham	<i>Plymouth</i>	New Braintree	<i>Worcester</i>
Chilmark	<i>Dukes</i>	Hinsdale	<i>Berkshire</i>	New Marlborough	<i>Berkshire</i>
Clarksburg	<i>Berkshire</i>	Holbrook	<i>Norfolk</i>	New Salem	<i>Franklin</i>
Clinton	<i>Worcester</i>	Holden	<i>Worcester</i>	Newbury	<i>Essex</i>
Cohasset	<i>Norfolk</i>	Holland	<i>Hampden</i>	NEWBURYPORT	<i>Essex</i>
Colrain	<i>Franklin</i>	Holliston	<i>Middlesex</i>	NEWTON	<i>Middlesex</i>
Concord	<i>Middlesex</i>	HOLYOKE	<i>Hampden</i>	Norfolk	<i>Norfolk</i>
Conway	<i>Franklin</i>	Hopedale	<i>Worcester</i>	NORTH ADAMS	<i>Berkshire</i>
Cummington	<i>Hampshire</i>	Hopkinton	<i>Middlesex</i>	North Andover	<i>Essex</i>
D		Hubbardston	<i>Worcester</i>	North Attleborough	<i>Bristol</i>
Dalton	<i>Berkshire</i>	Hudson	<i>Middlesex</i>	<i>(Continued on next page)</i>	
Danvers	<i>Essex</i>	Hull	<i>Plymouth</i>		
Dartmouth	<i>Bristol</i>	Huntington	<i>Hampshire</i>		

N

(Continued from preceding page)

North Brookfield . . . Worcester
 North Reading . . . Middlesex
 NORTHAMPTON . . . Hampshire
 Northborough . . . Worcester
 Northbridge . . . Worcester
 Northfield . . . Franklin
 Norton . . . Bristol
 Norwell . . . Plymouth
 Norwood . . . Norfolk

O

Oak Bluffs . . . Dukes
 Oakham . . . Worcester
 Orango . . . Franklin
 Orleans . . . Barnstable
 Otis . . . Berkshire
 Oxford . . . Worcester

P

Palmer . . . Hampden
 Paxton . . . Worcester
 PEABODY . . . Essex
 Pelham . . . Hampshire
 Pembroke . . . Plymouth
 Pepperell . . . Middlesex
 Peru . . . Berkshire
 Petersham . . . Worcester
 Phillipston . . . Worcester
 PITTSFIELD . . . Berkshire
 Plainfield . . . Hampshire
 Plainville . . . Norfolk
 Plymouth . . . Plymouth
 Plympton . . . Plymouth
 Princeton . . . Worcester
 Provincetown . . . Barnstable

Q

QUINCY . . . Norfolk

R

Randolph . . . Norfolk
 Raynham . . . Bristol
 Reading . . . Middlesex
 Rehoboth . . . Bristol
 REVERE . . . Suffolk
 Richmond . . . Berkshire
 Rochester . . . Plymouth
 Rockland . . . Plymouth
 Rockport . . . Essex
 Rowe . . . Franklin
 Rowley . . . Essex
 Royalston . . . Worcester

Russell . . . Hampden
 Rutland . . . Worcester

S

SALEM . . . Essex
 Salisbury . . . Essex
 Sandisfield . . . Berkshire
 Sandwich . . . Barnstable
 Saugus . . . Essex
 Savoy . . . Berkshire
 Scituate . . . Plymouth
 Seekonk . . . Bristol
 Sharon . . . Norfolk
 Sheffield . . . Berkshire
 Shelburne . . . Franklin
 Sherborn . . . Middlesex
 Shirley . . . Middlesex
 Shrewsbury . . . Worcester
 Shutesbury . . . Franklin
 Somerset . . . Bristol
 SOMERVILLE . . . Middlesex
 South Hadley . . . Hampshire
 Southampton . . . Hampshire
 Southborough . . . Worcester
 Southbridge . . . Worcester
 Southwick . . . Hampden
 Spencer . . . Worcester
 SPRINGFIELD . . . Hampden
 Sterling . . . Worcester
 Stockbridge . . . Berkshire
 Stoneham . . . Middlesex
 Stoughton . . . Norfolk
 Stow . . . Middlesex
 Sturbridge . . . Worcester
 Sudbury . . . Middlesex
 Sunderland . . . Franklin
 Sutton . . . Worcester
 Swampscott . . . Essex
 Swansea . . . Bristol

T

TAUNTON . . . Bristol
 Templeton . . . Worcester
 Tewksbury . . . Middlesex
 Tisbury . . . Dukes
 Tolland . . . Hampden
 Topsfield . . . Essex
 Townsend . . . Middlesex
 Truro . . . Barnstable
 Tyngsborough . . . Middlesex
 Tyringham . . . Berkshire

U

Upton . . . Worcester
 Uxbridge . . . Worcester

W

Wakefield . . . Middlesex
 Wales . . . Hampden
 Walpole . . . Norfolk
 WALTHAM . . . Middlesex
 Ware . . . Hampshire
 Wareham . . . Plymouth
 Warren . . . Worcester
 Warwick . . . Franklin
 Washington . . . Berkshire
 Watertown . . . Middlesex
 Wayland . . . Middlesex
 Webster . . . Worcester
 Wellsley . . . Norfolk
 Wellfleet . . . Barnstable
 Wendell . . . Franklin
 Wenham . . . Essex
 West Boylston . . . Worcester
 West Bridgewater . . . Plymouth
 West Brookfield . . . Worcester
 West Newbury . . . Essex
 West Springfield . . . Hampden
 West Stockbridge . . . Berkshire
 West Tisbury . . . Dukes
 Westborough . . . Worcester
 WESTFIELD . . . Hampden
 Westford . . . Middlesex
 Westhampton . . . Hampshire
 Westminster . . . Worcester
 Weston . . . Middlesex
 Westport . . . Bristol
 Westwood . . . Norfolk
 Weymouth . . . Norfolk
 Whately . . . Franklin
 Whitman . . . Plymouth
 Wilbraham . . . Hampden
 Williamsburg . . . Hampshire
 Williamstown . . . Berkshire
 Wilmington . . . Middlesex
 Winchendon . . . Worcester
 Winchester . . . Middlesex
 Windsor . . . Berkshire
 Winthrop . . . Suffolk
 WORURN . . . Middlesex
 WORCESTER . . . Worcester
 Worthington . . . Hampshire
 Wrentham . . . Norfolk

Y

Yarmouth . . . Barnstable

TOTALS —

39 Cities and 312 Towns







